



Index

Note: Page numbers in *italics* indicate figures; those in **bold** indicate definitions; those followed by a “t” indicate tables; those followed by an “s” indicate sonagrams. “Track” refers to the Track on the CD that accompanies Chapter 7. “H” indicates pages in the section *Birds and Humans*; “E” indicates pages in the section *Evolution*. When a topic is mentioned both in a figure and in the text on the same page, generally only the more extensive entry is indexed.

Please note that this index is also available on the Internet at <www.birds.cornell.edu/homestudy>.

A

- Abbot, John, H-25
 Abducent nerve, 4-41
 Abundance, relative, **9-82–83**, 9-101–102, 9-101
 Accessory nerve, 4-42
 Acid rain, 10-56–57
 Activity patterns, 9-31, 9-37
 Adaptation(s), **1-35**
 of brood parasites, 8-143–150, 8-145–146
 evolution and, 6-42
 of nests, 8-8
 Adaptive management, **10-84–85**
 Adaptive radiation, **1-59–60**, 1-62
 Adoption, **8-128**
 Adrenal glands, 4-71–72, **4-74–75**, 4-138
 Adrenaline, 4-72, 4-75
 Adrenocorticotrophic hormone (ACTH), 4-72
 Aesop, H-12
 Afrotropical region, 1-70, 1-81–88
 Afterfeathers, 3-12, **3-13**. *See also* Feathers
 Agassiz Fuertes, Louis, H-39–40, 10-11
 Age
 clutch size and, 8-89
 life span and, 4-159, 4-159t, 9-44–45
 reproduction and, 8-6–7, 9-44–45, 9-46t
 Age distribution, **9-80**
 Age recognition, 3-66
 Age-specific fecundity, **9-64**
 Age-specific survival, **9-64**
 Age structure, **9-80**
 Aggression, 6-54. *See also* Threat displays
 redirected, **6-33**
 ritualized, 6-22–30
 Ahlquist, Jon, 1-39, 7-25
 Airfoils, 5-10–12, 5-15
 Air sacs, 4-98, 4-100, 4-101, 5-4
 of humerus, 1-10, 4-101
 respiration and, 4-102
 Air speed, **5-45**, 5-68
 Air tubes, 4-98–99, 4-98
 Akepa, 10-60t
 Akialoa
 Greater, 10-60t
 Lesser, 1-62, 10-60t
 Akiapolaau, 1-62, 10-60t
 Akikiki, 10-60t
 Akohekohe, 1-62, 10-103–104, 10-103
 Alala, 10-60t, 10-70, 10-71, 10-76
 Alarm calls, 6-18, 6-51, 6-55–56, 7-73. *See also* Sentinel behavior; Vocal behavior
 deceptive, 6-56, 7-68
 fledglings and, 8-123
 mimicry of, 7-84
 nestlings and, 8-114
 structure of, 7-20, Track 18, 7-21s
 Alauahio
 Maui, 10-60t
 Oahu, 10-60t
 Albatross(es), 1-98–101
 bill of, 3-41
 feeding by, 8-132–133
 Laysan, 5-2
 homing ability, 5-81, 5-82
 incubation pouch of, 8-95, 8-96
 life span of, 4-159t
 plumage of, 3-30–32
 Royal, 8-4t
 soaring by, 5-44
 Wandering, 1-16
 courtship display of, 6-38
 nestling, 8-124
 wing shape of, 5-37, 5-44
 young of, 8-124
 Albinos, **3-52**, 3-53
 Albumen, 8-62–67
 Alcids, 1-70, 1-98–99, 2-14, 5-42
 Alexander, Annie, H-38
 Alexander, Richard, 6-59
 Alimentary canal, **4-103**, 4-113. *See also* Digestive system
 Allantois, **8-65–67**
 Allee effect, **10-38–39**
 Allen, Arthur A., H-36–38, H-38, 7-15
 Allopreeing, **3-19–20**
Allosaurus, E-9, E-27–28, **E-33**
 Altricial young. *See* Young, altricial
 Alula, **1-11**, 4-21
 function of, 5-15, 5-17
 quills (feathers) of, 1-10, 1-13
 Alular digit, **4-21**, 4-22
 Amakihī, 1-62, 10-60t
 Amaui, 10-60t
 Ambiortiformes, E-29–30
Ambiortus, E-20, E-29–30
 American Indians. *See* Native Americans
 American Ornithologists’ Union (AOU), H-32–34, H-39, 8-83, 10-18
 Amino acids, 1-42
 Amnion, **8-65–67**, 8-69
 Ampulla, **4-58**, 4-60
 Anatomy, 1-1–24, 4-1–144, 4-159–162. *See also specific parts, e.g., Bill; Ear*
 directional terms in, **1-3–4**, 1-5
 topographic, 1-6–7, 1-13
 Anderson, Daniel, 8-81–82
 Angle of attack, **5-13**, 5-15
 Anhinga, 3-22, 3-23
 nest of, 8-48
 proventriculus of, 4-118–119
 Ani(s)
 developmental periods of, 8-117
 Greater, 9-3
 Anianiau, 10-60t
 Ankle, **1-12**, 1-14
Ankylosaurus, E-9, E-27–28, **E-32**
 Ant-acacia trees, 8-19
 Antarctic Convergence, 1-103–104, 1-105
 Antbird(s), 1-73, 1-79
 Bicolored, 9-88–89, 9-90
 Blackish, 1-58
 Dusky, 1-58
 Ocellated, 7-31, 9-88–91, 9-88, 9-90
 speciation of, 1-58
 Spotted, 9-88–91, 9-90
 classification of, 7-25
 White-bellied, 9-5
 White-plumed, 1-79
 Antebrachium, **1-9–10**
 Ant followers, 9-88–91, 9-88, 9-90
 Anting, **3-22–23**, 3-23, 6-96
 Antpipit, Ringed, 1-80
 Antpitta, 1-73, 1-79
 Black-crowned, 9-88–89, 9-90
 Antshrike, Barred, 9-5, 9-6
 Antthrush, 1-73, 1-79
 Black-faced, 9-5
 Antwren, nest building in, 8-57
 Aorta, 4-78, 4-79, 4-82–85. *See also* Circulatory system
 Apapane, H-5, 1-62, 10-58
 Aponeuroses, 4-27
 Aposematism, **9-26**
 Apostlebird, 1-93, 1-95
 Appeasement displays, 6-28–29
 Apteria, **3-2**
 Aquatic birds, **1-65**
 Aqueous fluid, **4-47**, 4-48
 Aracaris, distribution of, 1-76–77
 Arboreal theory of flight origin, E-15, E-18–20, E-18, E-27–28
Archaeopteryx, E-2–7, E-29–31
 claws of, E-4, E-6, 3-44, 3-46
 enantiornithines and, E-20–21
 evolution of, E-10–13
 feathers of, E-3–4, 3-3
 foot of, E-4, E-10–11, E-12
 fossils of, E-2–6, E-3, E-5
 manus of, E-12
 pigeon vs., E-11
 skeleton of, E-11
 skull of, E-10, E-11
 wings of, E-10–11, E-16–17
 Archibald, George, 10-99
 Archosaurs, E-7, **E-8–10**, E-20, E-27–28.
 See also Thecodonts
 Arginine vasotocin, 4-72, 4-73
 Aristotle, H-2, H-19
 bird classification by, 1-32, 1-33
 Arm, wing vs., 4-21
 Army ants, 9-88–91, 9-88, 9-90



Art, birds in, H-6–9, *H-7-8*
 Arteries, **4-77**, *4-82*, *4-82-84*.
See also Circulatory system
 coronary, *4-79*
 cross-section of, *4-81*
 Arterioles, **4-81**, *4-84*, *4-87*
 pulmonary, *4-99*
 Articular bone, **4-12**
 Arytenoid cartilages, **4-91**
 Ashmole's hypothesis, *8-88*
 Asities, *1-88*
 Asynchronous hatching, **6-88**, *8-97-98*, *9-47*
 Atlas (bone), *4-7*, *4-8*, **4-16**
 Attracting birds
 by pishing, *2-26*, *2-27*
 by playing songs, *2-26-28*
 to your yard, *2-24-25*
 Auditory tube, **4-57**
 Audubon, John James, H-27–28, H-30,
 10-18
 on Carolina Parakeets, *10-12-13*
 on Passenger Pigeons, *10-2*
 Audubon, Lucy, H-33
Audubon magazine, H-34, *H-35*, *10-18-19*
 Audubon Societies
 beginnings of, H-33–35, *10-18-19*
 Christmas Bird Count of, *9-60-61*
 conservation efforts by, H-5–6, H-34,
 H-39
 Auk(s), *1-99*
 foraging method of, *6-45*
 Great, H-3, *5-50*, *10-6*, *10-7*
 plumage of, *2-13*, *2-14*
 Auklets, *1-99*
 Auricular feathers, *1-7-8*, *4-55*
 Australasian region, *1-70*, *1-91-97*
 Autonomic nervous system, *4-43-45*, *4-44*.
See also Nervous system
 heart and, *4-31*
 smooth muscles and, *4-28*
 Avian population dynamics, **9-49**
 Avian pox, *9-70*, *10-5*, *10-58*, *10-71*
 Avifauna, **1-69**
 Avocet, American
 bill of, *1-17*
 feeding by, *6-63*
 incubation patch of, *8-96*
 Axis (bone), *4-7*, **4-16**

B

Babblers, *1-90*
 Bailey, Robert, *10-86*
 Baird, Spencer Fullerton, H-30
 Balda, Russell, *6-12*, *6-13*
 Baldness, *3-38*
 Bananaquit(s), *1-73*
 in mixed feeding flocks, *6-61*
 tongue of, *4-110*
 Banding, bird, H-36
 Barbets, African, *1-85*
 Barbet(s), Asian, *1-89*
 Golden-throated, *H-17*
 Red-crowned, *1-89*
 Barbets, New World, *1-73*
 Barbs, *3-4*
 Barbules, **3-3**, *3-4*, *3-7*
 Barred-Woodcreeper
 Amazonian, *1-78*
 Northern, *9-88-89*, *9-90*
 Bartram, William, H-25, H-27
 Basal archosaurs. *See* Thecodonts
 Basilisks, E-15, *E-16*
 Bateman, Robert, H-40
 Bathing, **3-21**
 dust-, **3-21-22**, *3-22*, *3-53*
 Bats, E-14
 flight of, *5-25*
 sonar of, *7-5*
 survival rates of, *8-5*
 Bayne Act, *10-20*
 BBS. *See* Breeding Bird Survey
 Beaks. *See* Bills
 Becard(s), *7-25*
 Barred, *6-61*
 Bee-eater(s), *1-85-87*
 developmental periods of, *8-117*
 foraging method of, *6-44*
 White-fronted
 alarm calls of, *6-56*
 convergent evolution and, *9-107*
 families of, *6-90*, *6-92-94*, *6-92*, *6-94*
 nest tunnels of, *8-41*, *8-44*
 Beethoven, Ludwig van, H-18
 Begging behavior, *6-6*, *8-107*, *8-114-115*,
 8-115, *8-120*, *8-125*. *See also*
 Calls, begging
 Behavior, *6-1-91*. *See also* Displays and
 specific types, e.g., Feeding
 behaviors
 defensive, *6-52-56*, *8-13-15*, *8-134-136*
 of families, *6-92-95*
 proximate causes of, **6-2-15**, *6-4*, *8-11*,
 9-37
 study of, *6-91-98*
 ultimate causes of, *6-2-4*, **6-3**, *6-4*,
 6-15-95, *8-11*, *9-37*
 vocal. *See* Song
 Bellbird, Bearded, *3-48*
 Belon, Pierre, *1-32*
 Bendire, Charles, *8-80*
 Bent, Arthur Cleveland, *H-36*, *8-80*, *8-81*,
 10-31
 Bergmann's rule, *9-16*
 Bernoulli's law, *5-12*, **5-13**, *5-34*
 Berrypecker
 Crested, *1-93*
 Tit, *1-93*
 Berthold, Peter, *5-60*
 Bewick, Thomas, H-25
 Bible, birds in, H-9–10
 Bickal, Jean, *9-73*
 Bile, **4-124**
 Bile ducts, **4-121**
 Bill(s), **1-6**
 adaptations of, *3-41*, *4-109*
 anatomy of, *3-39-43*, *3-39*
 of Black Skimmer, *4-107*
 color of, *2-11-12*
 diversity of, *1-17*, *4-103-109*, *4-105*
 fish-eating, *4-106*
 of flamingo, *4-108*
 foraging strategies and, *9-23*, *9-24*
 of Hook-billed Kite (polymorphism), *9-42*
 of Huia (sexual dimorphism), *9-39*, *9-40*
 of hummingbird, *4-103*, *4-104*, *9-5*, *9-7*,
 9-23
 of Labrador Duck, *10-10*, *10-11*
 salt glands and, *4-158*, *4-158*
 shape of, *2-11*
 taste buds on, *4-65*
 wiping of, **3-40**
 Bill tip organ, *4-41*, **4-69**, *4-70*
 Binoculars, *2-29-42*
 alignment of, **2-38**
 calibration of, *2-30-31*
 cleaning of, *2-41*
 exit pupil of, **2-35-36**, *2-36*
 eyeglasses and, *2-40*
 light-gathering capacity of, *2-35-36*
 mini, *2-39*

Porro prism, *2-35*, *2-38-39*, *2-39*
 protection of, *2-41-42*, *2-42*
 roof prism, *2-38-39*, *2-39*
 selection of, *2-34-41*
 use of, *2-29-32*
 Binomial nomenclature, *1-45-53*, *1-52*. *See*
 also Classification
 Bioaccumulation, **9-126**, *9-127*
 Bioconcentration, **9-126**, *9-127*
 Biodiversity, **1-106**, *9-5*
 keystone species and, *9-128*
 Biogeography, *9-50*
 Biological Survey, U.S., H-32–33, *10-19*
 Biological terms, roots of, *1-48-51*
 Biomass, **9-87**
 Biome, **9-109**
 "Bird-and-flower" paintings, *H-8*
 Bird counts, H-35–36, H-40–41,
 2-55-57, *9-48*, *9-60-62*, *9-63*.
See also specific types, e.g.,
 Christmas Bird Count
 blocking method for, **2-55-57**, *2-56*
 breeding. *See* Breeding Bird Survey
 techniques and biases of, *9-60-62*, *9-63*
 Bird feeding. *See* Birds, feeding of
 Bird-hipped dinosaurs. *See*
 Ornithischian dinosaurs
 Birdhouse Network, *9-48*
 Birds. *See also* specific topics
 aesthetic sense of, *4-94*
 attracting of, *2-24-25*
 banding of, H-36
 clothing and, *H-4-6*, *H-14*, *10-105*
 distribution of, *1-66-105*
 evolution of, E-1–33
 feeding of, *2-24-25*, *9-32-34*, *9-70-72*
 as food, *H-3*, *10-105*
 form of, *1-3-15*, *1-6-7*
 diversity in, *1-15-24*
 fossil record of, E-1–17, *E-3*, *E-5*, E-20–25
 intelligence of, *6-16-18*
 vocalizations and, *7-11-13*, *7-67-68*
 pointing out, *2-32-34*, *2-32*, *2-33*
 poisonous, *3-64*
 rare, reporting of, *2-54*
 sizes of, *1-15-16*, *1-17*
 sketching of, *2-50-51*
 songs of. *See* Song
 Bird(s)-of-paradise, *1-93-94*, *3-14*. *See also*
 Standardwing, Wallace's
 Blue, *3-14*
 classification of, *7-25*
 Greater, *3-14*, *6-81*
 hat feathers and, *3-32-33*
 King, *1-94*
 King-of-Saxony, *3-14*
 Magnificent, *3-14*
 mating of, *6-75*
 native costumes and, H-14
 nest building in, *8-56*
 plumage of, *6-81*
 Superb, *3-14*
 tail of, *5-21*
 Bird watching, *2-1-58*, *9-1-7*, *10-106*.
See also Identifying birds
 binoculars for, *2-29-44*
 economics of, H-40
 resources for, *2-58-65*
 techniques for, *2-23-29*
 web sites for, H-40–41
 Birth rate, **9-49**, *9-50*, *9-62*
 age-specific, **9-64**
 extinction and, *9-76-77*, *10-39-40*
 Bittern
 American, *2-19*, *2-22*
 camouflage of, *2-22*, *3-64*



- Bittern (*Continued*)
 cranial kinesis in, 4-12
 esophagus of, 4-113
 eyes of, 4-52
 nestling, 8-111
 night flight call of, 7-45s, Track 38
- Blackbird(s), 1-72, 1-79
 bill of, 2-11, 4-109
 Brewer's, 3-39
 classification of, 7-25
 Eurasian, 3-59
 begging in, 6-7
 breeding of, 4-141
 intelligence of, 6-17
 song of, 7-49–50
 foraging method of, 6-46
 migration time of, 5-65
 nest building in, 8-57
- Red-winged, H-37
 aggression of, 6-54
 broods of, 8-91
 calls of, 7-72–73, Track 51
 courtship display of, 6-73
 epaulettes of, 3-5, 3-30, 3-66, 3-68, 6-73
 habitat of, 9-111, 10-28t
 mating of, 6-73
 nestling, 8-111
 polygyny in, 7-76, 7-80–81
 precopulatory display of, 6-40
 preening by, 3-20
 song(s) of, 7-27, 7-72–73, 7-79–80, Track 61, 7-86t
 duet of, 7-72, 7-80, 7-81s, Track 62
 territory of, 8-13
 threat display of, 6-25, 6-73
 wing loading of, 5-31t
- Tricolored, 8-25, 10-66
 wing shape of, 5-37
 Yellow-headed
 territory of, 8-13
 threat display of, 6-25
- Blackcap, 5-56, 5-59, 5-60, 5-62
 Bladder, 4-125, 4-127
 Blanchan, Neltje, H-27
 Blastoderm, 8-63, 8-64
 Blind spot, 4-48, 4-49
 Blinds, bird, 2-29
 Blood, 4-86–88, 4-87.
See also Circulatory system
 bird vs. mammal, 4-88, 4-145
 clotting of, 4-88
- Blood-brain barrier, 4-36
 Blood cells, 4-86–88, 4-88
 Blood pressure, 4-81, 4-86, 4-155–156
 bird vs. mammal, 4-145, 4-156
 hormonal control of, 4-73, 4-75
- Blowfly, 3-24, 3-25, 8-57, 8-58
- Bluebird(s). *See also* Fairy-bluebird
 color of, 3-58
 Eastern
 Christmas Bird Count data for, 9-61
 courtship display of, 6-34
 developmental periods of, 8-117
 fledgling of, 3-29
 habitat of, 9-95
 life span of, 4-159t
 migration of, 5-55
 nest of, 8-57–58
 parasites of, 3-25, 8-57–58
 roosts of, 6-65, 6-66
 Wing-Wave display of, 8-23
 landing by, 5-26
 migration time of, 5-65
- Bluethroat, 4-68, 8-17
 Bobolink, 10-31
 bill color of, 3-42
 Breeding Bird Survey data for, 9-63
 decline of, 10-30–35
 developmental periods of, 8-117
 habitat of, 9-11, 9-12, 9-94, 10-28t
 nesting guild of, 9-103
 nest of, 8-31
 night flight call of, 7-45s, Track 34
 site fidelity in, 5-75
- Bobwhite, Northern
 eggs of, 8-97, 8-125
 as fire-dependent species, 10-83
 habitat of, 9-95, 10-28t
- Bock, Walter, E-13, E-17–19
 Body temperature, 4-145–154.
See also Thermoregulation
 migration and, 5-65–66
- Bogs, formation of, 9-110, 9-111
 Bolles, Frank, H-26
 Bollinger, Eric, 10-34
 Bones, 4-3–6. *See also* Skeleton and specific bones, e.g., Humerus
 pneumatic, 4-5
 tail, 4-7–8, 4-18
- Bonney, Rick, 2-44–46
 Booby, 1-98, 1-101
 Blue-footed, 8-111
 Masked, 1-102, 8-78
 Peruvian, 1-104–105, 1-106
- Booming sacs, 3-48
 Botton, Mark, 5-77
 Bounding flight, 5-26, 5-35
 Bowerbird(s), 1-92, 1-94
 bowers of, 6-75, 6-76, 6-84, 8-56
 classification of, 7-25
 MacGregor's, 6-76
 Satin, 4-144, 6-75–77, 6-76
 Vogelkop, 6-76
- Brachial plexus, 4-39, 4-40
 Brachium, 1-9, 1-10
 Bradford, William, H-22
 Bradley, Guy, 10-19
 Brain, 4-36–38, 4-38. *See also* Intelligence;
 Nervous system
 of bird vs. other vertebrates, 4-38
 cells, memory and, 9-31
 gonadal hormones and, 4-139
 hearing and, 7-39
 song and, 4-139, 7-38–41, 7-39–40, 7-72–73
 structure of, 4-37
- Brancusi, Constantin, H-9
 Brand, Albert, H-38
 Brant, 9-114
 Breathing, 4-100–103, 4-102.
See also Respiration
- Breeding, 4-140–144, 8-1–152. *See also* Copulation
 air temperature and, 4-141
 of California Condor, 8-92
 colonial, 1-106, 6-23, 6-57–59, 6-68, 6-69
 cooperative. *See* Helpers at the nest
 copulation and, 4-128, 4-129, 4-132, 4-133, 6-41, 7-70, 7-71
 food supply and, 4-143, 8-11–13, 8-12, 9-48, 9-49
 hormones and, 4-138
 incestuous, 6-94, 9-66, 9-78, 10-75–76
 interference with, 8-14–15
 mate choice in, 6-79–87
 mating systems for, 6-68–79
 migration and, 4-140–141
 monogamous, 3-69, 6-68–73, 6-73, 6-81
 pair bonding and, 6-72
 photoperiodism and, 4-140–141
 polyandrous, 6-77–79
 polygynous, 6-68, 6-73–77. *See also* Polygyny; Lek polygyny
 rainfall and, 4-141–143
 reproduction rate in, 9-43–48. *See also* Clutch size; Birth rate
 survival vs., 5-54, 5-55, 8-3, 8-5–7, 9-43–46, 9-46t
 season, 4-140–144, 8-11–13, 8-12, 9-37, 9-48, 9-49
 social interactions and, 4-143–144
 song control centers and, 7-40
 territories for, 6-22–30, 6-23–29, 8-13–15
 timing of, 4-140–144, 8-10–13, 8-12, 9-37
- Breeding Bird Survey (BBS), H-36, H-41, 9-60–62, 9-63.
See also Bird counts
 conservation efforts and, 10-26, 10-32, 10-112
 Gray Catbird data from, 9-68
 purpose of, 9-48
 techniques and biases of, 9-60–62, 9-63
- Breeding season, 4-140–144, 8-11–13, 8-12, 9-37, 9-48, 9-49
- Breughal, Pieter, H-8
 Brewster, William, 10-19
 Bristles, 3-13, 3-16, 3-17
 Britten, Benjamin, H-18
 Brittingham, Margaret, 9-32
- Broadbill(s), 1-89–90
 Black-and-red, 1-90
 classification of, 7-25
- Bronchi, 4-92–93
 parabronchi and, 4-98–100
 recurrent, 4-98, 4-100
 secondary, 4-98–99
 syrinx and, 4-95–96
- Brood parasites, 8-2, 8-77, 8-139–151
 adaptations of, 8-143–150, 8-151t
 Brown-headed Cowbirds as, 6-3, 6-42–43, 8-148–151, 8-150, 9-100, 10-73
 conspecific, 8-15
 effects on hosts, 8-10, 8-144–151
 evolution of, 8-143–150, 10-35
 fledging success rate of, 8-151t
 indigobirds as, 7-83, 7-84
 obligate, 8-139–140, 8-143, 10-35
- Brood patch, 4-139, 8-94–96, 8-95–96
 Brood reduction, 8-98, 9-46, 9-47
- Broods
 amalgamation of, 8-128–129
 kidnapping of, 8-128–129
 per season, 8-91–93
- Broom, Robert, E-9, E-32–33
 Bruckner, Anton, H-18
 Brush-turkey(s), 8-1–2. *See also* Megapodes
 Australian, 8-122
- Brush-Warbler, Seychelles, 6-91, 6-94
 Bryant, William Cullen, H-12, 10-31
 Buddhism, H-8, H-20–21
 Budgerigar, 1-92, 9-22
 air sacs of, 4-101
 breeding of, 4-142
 craniofacial hinge of, 4-11
 flock at waterhole, 4-158
 hyoid of, 4-13
 internal organs of, 4-80
 nasal cavities of, 4-91
 salt glands of, 4-158
 skeleton of, 4-8, 4-11
 "Buffalo bird," 8-149
- Bulbuls, 1-89, 7-25
 Bulla, tracheal, 4-92
- Bunting(s), 1-70
 classification of, 7-25



Bunting(s) (*Continued*)

- Indigo, 2:12–13, 7:63
 - brood parasitism effect on, 8:151t
 - color of, 3:58
 - habitat of, 9:94–95, 10:28t
 - Lazuli vs., 7:66
 - mating of, 7:76
 - nest predation rate of, 8:9t
 - niche of, 9:83, 9:84–85
 - population fluctuations of, 10:68
 - song of, 2:17, 7:34–35, 7:35s, Track 27, 7:47, 7:86t
 - mimicry in, 7:81
 - star compass of, 5:86–87, 5:87–88
- Lark
 - decline of, 10:31, 10:33, 10:35
 - habitat of, 9:119
- Lazuli, 7:66
- Snow, 6:73, 9:114
- Burroughs, John, *H:26*, 10:19
- Bursa of Fabricius. *See* Cloacal bursa
- Bushshrikes, 7:25
- Bushtit, 6:65, 9:121
- Bustard, 1:83
 - Buff-crested, 1:83
 - Kori, 1:83, 5:33
- Butcher, Greg, 2:49
- Butcherbirds, 1:93, 1:95
- Buzzard, Eurasian, 8:98

C

- Cactus, Cholla, 8:36
- Cactus-Finch
 - Common, 1:60, 1:61
 - Large, 1:60, 1:61
- Cade, Tom J., 10:100–102, 10:101
- Cadmium poisoning, 10:108
- Calamus, 3:3, 3:4
- Calcitonin, 4:72
- Calcium deficiency, 9:28, 9:29
- Calls, 7:20, 7:72–74. *See also* Song; Alarm calls; Mobbing, calls for
 - begging, 6:5–6, 7:83–84, 8:108, 8:128
 - contact, 7:73–74
 - development of, 7:37, 7:74
 - dialects of, 7:37
 - of embryos, 8:106, 8:125
 - of fledglings, 8:115, 8:123
 - flight, 7:73–74, Track 52
 - meaning of, 7:11–13, 7:72–74
 - of nestlings, 8:108, 8:114, 8:125
 - mimicry of, 7:83–84, 8:145
 - night flight, 7:42, 7:44–46, 7:45s
 - parental, 8:123, 8:125
 - parent-offspring recognition by, 7:53, 8:125
 - songs vs., 7:14, 7:72
 - for synchronous hatching, 8:106
 - types of, 7:37, 7:73
- Calories, 4:144
- Calumet, *H:10*
- Camarasaurus*, *E:9*, *E:27–28*, *E:33*
- Canaries
 - in coal mines, 4:86–88, 10:108, 10:109
 - intelligence of, 6:16–17
 - Island
 - song control centers of, 7:39–40
 - song of, 7:26
 - syrix of, 4:95
 - testosterone and, 4:139
- Canvasbacks
 - behavior of, 2:7
 - brood of, 8:140
 - as brood parasite hosts, 8:139, 8:140

- philopatry in, 9:66
- Capercaillie, *H:16*, 4:66, 10:57
- Capillaries, 4:77, 4:81–82, 4:84. *See also* Circulatory system
 - air, 4:98
 - cross-section of, 4:81
 - lymphatic, 4:87, 4:88
 - metabolic exchange in, 4:86, 4:87
 - pulmonary, 4:99
- Caracara, Crested, 10:66, 10:67
- Carbon dioxide, 4:87, 4:89, 4:99–103, 8:66
- Carbon monoxide, 4:86
- Cardiac muscle, 4:31. *See also* Heart
- Cardinal(s), Northern, 1:79
 - baldness in, 3:38
 - feathers of, 3:30
 - feeding behaviors of, 6:6, 8:104, 8:107, 9:27
 - fluffing by, 4:149
 - habitat of, 9:111, 10:28t
 - life span of, 4:159t
 - range of, 9:50, 9:54
 - expansion of, 10:40
 - respiration rate of, 4:156
 - silhouette of, 2:2–3
 - song of, 4:95, 7:5, 7:14, 7:82s, Track 63, 7:86t
- Cardiovascular system. *See* Circulatory system
- Carina. *See* Keel
- Carinates, 4:23
- Carnosaurs, *E:9*, *E:33*
- Carotenoids, 3:51
- Carotid artery, 4:82, 4:84
- Carpals, 1:9–10
- Carpometacarpus, 1:9–10
- Carrion, 9:28
- Carroll, Janet, 2:46
- Carrying capacity, 9:70
- Carson, Rachel, *H:39*, 9:48, 10:23, 10:51, 10:109
- Cartilage, 4:6
 - bronchial, 4:96
 - laryngeal, 4:91
 - tracheal, 4:92
- Casques, 3:48, 3:49
- Cassin, John, *H:30*
- Cassowary, 1:92–93
 - egg of, 8:75
 - evolution of, *E:29–30*
 - flightlessness of, 5:49–50
 - heart rate of, 4:154–155
 - Northern, *E:22*
 - Southern, 3:49
 - toes of, 4:26
 - wing spurs of, 4:22
- Caterpillars, bird predation on, 10:107
- Catbird(s)
 - classification of, 7:25
 - foraging method of, 6:46
 - Gray, 7:34
 - habitat of, 9:111, 10:28t
 - niche of, 9:83, 9:84–85
 - population trends of, 9:68, 10:68
 - song of, 4:95, 7:34
- Catesby, Mark, *H:23*, *H:28*
- Cats, 9:34, 10:5, 10:111, 10:112
- Caudipteryx*, *E:7*, *E:29–30*
- Cave paintings, *H:6–7*, *H:7*
- CBC. *See* Christmas Bird Count
- Cecum, 4:123
- Cells, 4:2
 - body, 4:87
 - epithelial, 4:121
- Center of origin, 9:50
- Central nervous system, 4:31, 4:35–39,

- 4:40. *See also* Brain; Nervous system
- peripheral vs., 4:36, 4:43
- Ceratosaur, *E:12*
- Cere, 3:40, 3:41
- Cerebellum, 4:36–38, 4:37–38
 - of bird vs. other vertebrates, 4:38
- Cerebral hemisphere, 4:36, 4:37–38. *See also* Brain
 - of bird vs. other vertebrates, 4:38
- Cervical vertebrae, 4:14–18, 4:15–17
- Chachalacas, 1:72
- Chaffinch
 - breeding of, 4:141, 4:144
 - “rain call” of, 7:37
- Chalazae, 8:62–64
- Chaparral, 9:120–121, 9:120
- Chapman, Frank, *H:31*, *H:34–36*, 10:19, 10:21
- Chat, Yellow-breasted, 10:37
- Chatterjee, Sankar, *E:32*
- Checklists, 2:46–47, 2:47. *See also* Observation records
- Chickadee(s)
 - Black-capped, 7:11
 - appeasement display of, 6:29
 - calls of, 7:11, 7:37
 - alarm, 7:21s, Track 18
 - chickadee*, 7:12s, Track 9, 7:11–13
 - “gargle,” 7:11–13, 7:12s, Track 10, 7:37
 - defense behavior of, 6:52
 - dominance among, 6:24, 6:27
 - foraging by, 6:50–51, 9:29–32, 9:31–32
 - habitat of, 9:93, 9:95, 9:112, 10:28t
 - heart rate of, 4:155t
 - interspecific competition in, 9:56
 - life span of, 4:159t
 - mortality rate of, 9:75
 - nest of, 8:16, 8:152
 - relative abundance of, 9:101
 - respiration of, 4:156
 - song of, 7:5–6, 7:7s, Track 1, 7:11–13, Track 11
 - dialects of, 7:37, 7:59–61, 7:60s, Track 43
 - in laboratory-raised bird, 7:61, Track 44
 - oscillogram of, 7:7
 - surface-to-volume ratio of, 4:146
 - thermoregulation in, 9:16, 9:17
 - threat display of, 6:26
 - wing loading of, 5:31t
 - Boreal, 9:116
 - Carolina, 5:19
 - habitat of, 9:118, 10:28t
 - interspecific competition of, 9:56
 - classification of, 7:25
 - foraging method of, 6:44
 - Mexican
 - mobbing call of, 7:22s, Track 19
 - Mountain, 9:116
 - wingbeat rate of, 5:45
- Chicken. *See also* Prairie-Chicken
 - alimentary canal of, 4:114
 - bill of, 3:41
 - cervical vertebra of, 4:17
 - domestic, 1:89
 - domestication of, *H:3*
 - egg of, 8:62–63
 - embryology of, 8:64–67
 - foot of, *E:12*
 - hatching of, 8:105
 - hearing of, 4:61
 - manus of, *E:12*

- Chicken (*Continued*)
 operculum of, 3-41
 respiration of, 4-156
 skeleton of, 4-7
 sperm of, 4-128, 4-133
 taste in, 4-65
 vision of, 4-52–53
- Chipmunks, 8-8, 8-10
- Choana, 4-90–91
- Chorioallantoic membrane (CAM), 8-66–69, 8-69, 8-70
- Choroid, 4-47, 4-48
- Chough
 White-winged, 1-93, 1-95, 8-8
 Yellow-billed, 5-66
- Christmas Bird Count (CBC), H-35–36, H-40, 10-112
 Brown-headed Cowbird data from, 9-76
 Eastern Bluebird data from, 9-61
 Eastern Phoebe data from, 9-56
 mycoplasma conjunctivitis and, 9-74
 purpose of, 9-48
 techniques and biases of, 9-60–61
 Tufted Titmouse data from, 10-41
 Varied Thrush data from, 9-68
- Chromosomes, 1-44, 4-134–137, 4-134
- Chuck-will's-widow, H-10, 7-17–18
- Chukchi, H-16
- Ciliary process, 4-47, 4-48, 4-50
- Circadian rhythms, 5-61–62, 5-62, 5-84
- Circannual rhythms, 5-62–63, 5-79
- Circulatory system, 4-76–89, 4-77. *See also* Heart and specific parts, e.g., Capillaries
 bird vs. mammal, 4-161t
 heat exchange and, 4-148–153, 4-151–152
 organization of, 4-2
 portal systems of, 4-85
 pulmonary, 4-77, 4-78
- Cisticola(s), 1-83, 8-7
 Zitting, 8-7
- CITES (Convention on International Trade in Endangered Species), 10-93–94
- Clark, Kathy, 5-78
- Class, 1-52
- Classification, 1-32–66, 7-25. *See also* Taxonomy
 binomial nomenclature for, 1-45–53, 1-52
 categories of, 1-47–53
 common names for, 1-64–66
 history of, 1-32–39, 1-33, 1-38
 methods for, 1-40–46
 purpose of, 1-64
- Clavicle, 4-7, 4-19–21, 4-20
 bird vs. human, 4-21
- Claws, 3-44–46. *See also* Foot of *Archaeopteryx*, E-4, E-6
 pectinate, 3-46
- Clay lick, 9-28
- Clean Water Act, 10-21–23, 10-93
- Climate
 changes in, 1-67–69, 5-58
 of zoogeographic regions, 1-69, 1-70
- Cline, 1-54, 1-55
- Cloaca, 4-113, 4-123, 4-124, 4-126
 estrogens and, 4-139
 excretion and, 4-125, 4-127
 papillae in, 4-128, 4-129, 4-133
- Cloacal bursa, 4-71, 4-123, 4-124
- Cloacal kiss, 4-132, 4-133
- Cloacal phallus, 4-89, 4-128, 4-129, 4-133, 4-139
- Cloacal protuberance, 4-128, 4-129
- Clode, Danielle, 6-68
- Clothing, birds and, H-4–6, H-14, 10-105
- Clutch, 8-78. *See also* Eggs
 replacement of, 8-90–91, 8-92
- Clutch size, 8-78–91, 8-79t
 variability in, 9-45–48, 9-46t
- Coastal birds, 1-98
- Coastal upwelling, 1-103–105
- Cochlea, 4-57, 4-59
- Cockatoo, Sulphur-crested, 3-12
- Cock-of-the-rock, 1-81, 3-69
 Andean, H-16
 Guianan, 1-82, 7-31
- Coelophys*, E-9, E-27–28, E-33
- Coelurosaurs, E-9, E-10, E-17, E-27–28, E-33
- Cognitive ethology, 7-67
- Cohort, 8-5
- Cold fronts, 5-69–71
- Colic ceca, 4-123–124
- Colie, 1-85
- Colonial Waterbird Registry, 10-112
- Colonial Waterbirds Inventory and Monitoring Program, H-41
- Color(s), 3-48–70
 abnormalities in, 3-52–54, 3-53
 cryptic, 3-60–63, 3-61–64, 6-52
 defective, 3-64, 3-65
 disruptive, 3-62, 3-63
 of eye, 3-39
 functions of, 3-60–69
 iridescent, 3-54–57, 3-57
 patterns of, 3-60–69
 pigments causing, 3-50–54
 social behavior and, 3-65–69
 spectrum of, 3-49
 structural, 3-54–60, 3-55, 3-58
- Color phases, 9-81–82, 9-82, 9-114
- Color vision, 3-48–50, 3-49, 4-49–51, 4-67
- Colugos, E-14
- Columbus, Christopher, H-21
- Comb, 3-48
- Commensal relationship, 9-91
- Common names, 1-64–66
- Communication. *See* Calls; Songs; Sounds, nonvocal; Displays
- Communities, 9-3, 9-82–109, 9-84
 characteristics of, 9-82–85
 climax, 9-109–110
 convergent evolution and, 9-104
 organization of, 9-104–109
 species richness in, 9-82, 9-83, 9-85–101, 9-86, 9-94–99
- Compass mechanisms, 5-84–92. *See also* Homing ability
 magnetic, 5-89–90, 5-91
 star, 5-86–87, 5-87–88
 sun, 5-84–86, 5-85–86
- Competition
 interspecific, 9-57, 9-103
 intraspecific, 9-39–43, 9-69
- Competitive exclusion principle, 9-102
- Compsognathus*, E-8–9, E-27–28, E-31, E-33
- Conchae, 4-90
- Condor
 Andean, 5-33, 9-45, 10-102
 life history strategies of, 9-44–45, 9-46t
 migration altitude of, 5-68
 survival rates of, 9-64
- California
 decline and restoration of, 8-92, 10-102–103
 lead poisoning in, 10-53, 10-56
 nestling period of, 8-116
 range of, 9-57–58
- Confuciusornis*, E-5–7, E-29–31
- Conjunctivitis, mycoplasma, 9-71–74, 9-72
- Conservation, 10-1–117. *See also* Ecology; Wildlife management
 backyard, 10-110–111
 ecoregional planning in, 10-86–88
 genetics and, 10-74–75
 hat plumes and, H-5–6, H-6, H-34, 3-32–33
 history of, H-32–34, H-39, H-41, 10-18–25
 laws promoting, H-39, 10-3, 10-19–25, 10-34–35, 10-90–94
 organizations promoting, H-32–34, 10-115–116
 Theodore Roosevelt and, H-32
 tools and methods used in, 10-76–104
- Conservation biology, 10-39
- Conservation Reserve Program (CRP), 10-23, 10-34–35
- Conspecifics, 3-66, 8-139
- Consumers, 9-123–126, 9-124
- Continental drift, 1-67, 1-68
- Convergent evolution, 1-40, 1-92, 9-104, 9-106–108
- Cooling methods, 4-152–153, 4-153
- Coot(s)
 American, 1-38
 life span of, 4-159t
 survival rate of, 8-4t
 classification of, 1-38
 Horned
 nest mound of, 8-29
 Red-fronted
 parasitized nest of, 8-140
 Red-gartered
 as brood parasite host, 8-140
 swimming by, 1-28
- Copulation, 4-128, 4-132, 4-133. *See also* Breeding
 displays before and after, 6-40–41, 7-70, 7-71
 extrapair, 6-79–81, 8-15
 fertilization and, 4-133
 organ (cloacal phallus) for, 4-129
- Coracoid bone, 4-7, 4-19–21, 4-20
 during flight, 5-5
- Corcoracids, 1-95
- Core area, 9-100
- Coriolis force, 1-104, 5-83
- Cormorant(s), 1-98, 1-100
 alimentary canal of, 4-114
 Double-crested
 feeding of nestlings by, 8-130
 nestlings, 8-110
 flightless, 5-51
 flock formation of, 5-46
 foraging methods of, 6-45
 in groups, 6-62
 Guanay, 1-105, 8-13
 gular fluttering by, 4-153
 playing by, 6-20
 salt glands of, 4-158
 slope soaring by, 5-42
 sunning by, 3-22
 surface diving by, 1-29
- Cornea, 4-47, 4-48, 4-50
- Cornell Lab of Ornithology, H-40
 Bioacoustics Research Program of, 7-46, 7-50, 7-52
 founding of, H-37–38
 Library of Natural Sounds at, 7-45, 7-52
 recordings by, H-38
- Coronary arteries, 4-79. *See also* Heart
- Corticosterone, 4-72, 4-75
- Corvids, 1-89, 7-25, 8-56
 playing by, 6-19–21, 6-21
- Cotinga(s), 1-73, 1-81
 classification of, 7-25

- Cotinga (s) (*Continued*)
 nest building in, 8-56
 Pompadour, 8-20
 Coues, Elliot, *H-35*, 8-80
 Countercurrent exchange, 4-148–153,
 4-151–152
 Countershading, 3-63. *See also* Color
 Countersinging, 7-36–37, Track 28, 7-67,
 7-87. *See also* Song
 Counting birds. *See also* Bird counts
 blocking method of, 2-55–57, 2-56
 Coursers, 1-83
 Courtship displays. *See* Displays, courtship
 Courtship feeding, 6-6, 8-103–104, 8-104
 Coverts, 1-6, 1-11–12, 1-13, 3-10
 Cowbird(s)
 Brown-headed
 as brood parasites, 6-3, 6-42–43,
 8-142, 8-144–145, 8-148–150,
 8-151t, 9-100, 10-35, 10-73
 buffalo and, 8-149
 Common Yellowthroat and, 6-3
 convergent evolution and, 9-108
 cows and, 8-150
 eggs of, 8-149, 10-73
 habitat of, 10-28t
 host fledging success and, 8-151t
 origin of, 9-50
 range expansion of, 8-149–150, 9-76
 Yellow Warblers and, 6-3, 6-42–43
 Giant, as brood parasite, 8-143
 phylogeny of, 8-148
 Screaming, parasitism by, 8-148
 Shiny, 9-2–3
 Crabs, horseshoe, 5-76–78
 Cractids, 1-95
 Crane, Corn, *E-4*
 Crane(s), 1-72. *See also* Crowned-Crane
 chick development of, 8-122
 Common, migration altitude of, 5-67
 conservation of, 10-99
 courtship displays of, H-16
 dances imitating, H-16
 eggs of, 8-71
 migration of, 5-46–47, 5-65, 5-67
 Sandhill, 6-72
 habitat of, 9-95
 heart of, 4-154
 migration of, 5-75
 nest of, 8-48
 pair bond of, 6-72
 young of, 8-119
 thermal soaring by, 5-41
 Whooping, 10-97
 conservation of, 10-23, 10-97–100
 courtship display of, 6-30, 6-31, 10-99
 distribution of, 10-98
 life span of, 4-159t
 migration of, 5-75
 trachea of, 4-92
 wing shape of, 5-39
 Cranial kinesis, 4-12, 4-13
 Cranial nerves, 4-31–32, 4-37, 4-40–42
 Craniofacial hinge, 4-11
 Cranium. *See* Skull
 Creches, 8-116, 8-125–129, 8-126–129
 Creeper(s)
 Brown, 1-25
 foraging method of, 6-44
 habitat of, 9-116–117, 10-28t
 classification of, 7-25
 Hawaii, 10-60t
 Maui, 10-60t
 Molokai, 10-60t
 Crest, 2-10
 Cricoid cartilage, 4-91
 Crocodiles. *See also* Reptiles
 evolution of, E-7–8, E-9, E-27–28
 incubation by, 8-93
 Crop, 4-113–116, 4-113–115
 Crop milk, 4-116–118, 4-138, 4-139, 8-11,
 8-133
 Crossbill(s)
 breeding of, 8-13
 Red, H-11, 1-17, 4-143
 breeding of, 4-143
 foraging habits of, 4-143, 9-23, 9-24
 habitat of, 9-116–117
 White-winged, 9-116
 Cross-fostering experiments, 9-11–13
 Crow(s)
 American
 appeasement display of, 6-29
 classification of, 1-52
 Common Raven vs., 2-5, 2-13
 Eastern, 4-95
 egg of, 8-76
 flight of, 2-5, 2-6
 habitat of, 9-11, 9-95
 heart rate of, 4-155t
 larynx of, 4-91
 life span of, 4-159t
 nestling, 8-107, 8-112
 nest of, 8-23, 8-31
 defense of, 8-135–136
 posture of, 2-5
 predation on, 8-8
 relative size of, 2-8
 sentinel behavior in, 6-55
 syrinx of, 4-94, 4-95–96
 tail shape of, 1-19, 2-13
 wing loading of, 5-31t
 Carrion, 6-57, 6-58
 classification of, 7-25
 in folklore, H-11–12, H-12
 foot of, 1-22
 Hawaiian, 10-60t, 10-70, 10-71, 10-76
 Hooded, playing by, 6-20
 migration time of, 5-65
 nest predation by, 8-8
 New Caledonian
 tool use by, 6-11
 Northwestern
 optimal foraging by, 6-48–50, 6-49
 playing by, 6-19–21
 posture of, 2-5
 silhouette of, 2-3
 slope soaring by, 5-42
 wing shape of, 5-37, 5-42
 Crowned-Crane, Black, 3-16
 Crus, 1-12, 1-14
 Cryptic coloration, 3-60–63, 3-61–64, 6-52
 Cuckoo(s)
 Black-billed, 1-19, 10-28t
 as brood parasites, 8-2, 8-10, 8-141,
 8-143–148
 cervical vertebrae of, 4-15
 Common, H-21, H-24, 8-144
 Aristotle and, H-2
 Beethoven and, H-18
 eggs of, 8-71, 8-147
 fledgling, 8-141
 nestling, 8-146
 developmental periods of, 8-117
 neomorphine, 8-141
 Pheasant, 8-141
 toe arrangement of, 1-21
 Yellow-billed, 8-9t, 8-141, 10-28t, 10-37
 Cuckoo-Roller, 1-88
 Cuckoo-shrikes, 1-96, 7-25
 Curassows, 1-72
 Curlew
 Eskimo, 5-73, 10-12–15, 10-14
 Long-billed, 8-17, 9-119
 Currawongs, 1-93, 1-95, 8-8
 Pied, 8-10
 Currents, ocean, 1-103–105, 1-105
 Cursorial theory of flight origin,
 E-14–18, E-15, E-27–28
 Cuvier, Georges, 4-96
 Cytoplasm, 1-44
- ## D
- Dabbling, 2-7, 6-47
 Dabelsteen, Torben, 7-49–50
 Dance, birds and, H-13–19, H-15–16, H-19
 Darwin, Charles
 bird classification and, 1-33
 on bird evolution, E-7
 on birds' aesthetic sense, 4-94
 evolution theory of, 1-34–37, 6-22,
 6-28–30, 6-42–91, 10-109
 on origin of flight, E-15
 sexual selection and, 3-68
 Darwin's finches, 1-60–61, 1-60, 4-109,
 6-48
 Davis, Stephen, 10-35
 Dawn chorus, 7-1–2, 7-75–76,
 Tracks 53–54, 7-77, 7-89, 7-91
 Dawson, William, H-35
 DDE, 8-81–82, 9-126, 10-52, 10-53.
See also DDT
 DDT, 8-82. *See also* Pesticides
 banning of, 10-23, 10-24–25,
 10-52–53, 10-53
 bioconcentration of, 9-125–126, 9-127
 eggshell thinning from, 8-81–82,
 9-75–76, 10-52–53
 Peregrine Falcon and, 8-81–82, 9-75–76,
 10-52–53
 Death rate, 9-49, 9-50, 9-64–65, 9-65t, 9-69
 extinction and, 10-39–40
 Decomposers, 9-123
 Deedrick, Douglas, 3-8–9, 3-9
 Defecation, 8-114, 8-136–139, 8-138
 Defense (behavior), 6-52–56
 of nests and/or young, 6-52–53,
 8-134–137
 of territories, 8-13–15
 Deferent ducts, 4-126
 papillae of, 4-128, 4-129, 4-133
Deimonychus, E-8–10, E-9, E-19,
 E-27–28, E-31
 Density-dependent factors, 9-69–75, 9-69
 Density-independent factors, 9-75
 Dentary bone, 1-6, 3-39, 4-11
 Deoxyribonucleic acid. *See* DNA
 Dermis, 3-26
 Desert habitat, 2-21, 9-121, 9-122
 Determinate layers, 8-90–91
 Development. *See* Embryo, development of;
 of; Feathers, development of;
 Young
 Dhondt, André, 9-72, 9-74
Diatryma, E-26, E-29–31, 5-51
 Dickcissel, 9-59
 cowbird and, 8-149
 decline of, 10-30–33
 habitat of, 9-95, 10-28t
 population density over range of, 9-59
 Differential exploitation, 9-39–42, 9-40–42
 Digestive system, 4-103–124, 4-113
 bird vs. mammal, 4-162t
 Dilution effect, 6-59, 6-68, 8-127
 Dilution effect hypothesis, 6-59, 6-68
 Dimethyl sulfide, 4-64–65, 4-67

- Dimorphism
reverse sexual size, **9-40–41**
sexual, **9-39–42**, *9-40–41*
- Dinosaurs, *E-1–33*
extinction of, *E-25–26*, *E-27–30*
- Dinosaur theory of bird evolution,
E-7–20, *E-27–28*
- Diopter adjustment, *2-30–31*
- Diplodocus*, *E-9*, *E-27–28*, *E-33*
- Dippers, *7-25*
- Directional terms, **1-3–4**, *1-5*
- Disease(s). *See also specific types, e.g., Malaria*
avian pox, *9-70*, *10-5*, *10-58*, *10-71*
epizootic, **9-69–70**
of eye, *9-71–74*, *9-72*
insect-borne, *9-70*, *10-58–59*, *10-58*
viral enteritis (duck plague), *9-70*
- Dispersal, **9-62**
natal, *9-13*, *9-15*, **9-65–66**
seed, *9-110*, *9-132*
- Displacement activities, **6-32**, *6-32–33*
- Display(s). *See also Behavior*
aerial, *6-42*, *7-16–18*, *7-16–17*, *7-84–85*,
7-84–85, *8-103–104*, *8-104*
appeasement, *6-28–29*
copulatory, *6-41*
courtship, *6-31–42*, *6-34*, *6-81*, *8-23–25*
of bowerbirds, *6-76*
cooperative, *6-78*, *6-85*, *6-85–87*
involving nonvocal sounds, *7-16–18*
at leks, *6-75*, *6-75–77*
distraction, *6-53*, *6-53–54*
evolution of, *6-30–34*
mutual, *6-38–39*
Nest-Site Demonstration, *8-24–25*
postcopulatory, *6-41*
precopulatory, *6-40*, *7-70*, *7-71*
Song-Spread (blackbirds), *6-73*, *8-25*
threat, *6-24*, *6-25–27*, *6-30–32*, *6-52–53*
calls and, *7-14*, *7-73*
Wing-Wave (Eastern Bluebird), *8-23*
- Divergent evolution, *1-57–60*, **1-57**
- Diversity. *See* Biodiversity
- Diving, *1-29–30*
- Diving-Petrel(s), *1-98*
Common, *9-106*
- DNA, **1-41**, *1-42*, *1-43–45*, *1-46*, *4-134*.
See also Genes; Chromosomes
comparisons of, *1-43*
to detect brood parasitism, *8-15*
to detect infidelity, *6-79–81*
to determine phylogeny, *7-25*, *8-47*,
8-148
to determine relatedness among indi-
viduals, *6-87*, *10-76–77*
electrophoresis of, *1-43*
information content of, *10-109*
mitochondrial vs. nuclear, *1-44*
protein synthesis and, *1-42*
- DNA-DNA hybridization, *1-45*, *1-46*, *7-25*,
8-46, *8-47*
- DNA fingerprinting, *6-79–80*, *10-76*
- Dodo, *1-88*, *5-51*, *9-133*, *9-134*, *10-6*
- Dominance hierarchies, **6-24–30**, *6-27*
ant followers and, *9-89–91*, *9-90*
resource competition and, *9-42–43*, *9-43*
- Doppler effect, *4-66*
- Dove(s), *1-72*, *1-92*. *See also Fruit-Dove*
folklore of, *H-10–12*
head-scratching by, *3-21*
- Mourning, *4-116*
behavior of, *2-7*, *2-8*
breeding of, *8-11*
crop milk of, *4-116*
heart rate of, *4-155t*
life span of, *4-159t*
nestling, *4-116*, *8-110*
nest of, *8-58*
song of, *7-5*
tail shape of, *1-20*
water needs of, *9-18*
wing loading of, *5-31t*
- in music, *H-18*
- Rock
alimentary canal of, *4-113*
brain of, *4-37*
breeding of, *4-144*, *8-11*
ear of, *4-56*
endocrine glands of, *4-71*
flight of, *5-24*, *5-25*
heart rate of, *4-155t*
introduction of, **9-55**
muscles of, *4-30*
nest of, *8-21*
pectoral girdle of, *4-20*
skeleton of, *4-4*, *4-16*, *5-4*
sperm of, *4-133*
taste in, *4-65*
vision of, *4-52–53*
wing sounds of, *7-17*
silhouette of, *2-3*
Socorro, *10-70*
Turtle, nesting of, *8-28*
- Dovekie, *9-106*
- Down, *3-16–17*, *3-17*, *8-120*, *10-105*.
See also Feathers
body, **3-16**
hawk, *3-17*, *3-18*
natal, **3-16–17**, *3-27*, *3-35t*, *8-67*, *8-107*,
8-108–109, *8-120*
powder, **3-18**
- Drafting, flight and, **5-47**
- Drag, *5-14*, **5-16**, *5-18*
- Dromaeosaurs, *E-8*, *E-12*, *E-13*, *E-27–30*
- Dromornithid, *E-25*, *E-29–30*
- Drongos, *7-25*
- Drumming. *See* Sounds, nonvocal
- Duck(s). *See also Mallard and other specific types*
bill tip organ in, **4-69**, *4-70*
Black-headed, *8-140*
cloacal phallus of, *4-89*, *4-128*, **4-129**,
4-133, *4-139*
coots and rails vs., *1-38*
dabbling, *2-7*, *6-47*
decoy, *H-4*
diving, *2-7*, *6-45*
domestication of, *H-3*
foraging by, *6-45–47*, *10-10*
hatchling, *3-17*
heart rate of, *4-155t*
identification of, *2-13*
Labrador, *10-10*, *10-11*
Long-tailed, *1-30*, *5-67*, *9-114*, *9-115*
lymphatic system of, *4-89*
Mandarin, *3-66*, *6-32*, *6-33*
migration altitude of, *5-67*
movement in water by, *1-29–30*, *1-30–31*,
6-45
Muscovy, *3-48*
olfaction in, *4-64*
tracheal bulla of, *4-92*
wing shape of, *5-37*, *5-38*
Wood, *10-95*
brood parasitism in, *8-139*, *10-95*
decline and recovery of, *10-95–97*
hybridization of, *3-66*
nest sharing by, *8-17*
- Duck plague, *9-70*
- Ducks Unlimited, *10-96*, *10-97*, *10-106*
- Duetting, *7-38*, *7-78–81*, *7-78s–79s*, *7-80*,
7-81s, *Tracks 59–62*. *See also*
Song
- Dunlin, flocking by, *5-49*
- Dunne, Pete, *2-4*, *5-77*
- Dunnock, *1-70*, *1-71*, *6-80*
- Duodenum, *4-113*, *4-121*, **4-122**. *See also*
Intestines
hormones of, *4-76*
- Dürer, Albrecht, *H-8*
- Dust-bathing, **3-21–22**, *3-22*, *3-53*
- Dutcher, William, *H-34*
- Dvorak, Antonin, *H-18*
- Dynamic pressure, **5-11–13**, *5-12*
- ## E
- Eagle(s)
Bald, *H-25*, *10-62*
DDT and, *10-52*, *10-62–63*
distribution of, *10-62*
flight of, *2-7*, *5-20*
habitat of, *9-11*
legal protection of, *10-23–24*
life span of, *4-159t*
nestling period of, *8-116*
nest of, *8-16*
pesticides and, *9-127*
plumage sequence of, *3-30*
eggs of, *8-71*
eye of, *4-49*
Golden, *9-115*
nestling, *8-17*, *8-114*
nest of, *8-81*
pectoral girdle of, *4-19*
pelvic girdle of, *4-24*
skeleton of, *4-9*
vision of, *4-46*
wing loading of, *5-31t*
Native American dances imitating, *H-14*,
H-15
playing by, *6-20*
as symbol, *H-12*, *H-25*
wing shape of, *5-37*, *5-39*
- Ear, *1-8*. *See also Hearing*
anatomy of, *4-54–61*, *4-55–56*
bird vs. mammal, *4-161t*
inner, *4-54*, *4-56–61*, *4-58–59*
- Eardrum, **4-56**
- Echidna, *8-60*, *8-61*
- Echolocation
of bats, *7-5*
of Edible-nest Swiftlets, *4-62*, *4-66*
of Oilbirds, *4-62*, *4-63*, *4-66*, *8-132*
- Eckleberry, Don, *H-40*
- Ecological isolating mechanisms, **9-102–**
103, *9-103*
- Ecological niche, *9-83*, *9-84–85*, **9-102–105**
shifting or expansion of, **9-103–104**,
9-105
- Ecological release, **9-104**, *9-105*
- Ecological succession, **9-109–113**,
9-112–113
primary, **9-110–111**, *9-111*
secondary, **9-110–113**, *9-112–113*
- Ecology. *See also Conservation; Ecosystems*
of bird communities, *9-82–102*
bird distribution and, *1-66–105*,
9-109–123
of bird populations, *9-48–82*
conservation and, *10-1–117*
foraging, *9-23–31*. *See also Food; Feeding*
behavior; Foraging
- Ecoregions, **10-86–88**, *10-87*
- Ecosystems, **9-5**, **9-109–134**. *See also Habi-*
tat; Environment
management of, **10-83–85**, *10-85*
trophic structure of, **9-123**

- Ecosystems (*Continued*)
 types of, 9-109–123, 9-114–122
- Ecotones, **9-93**, 9-95, 9-122–123, 9-122
- Ectoparasites, 3-23–24, 3-25, 8-57–58
 blowflies as, 3-24, 3-25, 8-58
 of Cliff Swallow, 6-59
 of Eastern Bluebird, 3-25
 population density and, 6-59, 9-69
- Edge effect(s), **9-93**, 9-94, 9-98–100, 10-73–74, 10-74
- Edwards, George, H-23–24
- Eggert, James, 10-34
- Eggs, 8-59–93. *See also* Clutch; Hatching; Incubation
 buoyancy of, 8-70
 chromosomes of, 4-135–136
 collecting of, 8-78, 8-80–83
 colors of, 8-75–77
 development of. *See* Embryo, development of
 fertilization of, 4-133
 formation of, 4-128–130, 4-131, 8-62–63
 gas exchange in, 8-66–69, 8-68–70
 laying of, 8-77–78, 8-78, 8-90–91, 8-144. *See also* Clutch
 mimicry of, by brood parasites, 8-146, 8-147
 nonavian, diversity of, 8-61
 number per season, 8-91–93, 8-92, 8-144
 pipped, **8-105**
 replacement of, 8-90–91, 8-92
 shapes of, 8-72–74, 8-73
 size of, 8-70–72, 8-71–72
 structure of, 8-60–70, 8-62–69
 study of, 8-80–83
 texture of, 8-74
- Eggshell, 8-59–60, 8-68–69. *See also* Eggs
 structure of, 8-63, 8-68–69
 thinning of, 8-81–82, 9-75–76, 10-52–53
- Egg tooth, 8-67, 8-69, **8-104**–105, 8-117, 8-120, 8-144–145
- Egret(s)
 Cattle, 3-43, 9-91, 10-42
 convergent evolution and, 9-108
 increase of, 10-40
 siblicide by, 6-87–88
 feathers of, 1-13, 3-12
 foraging method of, 6-46
 Great, 1-13, 3-43, 10-18
 bill color of, 2-12
 siblicide by, 6-87
 hat plumes and, H-5–6, H-6, H-34, 10-18–20
 Reddish, 3-43
 Snowy, 3-43, 10-18
 bill color of, 2-12
 foraging method of, 6-46
- Egypt, Ancient, H-7–9
- Eider(s), 1-98
 Common
 creche of, 8-128–129, 8-128
 down of, 3-16
 ducklings of, 8-123, 8-128
 King, 3-48, 9-114
 nest of, 4-149
 playing by, 6-20
 plumage of, 3-30
- Electrophoresis, **1-43**
- Elepaio, 10-60t
- Elephant, 8-135
- Elephantbird(s), E-23, 1-88, 5-49, 10-59
 eggs of, 8-70, 8-71, 8-83
 evolution of, E-29–30
- El Niño, 1-105, 4-109
- Embryo, development of, 8-63, 8-64–69, 8-68–70
- Emerson, Ralph Waldo, 10-19
- Emigration, **9-49**, 9-50
- Emlen, Stephen, 5-86–87, 5-87–88, 6-73, 6-90
- Emu(s), E-22, 1-67, 1-92, 1-93
 egg of, 8-74, 8-75
 esophagus of, 4-113
 evolution of, E-29–30
 feathers of, 3-12, 3-13
 flightlessness of, 5-49
 as human food, 10-105
 olfaction in, 4-64
 palate of, E-23
 photoperiodism in, 4-140
 sternum of, 4-23
 toes of, 4-26
- Enantiomis*, **E-31**
- Enantiornithine birds, **E-20–21**, E-29–31
- Endangered Species Act (ESA), H-39, 10-23–24, 10-91–92
- Endemic, **1-70**, 9-55
- Endocrine system, 4-69–76, 4-71–72. *See also* Hormones
 control of singing by, 7-40
 sex characteristics and, 4-137–139, 4-138
- Energy. *See also* Thermoregulation
 conservation of, 5-13
 for flight, 4-1
 food chain and, 9-125
 metabolic rates and, 4-144–145, 4-146–147, 9-24
 nutritional needs and, 9-23–32, 9-27, 9-30, 9-35
- Environment. *See also* Habitat; Ecosystems
 activity cycles in, 9-31, 9-37
 coping with fluctuations of, 9-31, 9-37
- Environmental education, H-39–40, 2-57–58, 10-113
- Environmental stochasticity, **9-77**, 10-67–69, 10-68
- Epidermis, **3-26**, 3-27
- Epinephrine, 4-72, 4-75
- Epizootics, **9-69–70**
- Epochs, **1-113t**
- Equilibrium theory, **9-95–96**
- Eras, **1-113t**
- Esophagus, 4-112–115, **4-113**–118
- Estrogens, 4-72, 4-75, 4-137–139, 4-138
- Ethology, **6-7–8**
 cognitive, 7-67
- Euparkeria*, E-9, E-27–28, **E-32–33**
- Euphonia, Thick-billed, 7-84
- Eustachian tube, **4-57**
- Eutrophication, **10-56**
- Evans, Bill, 7-42, 7-44–46, 7-44
- Evolution, **1-34–37**. *See also* Sexual selection; Adaptations
 of aggressive/submissive behavior, 6-22–30
 of asynchronous hatching, 6-87–88, 8-97–98
 behavior and, 6-2–3, 6-4, 6-14–15, 6-42–43
 bird eggs and, 8-59–60, 8-72–73, 8-76–77
 bird groups and, E-29–30
 of birds, E-1–13, E-23–26, E-27–30, 1-66, 5-2, 5-3
 dinosaur theory of, E-7–20, **E-27–28**
 pseudosuchian thecodont hypothesis of, E-7–13, E-20, **E-27–28**, E-32–33
 of bird song, 7-2–3, 7-20, 7-33–34
 of breeding time, 8-11, 8-12
 of brood parasites, 8-140, 8-143–150
 of clutch size, 8-79, 8-84–90
 of colonial nesting, 6-58–59, 6-68, 6-69
 convergent, **1-40**, 1-92, **9-104**, 9-106–108
 of cooperative breeding, 6-88–91, 6-90t
 of cooperative courtship displays, 6-85–87
 Darwin and, 1-34–37, 6-22, 10-109
 of displays, 6-30–34
 divergent, 1-57–62, **1-57**
 extinction events in, E-27–30, **1-113t**
 of feathers, E-13–19, E-17, 3-28
 flexibility of, 7-18
 of flight, E-7, E-13–20, E-15–18, 1-66, 5-6–7
 of flightlessness, 5-48–51
 of foraging behaviors, 6-43, 6-48–50
 of hummingbird bill shape, 4-104
 individual responses and, 9-7–8
 mate choice and, 6-79–85
 of mating systems, 6-68–79
 of migration, 5-54–61
 of mobbing behavior, 6-50–51, 6-57–58, 6-57t
 mutations in, 1-36, **1-41**
 natural selection and, 1-34–36, 5-6–7, 5-66, 6-22, 6-28–30, 8-3
 of nest construction, 8-44–47, 8-46
 of species, **1-34–37**, 1-55–61, 1-57–62
 syrinx structure and, 4-94–95
 theory of, 1-34–37, 6-22, 6-28–30, 6-42–91, 10-109
- Exit pupil, **2-35–36**, 2-36
- Exploitation
 differential, **9-39–42**, 9-40–42
 direct, 10-48–49
- Extinction(s), 9-75–78, 10-4–17
 Bird evolution and, E-1–33
 of Carolina Parakeet, H-33, 10-12, 10-13
 causes and ecology of, 10-38–76
 “chain reaction,” 10-8
 deterministic, **9-76**
 of dinosaurs, E-25–26, E-27–30
 of Dodo, 1-88, 5-51, 9-133, 9-134, 10-6
 of Dusky Seaside Sparrow, 10-69
 of Elephantbirds, E-23, 10-59
 of Eskimo Curlew, 10-12–15
 of Great Auk, 10-6, 10-7
 on Guam, 10-49–51
 on Hawaii, 10-58–59
 of Heath Hen, 9-78, 9-79
 history of, 10-4–9
 of Huia, 1-97, 9-40
 of Labrador Duck, 10-10, 10-11
 of Merriam’s Teratorn, 10-8–9, 10-8
 of Moa, E-23, E-24, E-29–30, 1-96–97, 5-49, 10-6
 of Passenger Pigeon, H-33, 6-67, 9-75, 10-1–3, 10-11–12, 10-38
 of Puerto Rican Nightjar, 10-10
 of rails, 1-98, 10-38
 rates of, 10-4–5
 of Reunion Solitaire, 10-6
 stochastic, **9-77**
- Extinction events, E-27–30, **1-113t**
- Extra-embryonic membranes, **8-65–67**
- Extrapair copulation, **6-79–81**, 8-15
- Eye, 1-7, 3-39, 3-48. *See also* Vision
 bird vs. mammal, 4-161t
 color of, 3-39
 conjunctivitis of, 9-71–74, 9-72
 glare and, 3-64–65
 nictitating membrane of, 1-7, 4-46–47, 4-47
 of Ostrich, 4-46
 plumage near, **2-10**
 retina of, 4-48, **4-49**
 structure of, 4-46–49, 4-48–50, 4-161t



Eyebrow stripe, **2-10**
 Eyeline, **2-10**
 Eye ring, **1-8, 2-10**

F

Facial disk, **4-55**
 Facial nerve, **4-41**
 Fairy-bluebird(s), **1-88–89**
 Asian, **1-89**
 Fairywren(s), **1-92, 1-95**
 classification of, **7-25**
 Superb, **6-80–81, 6-80, 6-90**
 Falcon(s)
 Eleonora's, **6-63, 8-11, 8-12**
 foraging method of, **6-45**
 heart size and rate of, **4-155**
 Peregrine, **9-10, 10-100–101**
 avoidance of prey flocks by, **6-61**
 DDT and, **8-81–82, 9-75–76, 10-52–53**
 decline and recovery of, **10-24, 10-100–102**
 fledgling, **8-115**
 flight speed of, **5-45**
 habitat of, **9-8–10**
 stooping by, **6-45**
 wing loading of, **5-31t**
 Prairie, **9-115**
 as symbol, **H-12**
 wing shape of, **5-37, 5-38**
 Falconry, **H-19–20, H-21, 10-101**
 Families
 avian
 classification of, **1-52, 1-61–64, 1-107–112**
 bird vs. human
 intact vs. step-, **6-93–95**
 interactions in, **6-92–95**
 Fascia, **4-27**
 Fassett, James, **H-18**
 Feathers, **1-2, 1-23–24. See also Plumage; Down**
 afterfeathers, **3-12, 3-13**
 of *Archaeopteryx*, **E-4**
 auricular, **1-7, 1-8, 4-55**
 axillary, **1-12, 1-13**
 bristles, **3-13, 3-16, 3-17**
 care of, **3-18–24, 3-19–23**
 contour, **3-5–16**
 modified, **3-12, 3-16**
 number of, **3-11**
 coverts, **1-6, 1-11–12, 1-13, 3-10**
 decomposition of, **3-28**
 development of, **3-26–28, 3-27, 8-67, 8-107, 8-108–109, 8-112, 8-123**
 evolution of, **E-13–19, E-17, 3-28**
 filoplumes, **3-17–18, 3-17**
 fluffing of, **4-148, 4-149**
 forensics of, **3-6–9**
 on hats, **H-5–6, H-6, 3-32–33, 10-18–20**
 head, **2-10**
 juvenal, **3-27, 3-29, 8-107, 8-108–109, 8-112**
 natives' uses for, **H-4–6, H-10, H-15**
 number of, **3-11**
 oiling of, **3-20**
 pigments of, **3-50–54**
 pin, **3-26, 3-28, 8-112**
 preening of, **3-4, 3-18–20, 3-19**
 primary, **1-11, 1-13, 3-10, 3-11**
 attachment of, **1-10**
 position during flight, **5-19–20, 5-19–20**
 scapular, **1-12, 1-13**
 secondary, **1-11, 1-13, 3-10, 3-11**
 attachment of, **1-10**

semiplumes, **3-17, 3-17**
 size of, **3-11**
 specialized, **3-17**
 structure of, **3-3–4, 3-3–4**
 tail, **1-12, 1-13, 1-23, 3-5, 3-10**
 landing and, **5-21**
 molting of, **3-37**
 numbering of, **3-11**
 vane of, **3-3**
 tracts of, **3-2–3, 3-2, 8-107, 8-112**
 types of, **3-4–18, 3-12–18**
 wearing of, **3-30**
 weight of, **3-11**
 wing, **1-11–12, 1-13, 3-5, 5-18**
 attachment of, **1-10**
 field marks on, **2-12**
 molting of, **3-36–37, 3-37**
 numbering of, **3-11**
 primary. *See* Feathers, primary
 secondary. *See* Feathers, secondary
 vane of, **3-3**
 Feather tracts, **3-2–3, 3-2, 8-107, 8-112**
 Fecal sac, **8-114, 8-136–139, 8-138**
 Fecundity, **9-49, 9-50, 9-62**
 age-specific, **9-64**
 extinction and, **9-76–77, 10-39–40**
 Federal Bureau of Investigation (FBI), **3-8–9**
 Feeding behavior. *See also* Food; Foraging;
 Digestive system
 beak shape and, **4-103, 4-104–109**
 in Black Skimmers, **1-36, 4-104–105, 4-107**
 in Flamingos, **4-108, 4-109**
 in hummingbirds, **4-103, 4-104**
 courtship, **6-6, 8-103–104, 8-104**
 fledgling learning of, **8-115, 8-116**
 food chain and, **9-123–126, 9-124, 9-127**
 parental, **6-6, 6-43, 8-11–13, 8-17, 8-115–116, 8-130–134, 8-130–131, 8-133**
 ravens at carcass, **6-42**
 specialist vs. generalist, **9-23, 9-24**
 tongue shape and, **4-110, 4-111**
 Feeding of birds (by humans), **2-24–25, 9-32–34, 9-70–72**
 Feet, **1-12, 1-20–23, 3-43–46. See also Leg**
 adaptations of, **1-22, 3-44–46, 3-44–46**
 of *Archaeopteryx*, **E-4, E-11, E-12**
 bird vs. human, **1-12–15, 1-14**
 claws of, **3-44–46**
 of *Archaeopteryx*, **E-4, E-6**
 pectinate, **3-46**
 diversity of, **1-21–1-22**
 of enantiornithines, **E-20**
 hallux of, **4-25, 4-26**
 heel pad of, **3-44**
 of Ostrich, **1-15**
 podotheca of, **1-20**
 primitive, **1-15**
 of theropods, **E-12**
 Femur, **1-12, 1-14, 4-24, 4-25**
 Fertilization, **4-131, 4-133**
 Fibula, **1-12, 1-14, 4-24, 4-25**
 Field guides, **H-34, H-36–37, 2-58–59**
 Field journals, **2-47–54, 2-48, 2-53**
 Field marks, **2-10–2-13**
 Field of view, **2-37**
 Field-Tyrant, Short-tailed, **1-80**
 Fight or flight response, **4-45, 4-72, 4-75**
 Filoplumes, **3-17–18, 3-17**
 Finch(es), **1-89. See also Cactus-Finch; Chaf-finch; Firefinch; Goldfinch; Greenfinch; Ground-Finch; Koa-Finch; Tree-Finch**
 cardueline, **1-70, 1-93, 5-65**
 Cassin's, **9-117**

classification of, **7-25**
 Cocos Island, **1-60, 1-61**
 "Cuckoo," **8-142**
 Darwin's. *See* Finch, Galapagos
 flight of, **2-5, 2-6**
 Galapagos, **1-60–61, 1-60, 4-109, 6-48**
 House, **9-71**
 development of migration in, **5-57**
 eye disease of, **9-71–74, 9-72**
 increase of, **5-57, 10-40**
 sexual selection in, **3-69**
 water needs of, **9-18**
 Laysan, **1-62, 10-60t**
 migration time of, **5-65**
 Nihoa, **10-60t**
 Purple, **3-30, 9-116–117**
 Rosy, **9-115**
 silhouette of, **2-3**
 "Vampire," **6-48**
 viduine, **7-83, 8-142, 8-145–147**
 Woodpecker, **6-11**
 Zebra, **8-142**
 breeding of, **4-142, 4-144**
 polygamy rate in, **6-79**
 song control centers of, **7-39–40**
 song of, **7-27, 7-39–40**
 syrinx of, **4-97**
 UV light and mate choice in, **4-68**
 Finley, William T., **8-80**
 Firefinch(es), **7-83–84, 8-142**
 Red-billed, **7-83**
 Fish
 beak adaptations for capturing, **1-36, 4-104–105, 4-106–107**
 flying, **E-14, 5-3**
 in food chain, **9-124**
 techniques for capturing, **6-45–46**
 Fish and Wildlife Service, U.S. *See* U.S. Fish and Wildlife Service
 Fitness, **1-35, 9-7**
 direct vs. indirect, **6-86–87**
 Fixed action pattern (FAP), **6-8–9**
 Flamingo(s)
 bill and feeding by, **4-108, 4-109, 4-117, 6-46**
 coloration of, **3-52–53**
 creche of, **8-126**
 esophageal milk of, **4-117, 8-133**
 intestines of, **4-121**
 nests of, **8-28**
 Flanges, **3-43, 7-83, 8-107, 8-120**
 Fledgling, **8-115–117**
 Fledglings, **8-115. See also Young**
 Flicker, Northern
 clutch size of, **8-88, 8-91**
 foot of, **3-45**
 hyoid of, **4-14**
 malar stripe of, **3-67**
 niche of, **9-83, 9-84–85**
 rump patch of, **2-14, 3-64, 3-65**
 tail of, **1-23**
 Flight, **1-2, 5-1–51. See also Soaring; Migra-tion; Orientation**
 adaptations for, **5-2–7, 5-4**
 air speed and, **5-45, 5-68**
 bounding, **5-26, 5-35**
 control of, **5-30**
 drafting and, **5-47**
 energy for, **4-1**
 evolution of, **E-7, E-13–20, E-15–18, 1-66, 5-6–7**
 Charles Darwin on, **E-15**
 feathers, **1-11–12, 1-13**
 flapping, **5-16–20, 5-17–20, 5-22–25, 5-36**
 flocks in, **5-46–48, 5-48**
 forces acting in, **5-9–20**

- Flight (*Continued*)
 information, 5-34, 5-45–48, 5-46
 hovering, 4-147, 5-17, 5-26–30, 5-27–29
 landing from, 5-21–26, 5-26
 loss of, 5-48–51, 5-49
 muscles involved in, 5-5–6, 5-7
 patterns of, 2-5, 2-6–7
 respiration rate during, 4-156
 skeleton and, 4-4
 speed of, 5-45, 5-68–69, 5-68
 theories on the origin of, E-27–28
 tip vortex in, 5-34
 types of, 5-36
 wing shape and, 5-36–44, 5-37–39, 5-42
 young birds and, 5-22, 8-115, 8-120, 8-122, 8-124
- Flightlessness, 5-48–51, 5-49
 Flight patterns, 2-5, 2-6–7
 Floaters, **9-70**
 Flocks, 5-45–48, 5-46, 5-48. *See also* Group living
 Flowerpeckers, 1-90, 7-25
 Fluid balance, 4-125–126, 4-127, 4-157–158, 9-18–22
 Fly, hippoboscid, 3-24, 3-25
 Flycatcher(s), 1-71, 1-79, 1-91. *See also* Tyrant; Silky-flycatcher
 Acadian
 brood parasitism effect on, 8-151t
 habitat of, 10-28t
 nest predation rate of, 8-9t
 song of, 2-17, 2-18
 Alder, 2-18
 song of, 2-17, 2-18, 7-30, Track 26, 7-57, 7-86t
 development of, 7-30–32
 bill of, 2-11
 Boat-billed, 1-80
 classification of, 7-25
 Cliff, 1-80
 Cordilleran, 7-57
 European Pied, 6-5, 7-69
 breeding of, 4-141
 rate of feeding of young, 8-17
 foraging methods of, 6-44
 Gray, 9-121
 Great Crested
 foraging method of, 6-44
 habitat of, 9-112, 9-118, 10-28t
 nest cavity of, 8-58
 niche of, 9-83, 9-84–85
 Hammond's, 9-116
 head-scratching by, 3-21
 identification of, 2-5
 Least
 decline of, 10-27
 niche of, 9-93
 silhouette of, 2-5
 song of, 2-18, 2-18
 migration of, 5-54
 monarch, 1-93
 olfaction in, 4-64
 Olive-sided
 foraging method of, 6-48
 habitat of, 9-116–117
 song of, 2-16
 Pacific-slope, 7-57
 Royal, 1-80
 Scissor-tailed, 7-31
 songs of, 2-16–18, 2-18
 development of, 7-30–34
 geographic variation in, 7-57–58
 Traill's, 7-30, 7-57
 Vermilion, 1-80, 6-22, 9-122
 Willow, 10-37
 decline of, 10-36, 10-37
 rectal bristles of, 3-16
 song of, 2-17, 2-18, 7-30, Track 26, 7-57, 7-86t
 Yellow-bellied, 9-116
 Flying dragon, E-14
 Folklore, birds in, H-9, H-10–11
 Follicle, **3-26**, 3-27
 Food. *See also* Feeding behavior; Foraging
 aerial exchange of, 8-103, 8-104
 body size and, 4-145, 9-23–24
 seasonal availability of
 clutch size and, 9-48, 9-49
 migration and, 5-53–57, 5-54–55
 time of breeding and, 8-11–13, 8-12
 Food chain, 9-123–127, 9-124
 Foot. *See* Feet
 Foraging, 9-23–35. *See also* Feeding behavior; Food
 fledgling learning about, 8-115, 8-116
 flocks and, 6-62–64
 food availability and, 9-25–26, 9-26
 food chain and, 9-123–126, 9-124, 9-127
 optimal, 9-25–31, 9-35
 rate, in cold weather, 9-24, 9-25
 seabird coloniality and, 6-68, 6-69
 by Snow Goose, 10-44–47, 10-47
 specialist vs. generalist, 9-23, 9-24
 techniques used in, 6-42, 6-44–49, 6-48–50
 territoriality and, 6-64–65, 8-14
 ultraviolet light cues and, 4-67
 Foramen triosseum, 4-20, **4-21**, 4-28, 5-6
 Forest habitats, 2-20, 9-94–95
 boreal, 9-116
 coniferous, 9-57, 9-116, 9-117, 9-122, 9-123
 deciduous, 9-46, 9-93, 9-94–95, 9-117–118, 9-122, 9-123
 declining species in, 10-27–30
 ecological succession in, 9-110–113
 ecological succession in, 9-110–113
 fragmentation of, **9-97**–101, 9-97–99, 10-27–29, 10-28t
 bird nesting and, 10-72–74, 10-73
 logging of, 9-76, 9-77, 10-17, 10-21–23, 10-22
 Southwestern oak, 9-120
 Formations, flight, 5-34, 5-45–48, 5-46
 Fovea, 4-53–54
 central, 4-48, **4-49**, 4-53
 temporal, 4-49, 4-53
 Fragmentation (of habitats)
 bird nesting and, 10-72–74, 10-73
 forest, **9-97**–101, 9-97–99, 10-27–29, 10-28t
 species diversity after, 10-72–75, 10-72
 Franklin, Benjamin, H-25
 Frequency, **7-4**
 Frigatebird(s), 1-98, 1-101
 courtship of, 3-48
 foraging method of, 6-48
 Magnificent, 1-102
 gular sac of, 6-81
 nest building in, 8-57
 Frog, flying, E-14
 Frogmouth(s), 1-91
 Papuan, 1-91
 Frugivory, **1-81**
 Fruit-Doves, H-17–18
 Fuertes, Louis Agassiz, H-39–40, 10-11
 Fulmar(s), 5-42
 Northern, 1-98
 bill of, 3-41
 defense behavior of, 6-54
 survival rate of, 8-4t
 Fürbinger, Maximilian, 1-33
 Furcula, **4-19**, 4-20
 evolution of, E-10
 as spring, 5-5
- G**
 Gadwall, 2-7
 Galapagos finches, 1-60–61, 1-60, 4-109, 6-48
 Galapagos Islands, 1-59–60
 Gall bladder, 4-122, **4-124**
 Gallinaceous birds, **1-66**
 Gallinule, Purple, 3-45, 3-46
 Galton, Francis, 4-66
 Gametes, 4-134, 4-135–136
 Ganglia, **4-31**, 4-39, 4-40
 Gannet(s), 1-98, 1-100, 5-37, 5-42
 feeding by, 6-45, 6-48, 6-68–69
 Northern, 8-114
 colonial nesting of, 6-22, 6-23, 6-59, 6-68, 6-69
 courtship display of, 6-38
 diving by, 1-29
 juvenile, 8-114
 soaring by, 5-43
 Gas exchange, 4-89
 air sacs and, 4-98–99, 4-100
 eggshell and, 8-68–70, 8-69
 respiration and, 4-100–103, 4-102
 Gastric cuticle, **4-119**
 Gastrointestinal system. *See* Digestive system
 Gender. *See also* Sex determination
 incubation and, 8-99, 8-100
 nest building and, 8-56–57
 recognition of, 3-67
 Genes. *See also* DNA
 chromosomes and, 4-134–137, 4-134
 mate selection and, 6-84–85
 relatives sharing, 6-86
 song and, 7-26, 7-57
 Gene flow, **1-53**, **9-67**
 Gene pool, **6-22**
 Genetic augmentation, 10-76–77
 Genetic bottleneck, **10-75**
 Genetic code, 1-41, 1-42
 Genetic variation, 1-34–36, **10-75**
 Genitals, 4-127–132, 4-129. *See also* Urogenital system bird vs. mammal, 4-162t
 Genus, **1-52**. *See also* Species
 Geographic distribution, 1-66–69, 1-70, 9-49–58, 9-51–57
 zoogeographic regions and, 1-69–105
 Geographic isolation, 1-55–59, 1-57–58
 Geographic range. *See* Range
 Geological Survey, U.S., H-41
 Geological time, 1-67–69, 1-68, **1-113t**
 Germinal spot, **8-63**
 Gerygone, Chatham, 10-90
 Gizzard, 4-113, 4-118, **4-119**–120
 Glenoid fossa, **4-20**
 Gliding animals, E-13–14, E-14, E-18, E-19, 5-3
 Glossopharyngeal nerve, 4-42
 Glottis, **4-91**
 Glucagon, 4-72, 4-75
 Glycogen body, **4-39**, 4-40
 Gnatcatcher
 Black-tailed, 6-51, 9-122
 Blue-gray, 8-18, 9-118, 10-28t
 California, 10-78, 10-81
 Tropical, 6-61
 Gnateaters, 1-73
 Godwit, Hudsonian, 5-73, 10-43



- Goldeneye, Common, 6-32
- Golden-Plover
American, 10-43
egg of, 8-73
migration of, 5-73
European, chick, 8-135
- Goldfinch
American
breeding of, 8-11, 8-12
calls of, 7-37, 7-73–74, Track 52
diet of, 4-116
habitat of, 10-28t
molting of, 3-29
nest of, 8-48
relative size of, 2-8
threat display of, 6-30–32
European, H-24
foraging method of, 6-46
- Goldstein, Mike, 10-55
- Gonadotrophic hormone, 4-72
- Gonads, 4-71–72, 4-75. *See also* Ovary; Testes
hormones of, 4-137–138, 4-138
size of, 5-5
- Gondwanaland, 1-67, 1-68
- Goose
Bar-headed, 5-66–68
bill tip organ of, 4-41, 4-69, 4-70
Canada, H-23
aggressive nest defense by, 8-134
appeasement display of, 6-29
calls of, 7-5, 7-44–45
courtship of, 6-34
creche of, 8-128, 8-128
family cohesion of, 8-123
life span of, 4-159t
survival rate of, 8-4t
tip vortex of, 5-34
wing loading of, 5-31t
cloacal phallus of, 4-89, 4-128, 4-129, 4-133, 4-139
folklore of, H-11
foraging method of, 6-46
Greylag, H-3, 6-7, 6-12
migration of, 5-46
Snow, 10-44, 10-47
brood amalgamation in, 8-129
color phases of, 9-81
flight of, 5-34, 5-46
habitat of, 9-114
increase of, 10-40–47, 10-42
philopatry in, 9-66
tip vortex of, 5-34
White-fronted, 9-114
- Goshawk
Gabar, 6-56
Northern
flight pattern of, 2-5
habitat of, 2-20, 9-13, 9-113, 9-116–117
nest defense by, 6-54, 8-134
prey cycles and, 9-37
- Gould, John, H-28, H-29
- Grackle(s)
bill of, 4-104, 4-105
Common
display of, 3-5
habitat of, 10-28t
silhouette of, 2-2–3
Grassland habitat, 9-95, 9-118–119, 9-119
decline of, 10-30–36, 10-33
fragmentation of, 10-28t, 10-72–73
Grassroots activism, 10-113–114
Gravity, 5-10, 5-14
Great Backyard Bird Count (GBBC), H-41, 10-112. *See also* Bird counts
- Grebe(s)
Alaotra, 10-61
Clark's, H-29, 8-134
Eared, 6-38
flightless, 5-51
foot of, 1-22
foraging methods of, 1-29, 6-45
Great Crested, 6-38
Horned, 1-28–29, 9-47
mutual displays of, 6-38
pellets of, 4-120
Pied-billed, 1-31, 5-31t
Red-necked, 6-38, 8-73
Western
Weed Ceremony of, 6-39
- Greek roots of biological terms, 1-47–51
- Greenfinch, European, 4-128
- Greenland, 1-70
- Greenlet, Lesser, 6-61
- Griffon, Rueppell's, 5-68, 6-63
- Grinnell, George Bird, H-33–34, 10-18
- Grinnell, Joseph, H-38, 2-52, 10-95
- Griscom, Ludlow, H-36–37
- Grosbeak
Black-headed, 7-66, 8-9t, 9-56
Blue, 2-12, 2-45, 5-47
Evening, 2-8, 3-42, 9-116
foraging method of, 6-46
Kona, 1-62, 10-60t
Pine, 5-55, 9-116
Rose-breasted
Black-headed vs., 7-66, 9-56
habitat of, 9-93, 9-113, 10-28t
incubation by, 8-99
nestling, 8-111
night flight call of, 7-45, Track 35
song of, 2-15
- Ground-Cuckoo, Rufous-vented, 9-89, 9-90
- Ground-Finch(es), 1-60, 1-61
Sharp-beaked, 1-60, 1-61, 6-48
- Ground-Roller(s), 1-87, 1-88
Long-tailed, 1-88
- Ground speed, 5-68
- Ground-up theory of flight origin, E-14–18, E-15, E-27–28
- Group living, 5-45–48, 6-58–69. *See also* Breeding, colonial; Helpers at the nest
communal roosts and, 6-65–67, 6-66
foraging and, 6-59–68, 6-61–64, 6-69
predation and, 6-59–62
territoriality vs., 6-64–65
- Group selection, 6-24–28
- Grouse, 1-89
Black, H-16
Blue, 5-53, 9-116
booming sacs of, 4-113–115, 4-114
colic ceca of, 4-123
feathers of, 3-13
foot of, 1-22
foraging method of, 6-46
leks of, 6-75
nest construction by, 8-56
Ruffed, 6-46
auriculars of, 1-8
brood of, 8-98
camouflage of, 3-61
color phases of, 9-81
drumming by, 7-5, 7-15–16, 7-15s, Track 13, 7-20–21
Eskimo dance imitating, H-16
feet of, 3-45
flight of, 5-8
foraging method of, 6-46
habitat of, 9-95, 9-112–113
Sage, H-29
booming sacs of, 3-48
habitat of, 9-121
Native American dances imitating, H-16
Sharp-tailed, 9-80, 9-81, 9-119
Spruce, 9-116
wings of, 1-18, 5-37
- Growth hormone, 4-72, 4-73
- Guano, 1-104–105, 1-106
- Guans, 1-72
- Guilds, 9-90, 9-102, 9-104
- Guillemot(s), 1-99
Black, 2-14
Pigeon, 5-50
- Guineafowl, 1-85, 1-86
Vulturine, 1-86
- Gular fluttering, 4-153
- Gular region, 1-7, 1-8
- Gull(s), 1-98–101
Black-headed, 6-57, 6-58
Bonaparte's, 8-58
California
nest colony of, 8-60
predation on, 8-8
predation on locust swarms by, 9-60, 10-107
foraging method of, 6-48
Glaucous, habitat of, 9-114
Glaucous-winged, 6-63
heat-exchange system of, 4-151
- Herring
appeasement display of, 6-28
bill of, 3-43
breeding territory of, 9-65
displacement preening by, 6-32
incubation by, 8-97
incubation patches of, 8-95
nestling, wandering by, 8-124
nestling recognition in, 8-125
playing by, 6-19
plumage of, 3-30–32, 3-31
redirected aggression in, 6-33
survival rate of, 8-4t
survivorship curve for, 8-5
wing loading of, 5-31t
Laughing, 8-125
Lesser Black-backed, 6-22
Mew, 8-75, 9-13, 9-14
nest building by, 8-56
playing by, 6-20
Ring-billed, 3-30, 3-68
life span of, 4-159t
Sabine's, 1-98, 9-114
salt glands of, 4-158
soaring by, 5-42, 5-43
Western, 4-156
wings of, 1-18, 2-12, 5-37, 5-44
- Gyr Falcon(s), 9-37, 9-81
- H**
Habitat(s), 9-8. *See also* Ecosystems; Environment
desert, 2-21, 9-121, 9-122
forest. *See* Forest habitats
fragmentation of, 9-97–101, 10-27–29, 10-28t, 10-71–74
grassland, loss of, 10-30–36, 10-33
identifying birds by, 2-18–19, 2-20–22
loss of, 10-5, 10-9, 10-25, 10-59–67. *See also* Forest habitats, logging of
grassland, 10-30–36, 10-33
impacts on specific species, 10-12, 10-14, 10-16, 10-17, 10-61–67
riparian, 10-36, 10-37
for shorebirds, 10-37–38



- Habitats)(Continued)
 tundra, 10-43–47
 wetland, 10-66, 10-84, 10-84–85, 10-91, 10-93
 management of, 10-81–88, **10-82**
 population density and, 9-58–59
 preservation of, 10-78–81
 productivity of, 9-87, **9-92**–93
 riparian, 10-36, 10-37, 10-82, 10-85, 10-113
 loss of, 10-36, 10-37
 selection of, 9-8–13, 9-14–15
 for shorebirds, loss of, 10-37–38
 size vs. number of species, 9-95–101, 9-96, 10-71–74, 10-71
 tundra, loss of, 10-43–47
 wetland, 2-21, 9-111, 9-124, 10-66
 Everglades, restoration of, 10-84, 10-84–85
 legal protection of, 10-91, 10-93
 loss of, 10-66, 10-84, 10-84–85, 10-91, 10-93
 pollution of, 10-56
 productivity of, 9-93
 Habitat conservation plan (HCP), 10-92
 Habitat imprinting, **9-11**–13, 9-14
 Habitat preserve networks, **10-78**–81, 10-80
 Habitat specialization, 10-61–67
 Habituation, 6-9–10
 Hacking, 9-10, 10-100–102
 Haddad, Nick, 9-129
Hadrosaurus, E-27–28, **E-32**
 Hair cells, 4-57, 4-59, 4-61
 Hall, Minna, H-34
 Hallux, 1-14, **1-15**, 4-25, **4-26**
 of *Archaeopteryx*, E-11, E-12
 loss of, 4-26
 Hamerkop, 1-85, 8-16–17, 8-39
 Hardy, Fannie, 10-19
 Harrier, Northern
 aerial food exchange by, 8-103–104, 8-115
 courtship display of, 6-42
 flight of, 1-2, 2-7
 in food chain, 9-124
 habitat of, 2-21, 9-95, 10-28t
 wing shape of, 5-38
 Harrier-Hawk, African, 8-8
 Harrington, Brian, 5-77
 Harrison, Ed, 8-81
 Hartup, Barry, 9-73
 Hatching, 8-104–106, 8-105. *See also* Eggs
 asynchronous vs. synchronous, **6-88**, 8-97–98, 9-46, 9-47
 chick calls to synchronize, 8-106
 Hawaii
 avifauna of, 1-97–98
 bird conservation efforts on, 10-71, 10-103–104, 10-104
 endangered/extinct birds of, 10-58, 10-60t, 10-69–70, 10-71, 10-103–104
 feather cloaks of, H-5
 honeycreepers of, 1-61, 1-62, 10-103–104, 10-103
 mosquito-borne diseases on, 10-58–59
 zoogeographic region of, 1-70, 1-98
 Hawk(s)
 Broad-winged
 habitat of, 9-113, 9-118, 10-28t
 migration of, 5-39, 5-46, 5-67, 6-65
 Cooper's
 eye of, 3-39
 feeding by, 6-50
 flight pattern of, 2-5
 habitat of, 9-95, 9-111, 9-113
 identification of, 2-9, 2-10
 nest of, 8-48
 relative abundance of, 9-102
 tail of, 5-21
 wing shape of, 5-38
 down of, 3-17, 3-18
 Ferruginous, 9-81, 9-119
 foraging method of, 6-45
 gizzard of, 4-118, 4-119–120
 Harris's, 2-21
 intestines of, 4-121
 migration of, 5-42, 5-57, 5-65, 6-64–65, 6-65
 Great Lakes and, 5-73–75, 5-74
 playing by, 6-20
 predation on flocks by, 6-60–61
 Red-shouldered, 9-113, 9-118
 Red-tailed, 6-65
 aerial food exchange by, 8-103–104
 bill of, 3-41
 color phases of, 9-81
 daily activities of, 9-36
 Eastern Kingbirds harassing, 6-51
 feeding of young by, 8-131
 flight of, 2-5, 2-7, 5-39
 habitat of, 2-20, 9-11, 9-111
 life span of, 4-159t
 respiration rate of, 4-156
 silhouette of, 2-5
 tail use in landing by, 5-21
 territoriality in, 6-65
 western morph, 5-21
 Rough-legged, 5-55, 9-37
 color morphs of, 9-81, 9-82
 Sharp-shinned
 flight pattern of, 2-5
 habitat of, 9-112
 identification of, 2-9, 2-10
 tail shape of, 1-19
 wing shape of, 5-38
 Short-tailed, 9-81, 10-67
 nestling, 8-111
 soaring by, 5-41–42
 Swainson's, 10-54
 color phases of, 9-81
 habitat of, 9-119
 migration of, 5-46
 pesticides and, 10-54–55
 territoriality in, 6-22, 6-23, 6-64–65, 8-14
 visual fields of, 4-53
 wings of, 1-18, 5-38
 wing-to-tail length of, 2-12
 Head. *See also specific parts, e.g.,* Bill
 field marks on, 2-10
 regions of, 1-7
 scratching of, 3-20–21, 3-21
 unfeathered, 3-46–48, 3-48–49
 Hearing, 4-54–62. *See also* Ear
 acuity of, 4-61–62, 4-61
 brain and, 4-38, 7-39
 of infrasound and ultrasound, 4-66
 of nestlings, 7-27
 pitch/volume in, 4-59–61, 4-60
 range of, 7-4, 7-5
 song development and, 7-32
 Heart. *See also* Circulatory system
 anatomy of, 4-76–80, 4-76, 4-79
 blood supply of, 4-79
 control of beat of, 4-79–80
 cross-section of, 4-76
 location of, 4-80
 muscle, 4-31
 size of, 4-154
 valves of, 4-78–79, 4-78
 Heart rate, 4-80, 4-145, 4-154–156, 4-155t
 Heat exchange, 4-148–152, 4-151–152
 Heath Hen, 9-78, 9-79
 Heel pad, 3-44
 Heilmann, Gerhard, E-9–10, E-18, E-33
 Heinrich, Bernd, 6-14, 6-42
 Helpers at the nest, 6-88–91, 6-90t
 in Florida Scrub-Jay, 1-37, 6-88–91, 6-93–94
 in Seychelles Brush-Warbler, 6-91, 6-93–94
 in White-fronted Bee-eater, 6-90, 6-92, 6-93–94
 Hemenway, Harriet, H-34, 10-19
 Hemoglobin, **4-86**, 4-88
 Henshaw, H. W., 10-58
 Hepatic portal system, 4-85
 Hepatoenteric ducts, **4-121**
 Herkert, Jim, 10-32–35
 Hermit
 Long-tailed, 9-30
 Planalto, 8-33
 Heron(s)
 Black-crowned Night, 3-24, 4-149
 foraging method of, 6-46
 Great Blue, 2-57
 bill of, 4-104, 4-106
 color phases of, 9-81
 display(s) of
 Bill Clapping, 8-56
 copulatory, 6-41
 courtship, 6-37
 Stretch, 6-28
 threat, 6-26, 6-32
 egg of, 8-74
 flight of, 5-9–10, 5-9, 5-16
 in food chain, 9-124
 habitat of, 9-11
 life span of, 4-159t
 nest building in, 8-56
 wading by, 1-26
 wing loading of, 5-31t
 Great White, 9-81
 Green, 3-44, 6-11
 gular fluttering by, 4-153
 nest building in, 8-56
 pectinate claw of, 3-46
 Hertz, 7-4, 7-5
Hesperornis, E-20, E-29–30, **E-32**
 Hesperornithiformes, E-20, E-29–30
 Heterocoelous centrum ends, **4-15**–16, 4-15
 Heterogametic, **4-136**
 Heterozygosity, **10-74**–75
 Hibernation, **4-51**, 4-153–154. *See also* Torpor
 Hickey, Joseph, 8-81–82, 10-52
 Hierarchies. *See* Dominance hierarchies
 Hill, Geoffrey, 9-73–74
 Hippoboscid fly, 3-24, 3-25
 Hitchcock, Alfred, H-13
 Hoatzin, 1-72, 1-74, 1-77
 crop of, 4-115
 wing claws of, 3-46, 3-47, 4-22
 young of, 3-47
 Hochachka, Wes, 9-74
 Holarctic region, **1-70**
 Homeostatic mechanisms, **9-67**
 Homeothermy, **9-13**–14
 Homer, H-11–12
 Homing ability, 5-80–84. *See also* Orientation; Navigation
 Homogametic, **4-136**
 Homozygosity, **10-74**–75
 Honeycreeper(s)
 foraging method of, 6-47
 Hawaiian, H-5, 1-61, 1-62, 10-103
 classification of, 7-25
 endangered, 10-60t

- Honeycreeper(s) (*Continued*)
 foraging method of, 6-47
 rescue of, 10-103–104, 10-104
 Shining, 6-61
 Honeyeaters, H-5, 1-93–94, 1-95, 1-97–98, 6-47
 Honeyguide, 1-87, 1-89
 as brood parasite, 8-140, 8-144–145, 8-145
 foraging method of, 6-48
 nestling, 8-144–145, 8-145
 Hooklets, 3-4
 Hoopoes, 3-20
 Hormones, 4-69–70, 4-137–139, 4-138. *See also* Endocrine system
 functions of, 4-72
 gonadal, 4-137–139, 4-138
 Hornbill(s), 1-89, 1-91
 cervical vertebrae of, 4-15
 developmental periods of, 8-117
 molt of, 3-37
 nest of, 1-91, 3-37–38, 3-38, 8-44, 8-45
 Red-billed, 8-44, 8-45
 Rhinoceros, 1-91, 3-38
 toe arrangement of, 1-21
 Hornero, Rufous, 4-142, 8-16, 8-34, 8-35
 Horseshoe crabs, 5-76–78
 Hovering, 4-147, 5-17, 5-26–30, 5-27–29. *See also* Flight
 Huia, 1-97, 9-39, 9-40
 Humboldt current, 1-73
 Humerus, 1-9, 1-10, 4-20
 air sac of, 1-10, 4-100, 4-101
 bird vs. human, 4-21
 during flight, 5-5–6
 Hummingbird(s), 1-72. *See also specific types, e.g., Hermit; Sabrewing; Spatuletail; Sunbeam*
 aerial displays of, 7-18, 7-84, 7-85
 Allen's, 4-146, 4-147
 Anna's, 4-146, 7-33, 10-107
 nest of, 8-30
 as pollinator, 10-107
 song learning in, 7-32, 7-33
 torpor in, 4-154, 4-155
 barbule, structure of, 3-56
 Bee, 1-15–16, 1-17, 8-16
 bill shape of, 4-103, 4-104, 9-5, 9-7, 9-23
 Blue-throated, 9-16
 Broad-tailed, H-29
 Costa's, 9-122
 diet of, 9-28
 diversity of, 1-81, 9-86, 9-5
 eggs of, 8-70, 8-71
 flight muscles of, 5-7
 in folklore, H-15
 foraging method of, 6-47, 6-64
 heart of, 4-154–155, 4-155t
 hovering by, 5-27–29, 5-28
 keel of, 4-23
 migration of, 5-53–54, 5-57–58, 5-65
 neck of, 1-9
 nest building in, 8-56
 as pollinators, 9-5, 9-7, 9-132–133, 10-107
 Ruby-throated
 dive display of, 7-84, 7-85
 feeding of young by, 8-130, 8-131
 iridescence of, 3-57
 life span of, 4-159t
 migration of, 5-65
 wingbeat rate of, 5-45
 wing loading of, 5-31t
 Rufous, 5-30
 songs of, 7-32, 7-41
 tongues of, 4-110, 4-111
 torpor in, 4-154, 4-155
 trapline foraging by, 9-29, 9-30
 Humphrey-Parks nomenclature, 3-33–34, 3-35t
 Hunting
 extinctions and, 10-2–3, 10-5–15, 10-48
 market, 10-11–12, 10-14–15, 10-18–20
 prehistoric, H-4, 10-8
 recreational, 10-97, 10-105–106
 Snow Geese and, 10-43, 10-45, 10-47
 Wood Duck and, 10-95–97
 Huxley, Aldous, 8-10
 Huxley, Thomas, E-7–10, E-31
 Hybridization, 3-66
 Hyoid, 4-13–14, 4-111
 Hyperphagia, 5-63, 9-24
 Hyperthermia, 9-18
 Hypoglossal nerve, 4-42
 Hypothalamus, 4-36, 4-72
 hormones of, 4-138
 photoperiodism and, 4-140
 Hypothermia, 9-16, 9-17
 Hypothesis, 6-5, 6-96–98, 6-97
- I**
Iberomesornis, E-20, E-29–31
 Ibis
 Scarlet, 3-52–53, 6-66–67
 White, 1-17, 3-24, 6-44
Ichthyornis, E-20, E-29–30, E-32
Ichthyornithiformes, E-20, E-29–30
Ichthyosaur, E-27–28, E-32
 Identifying birds, 2-4–23. *See also* Bird watching
 by behavior, 2-7, 2-8
 by body proportions, 2-9–11
 by field marks, 2-10–13
 by flight patterns, 2-5, 2-6–7
 by habitat, 2-18–19, 2-20–22
 by night flight calls, 7-44–46
 by plumage patterns, 2-13–14, 2-14
 by posture, 2-5
 by range, 2-19, 2-22
 by season, 2-19–23, 2-23
 by silhouette or shape, 2-2–3, 2-5
 by size, 2-7–9, 2-8
 by song, 2-14–19, 2-18, 7-51–52, 7-57–58, 7-57
 Iiwi, H-5, 1-62
 Ileum, 4-121, 4-122
 Ilium, 4-24
 Immigration, 9-49, 9-50, 9-66
 Imperial-Pigeon(s), 4-119
 Torresian, H-15
 Important Bird Areas (IBA) program, 10-113
 Imprinting, 6-12, 8-125
 habitat, 9-11–13, 9-14
 Inbreeding, 6-94, 9-66, 9-78, 10-75–76.
See also Breeding
 Inbreeding depression, 9-66, 9-78
 Incest. *See* Breeding, incestuous
 Incubation, 4-139, 8-93–104. *See also* Eggs
 behavior during, 8-99–104
 duration of, 8-96–98
 nestling period and, 8-116–117, 8-117
 sex roles and, 8-99, 8-100
 Incubation patch, 4-139, 8-94–96, 8-95–96
 Incubation period. *See* Incubation, duration of
 Incubation pouch, 8-95, 8-96
 Indeterminate layers, 8-90–91, 8-92
 Indians. *See* Native Americans
 Indigobird(s), 8-142, 8-145–147
 Village, 7-83–84, 7-83
 Individual recognition, 3-67–68, 6-17
 between parents and young, 7-47, 7-53, 8-125–126
 by song, 7-42, 7-43, 7-47, 7-53
 Infanticide, 6-59, 6-87, 6-94
 Inference, transitive, 6-18
 Information center hypothesis, 6-59, 6-68, 6-69
 Infrasound, 4-66
 Infundibulum, 4-126, 4-130, 4-131, 4-133
 Insects
 ant followers and, 9-88–91
 bird population density and, 9-59–60
 bird predation on, 9-26, 9-125, 10-107
 defenses of, 9-7, 9-26
 disease and, 9-70, 10-58–59, 10-58
 as ectoparasites. *See* Ectoparasites
 in food chain, 9-124
 as parasites in nests, 3-24, 3-25, 6-59, 8-57–58
 parasitoid, 8-58
 pesticides and, 9-125–126, 9-127
 social, birds nesting near, 8-18, 8-19
 Insectivores, 4-115–116, 5-70–71, 9-125
 Insect-net theory of flight, E-16–17, E-16, E-27–28
 Insemination, 4-133. *See also* Copulation
 Insight learning, 6-14
 Instincts, 6-5–9
 learning vs., 6-9t, 6-14–15
 Insulin, 4-72, 4-75
 Intelligence, 6-16–18, 7-67–68. *See also* Brain
 vocalizations and, 7-11–13
 Intention movements, 6-30–32
 Interference (intraspecific), 9-39, 9-42–43
 International Union for the Conservation of Nature (IUCN), 10-6
 Interspecific relationships, 9-89–91, 9-90
 Intestines, 4-113, 4-120–123, 4-121, 4-123
 cross-section of, 4-121
 hormones of, 4-76
 lymph trunk of, 4-89
 Intraspecific relationships, 9-38–43
 Ioras, 1-89
 Iridescence, 3-54–57, 3-56–57. *See also* Color
 ultraviolet light and, 4-67–68
 Iris, 1-7, 3-39, 3-41, 4-47, 4-48. *See also* Eye
 Irruption, 5-54, 5-55, 9-116
 Ischium, 4-24
 Islands
 birds of, 1-97–98, 10-58–61, 10-60t, 10-67–73
 clutch size of, 9-47–48
 endemic, 9-55
 problems faced by, 10-67–73
 number of species on, 9-95–96, 10-71–72
 species-area relationship for, 9-95, 9-96, 10-71, 10-72
 Isolating mechanisms, 9-102
 Isolation, geographic, 1-55–59, 1-57–58
- J**
 Jacamar(s), 1-72, 9-107
 Great, 9-107
 Jacana(s)
 African, carrying young, 8-136
 nest building in, 8-56
 Northern, 1-26, 6-77–79
 Wattled, 4-22
 Jackdaw, Eurasian, 6-19, 6-60
 Jaeger(s), 1-98
 breeding of, 4-143
 irruptions of, 5-55
 Long-tailed, 4-143, 9-81, 9-114
 Parasitic, 6-48, 9-81, 9-114
 Pomarine, 4-143, 9-81, 9-114

- Jainism, H-11
- Jay(s), 1-79. *See also* Scrub-Jay
- Blue, 1-105
- anting by, 3-23, 6-96
 - baldness in, 3-38
 - bill and diet of, 9-23, 9-24
 - feathers of, 1-13, 3-55, 3-58
 - fledgling, 8-115
 - habitat of, 9-83, 9-84–85, 9-95, 9-112, 10-28t
 - hatchling, 3-17
 - head-scratching by, 3-21
 - learning by, 6-8, 6-9
 - life span of, 4-159t
 - mobbing call of, 7-22s, Track 19, 7-81, Track 65
 - nestling, 7-3
 - relative size of, 2-8
 - seed dispersal by, 9-110
 - survival rate of, 8-4t
 - toe arrangement of, 1-21
 - vocal mimicry by, 7-81
- classification of, 7-25
- Gray, 4-112, 9-116
- hybrids of, 3-66
- Mexican, 6-51
- migration time of, 5-65
- Pinyon
- creche of, 8-126–128
 - habitat of, 9-120, 9-121
 - nestling, 8-125
 - seed dispersal by, 9-132
- silhouette of, 2-2–3
- Steller's, 1-105
- color of, 3-58
 - hatchling, 3-17
 - seed dispersal by, 9-132
- Jejunum, 4-121, 4-122. *See also* Intestines
- Jizz, 2-4
- Johnson, Ned, H-38
- Jones, Lynds, H-35
- Journals, H-34, H-35, 10-18–19
- field, 2-47–54, 2-48, 2-53
 - scientific, 2-61–62, 10-39
- Jugal arch, 4-12
- Jugulum, 1-7, 1-8
- Junco(s), 1-105
- Dark-eyed, 5-46–47
 - deflective coloration of, 3-65
 - dominance among, 6-24
 - gonads of, 4-142–143
 - habitat of, 2-18, 9-93, 9-113, 9-116–117
 - nest predation rate of, 8-9t
 - photoperiodism in, 4-140
 - rases of, 1-56
 - song of, 7-5, 7-42
 - foraging method of, 6-46
 - tail marks of, 2-13, 3-64, 3-65
- Junglefowl, Red, H-3, 1-89, 1-90
- K**
- Kagu, 1-92, 1-93
- Kakapo, 10-51, 10-89
- Kakawahie, 10-60t
- Kamao, 10-60t
- Kamil, Alan, 6-12–13
- Kea, 4-141
- Keel, 4-23, 4-92, 5-4, 5-5
- Kellogg, Peter Paul, H-37–38, H-38
- Keratin, 3-28, 3-55
- Kestrel(s)
- American, H-40
 - coloration of, 3-53
 - habitat of, 9-39, 9-95
 - life span of, 4-159t
 - nesting of, 6-97t, 8-58–59
 - slope soaring by, 5-42
 - tail pumping of, 2-7, 2-8
 - territory of, 6-23, 8-14
- Eurasian, 5-17, 9-65t
- Mauritius, rescue of, 10-102
- olfaction in, 4-64
- silhouette of, 2-3
- “Kettles,” 5-39
- Kidnapping, 8-128–129
- Kidneys, 4-125, 4-126
- water conservation by, 4-127, 4-157–158
- Kiff, Lloyd, 8-80–83, 8-82
- Killdeer
- chick of, 3-63, 4-147
 - defense behavior of, 6-53, 6-54
 - egg of, 8-72, 8-77, 8-96
 - nest of, 8-77
 - protective coloration of, 3-62, 3-63, 3-64
 - silhouette of, 2-3
 - song of, 7-82s, Track 66
- Kilohertz, 7-4, 7-5
- Kingbird(s)
- Eastern, 3-63, 7-66
 - cooling by, 4-153
 - habitat of, 9-95
 - migration of, 5-47
 - mobbing by, 6-51
 - foraging method of, 6-44
 - migration time of, 5-65
 - silhouette of, 2-2–3
 - Western, 7-66
 - life span of, 4-159t
- Kingdom, 1-53
- Kingfisher(s), 1-72, 1-92
- American Pygmy, 9-103
 - Belted
 - fledglings
 - practice diving by, 8-116
 - food availability of, 9-25
 - habitat of, 9-11
 - hovering by, 5-27
 - interspecific competition in, 9-56–57
 - nestling diet of, 8-17
 - nest of, 8-41, 8-43
 - range of, 9-56–57
 - silhouette of, 2-2–3
 - toe arrangement of, 1-21
 - Common, 8-111
 - developmental periods of, 8-117
 - foraging method of, 6-45
 - Green, 9-56–57
 - Guam Micronesian, 10-50–51
 - pellets of, 4-120
 - Pied, 6-30
 - Ringed, 9-56–57, 9-103
 - toe arrangement of, 1-21
- Kinglet(s)
- classification of, 7-25
 - Golden-crowned
 - habitat of, 9-116–117, 9-117
 - life span of, 4-159t
 - nest of, 8-32
 - Ruby-crowned vs., 2-11
 - Ruby-crowned, 2-10
 - foraging method of, 6-43, 6-44
 - Golden-crowned vs., 2-10, 2-11
 - habitat of, 9-116
- Kin selection theory, 6-93–94
- Kioea, 10-60t
- Kiskadee, Great, 8-57
- Kite
- Double-toothed, 9-91
 - Hook-billed, 9-42, 9-42
 - Snail, 8-86, 10-67
 - Swallow-tailed, 1-20
 - White-tailed, 8-103, 8-104
- Kittiwakes, 1-98–99
- Kiwi(s), 1-92, 1-96, 5-49
- Brown, E-22, 8-72
 - egg size of, 8-71, 8-72
 - evolution of, E-7, E-29–30
 - flightlessness of, 5-49–50
 - Great Spotted, 4-64
 - Little Spotted, 10-90
 - olfaction in, 4-38, 4-62, 4-64
- Klee, Paul, H-9
- Knopf, Fritz, 10-33
- Knot, Red, 5-77
- life span of, 4-159t
 - migration of, 5-76–78
- Koa-Finch
- Greater, 10-60t
 - Lesser, 10-60t
- Koel, Long-tailed, H-21
- Koilin, 4-119
- Kokako, 1-97
- Komdeur, Jan, 6-91
- Kramer, Gustav, 5-83–84, 5-98
- Kruuk, Hans, 6-57
- K-selected birds, 9-45–46, 9-46t
- K-T event, E-13, E-25–26, E-25, E-27–30, 1-113–114
- L**
- Labyrinths, 4-57, 4-58. *See also* Ear
- Lacey Act, H-39, 10-19–20
- Lack, David, 8-79–84
- Lacrimal gland, 4-46
- Laminar flow, 5-13, 5-15
- Lammergeier, 5-66
- Land birds, 1-66
- Landing, 5-21, 5-26. *See also* Flight
- Landscaping for birds, 2-24–25, 10-110–111
- Lanyon, Scott, 8-148
- Lapwing, Northern, H-24
- Lark(s), 1-71–72
- classification of, 7-25
 - foot of, 1-22
 - foraging method of, 6-46
 - Horned, 9-114
 - flocking by, 5-45
 - habitat of, 9-95, 9-119
 - migration time of, 5-65
 - Sky, 7-84
- Larynx, 4-91
- Lascaux Cave paintings, H-6, H-7
- Latham, John, H-23–24
- Latin roots of biological terms, 1-47–51
- Laurasia, 1-67, 1-68
- Laws, conservation-related, H-39, 10-3, 10-19–25, 10-34–35, 10-90–94
- Laybourne, Roxie, 3-6–9
- Lead poisoning, 4-119, 10-53, 10-56, 10-102
- Leafbirds, 1-88
- Lear, Edward, H-13
- Learning, 6-8–15
- of concepts, 6-17–18
 - habituation and, 6-9–10
 - insight, 6-14
 - instinct vs., 6-9t, 6-14–15
 - play and, 6-19–21
 - of songs, 7-23, 7-26–37
 - sensitive period for, 7-26
 - spatial, 6-12–14
 - trial-and-error, 6-10, 6-19

- Leg, 1:12–15, 1:14. *See also* Feet
 bird vs. human, 1:12–15, 1:14, 4:25
 bones of, 4:24–26, 4:25
 color of, 3:43–44
 development rate of, 8:120, 8:122
 heat exchange in, 4:151
 muscles of, 1:16, 4:28, 4:29
- Leg spurs, 4:26
- Lek polygyny, H:15–16, 6:75–77, 6:75,
 6:81–82
 in Greater Prairie-Chicken, H:16,
 6:81–82
 in manakins, 7:18
 in Ruff, H:16, 6:75
 in Sharp-tailed Grouse, 9:81
 territoriality and, 8:13
- Lens, 4:47, 4:48
 accommodation by, 4:50
- Leopold, Aldo, H:39, 7:16, 10:20–21,
 10:20, 10:82–83, 10:112
- Lewis and Clark Expedition, H:29
- Ley, David, 9:71
- Lice, 3:24, 3:25
- Life history strategies, 8:3–10, 9:2, 9:2–3,
 9:43–48. *See also* Clutch size
- Life history traits, 8:3–6. *See also* Clutch size;
 Life history strategies
- Life lists, 2:54–55
- Life span, 4:71, 4:159, 4:159t
- Lift, 5:10–16, 5:12–15, 5:23–25
- Lift-to-drag ratio, 5:35
- Ligaments, 4:6
- Light waves, 3:54, 5:94–95
 iridescence and, 3:56–57, 3:56
 spectrum of, 3:49
 structural colors and, 3:54–58
- Lima, Steven, 6:50
- Limiting factors, 9:10–11
- Limpkin, 1:72, 8:118
- Linnaeus, Carolus, H:23
 bird classification by, 1:32, 1:33, 1:47,
 1:53–54
- Literature, birds in, H:11–13
- Live birth, 4:130–132
- Liver, 4:113, 4:122, 4:124–125, 4:127
- Lizards. *See also* Reptiles
 basilisk, E:16
 eggs of, 8:61
 evolution of, E:7–8, E:27–28
 frilled, E:15
 gliding, E:13, E:14, E:18, 5:3
- Locomotion
 on land, 1:24–25, 1:25–27
 in water, 1:28–31
- Logging. *See* Forest habitats, logging of
- Logrunners, 1:93, 7:25
- Longbills, 1:93
- Longclaw, Yellow-throated, 9:106
- Longfellow, Henry Wadsworth, 7:1
- Longspur
 Chestnut-collared, 9:119
 Lapland, 5:55, 9:114, 9:115
 McCown's, H:29, 9:119
 Smith's, habitat of, 9:114
- Loon(s), 1:70, 2:19
 Arctic, swimming by, 1:30
 bones of, 4:5
 Common
 egg of, 8:73
 life span of, 4:159t
 respiration of, 4:156–157
 underwater foraging by, 4:157
 wing loading of, 5:31t
 folklore of, H:11
 foraging method of, 6:45
 migration of, 5:57
- Red-throated, 9:114
- Lorant, Stefan, H:22
- Lore, 2:10
- Lorenz, Konrad, 6:4, 6:7, 6:12, 10:109
- Low pressure systems, 5:69–72
- Lubbock, John, 4:66
- Lumbosacral plexus, 4:39, 4:40
- Lungs, 4:98–103, 4:98–99
- Lymphatic system, 4:87, 4:88–89, 4:89
- Lyrebird(s), 1:92, 1:94
 classification of, 7:25
 Superb, 1:94, 4:140
 vocal mimicry by, 7:81
- ## M
- MacArthur, Robert, 9:103, 10:109
- Macaw(s)
 Blue-and-yellow, 8:116
 Hyacinth, 1:73
 life span of, 4:158
 Red-and-green, 9:28
 Scarlet, 9:28
 Spix's, 10:49, 10:93–94
- Macroevolution, 1:37
- Madagascar, 1:70, 1:87–88
- Magazines. *See* Journals
- Magnetic compass, 4:68, 5:89–91, 5:91. *See also* Navigation; Orientation
- Magnetic fields, 5:83, 5:89–91, 5:97
 sensing of. *See* Magnetic compass
- Magnetic map, 5:97–98
- Magpie(s)
 Australasian, 1:93, 1:95
 Black-billed, 1:19, 8:36, 8:86
 classification of, 7:25
 claw of, E:6
 folklore of, H:11
 olfaction in, 4:64
- Maggie-lark, 1:95, 1:96
- Malar region, 1:7, 1:8
- Malaria, 10:5, 10:58–59, 10:58, 10:71
- Malimbe, Red-vented, 8:38
- Mallard, 1:38
 bill color of, 3:43
 courtship display of, 6:32, 6:33, 6:35–36
 domestication of, H:3
 eclipse plumage of, 3:34, 3:36
 in food chain, 9:124
 foraging by, 1:29, 2:7
 life span of, 4:159t
 migration altitude of, 5:68
 silhouette of, 2:2–3
 survival rate of, 8:4t
 taste buds of, 4:65
 vocalizations of, 7:5
 weight of, 4:5
 wing loading of, 5:31t
- Malleefowl, 6:70, 6:71. *See also* Megapodes
 chick of, 8:122
- Mamo
 Black, 1:62
 Hawaii, H:5, 1:62
- Manakin(s), 1:73
 Blue
 courtship display of, 6:78
 classification of, 7:25
 frugivory and mating system of, 1:81
 Long-tailed, 7:31
 courtship display of, 6:85–87, 6:85
 nest building in, 8:56
 White-bearded
 courtship display of, 6:77, 7:18
 wing sounds of, 6:77, 7:18, Track 16
- Mandible, 4:11–12
- Mandibular nerve, 4:41
- Manus, 1:9–10
 of pigeon vs. *Archaeopteryx*, E:11
 of theropod, E:12
- Map-and-compass model, 5:84, 5:97–98.
See also Navigation; Compass mechanisms
- MAPS (Monitoring Avian Productivity and Survivorship), 9:48–49
- Marine birds. *See* Seabirds
- Marine regions, 1:99–101, 1:99
- Market hunting, 10:11–12, 10:14–15,
 10:18–20
- Marsh, O. C., E:14–15, E:18
- Marsh habitat, 2:21
- Martin
 Banded, 8:46
 Brown-chested, 8:46
 House, 8:34, 8:35, 8:46
 Purple
 life span of, 4:159t
 nest of, 8:46, 8:49, 8:59
 wing loading of, 5:31t
 Rock, 8:46
- Masked-weaver
 African, nest of, 8:33
 Northern, 8:76
- Massing behavior, 6:54–55, 6:54
- Mathews, F. Schuyler, 7:48
- Mating systems, 6:68–79. *See also* Breeding
- Maxillary nerve, 4:41
- Mayr, Ernst, 10:109
- McClosky, Robert, H:13
- McDonald, David, 6:85–87
- McGregor, Peter, 7:49
- McQueen, Larry, H:40
- Meadowlark(s)
 bill of, 2:11, 4:109
 Eastern, 10:30
 Breeding Bird Survey data for, 9:63
 convergent evolution and, 9:106
 decline of, 10:30–35
 habitat of, 9:94–95, 10:28t, 10:30–35
 nesting guild of, 9:103
 nest of, 8:35
 vocalizations of, 7:37, 7:86t
 Western vs., 7:66
 eggs of, 8:72, 8:96
 silhouette of, 2:3
 tail of, 2:13
 Western, 10:33–35
 Eastern vs., 7:66
 habitat of, 9:119, 10:28t, 10:33–35
 vocalizations of, 7:37, 7:86t
- Medulla oblongata, 4:37, 4:38
- Megapodes, 1:93, 4:132. *See also* Brush-turkey; Malleefowl
 egg laying in, 8:78
 flightless period of, 8:124
 hatchling, 8:120, 8:122
 nests of, 4:132, 6:70, 6:71, 8:1–2,
 8:93–94
- Melanin, 3:50–51
 granules of, 3:55
 lack of, 3:52, 3:53, 3:58
- Meninges, 4:36, 4:39
- Merganser(s)
 bill of, 4:104, 4:106
 Common, family of, 8:118
 Hooded, 6:45
 Red-breasted, 5:45, 8:123
- Merkel, Friedrich, 5:89
- Merlin, 2:4, 6:61
- Merriam, C. Hart, H:32
- Merriam, Florence, H:27, H:34, 10:19
- Mesites, 1:87

- Mesotocin, 4-72, 4-73
 Messiaen, Olivier, H-18
 Metabolic exchange, 4-87
 Metabolism, **4-144**–158
 basal, **4-144**–145
 bird vs. mammal, 4-145
 energy needs and, 9-23–24
 hovering flight and, 4-147
 migration and, 5-64
 rate of, 4-145–146
 Metapopulation dynamics, **10-77**–78, 10-79
 Metatarsus, **1-14**
 Meyer, Hermann von, E-2–4
 Microevolution, **1-37**
 Migration, 5-51–78
 altitudes of, 5-66–68, 5-67
 annual cycle of, 5-61–63
 Aristotle on, H-2
 breeding and, 4-140–141
 compass mechanisms for, 5-84–92, 5-85–88, 5-91
 daily timing of, 5-65–66
 early studies on, H-32–33, H-36
 evolution of, 5-54–61
 fat bodies for, 5-64–65, **5-64**
 flight and, 5-1–2
 flocking and, 5-46–47
 food resources and, 5-54, 5-55t, 9-33
 genetic control of, 5-56, 5-59–61, 5-62
 navigational maps for, 5-92–98, 5-93, 5-96
 night, 5-65–66, 5-69, 5-92
 night flight calls during, 7-42, 7-44–46
 partial, **5-56**
 patterns of, 5-52–57, 5-53–55
 physiology of, 5-63–65, 5-64
 polarized light cues for, 5-92, 5-94–95, 5-95
 progress of, 5-68–69
 routes for, 5-52, 5-73, 5-75–78
 hawks near the Great Lakes, 5-74
 seasonal, **5-51**–52, 5-57–58
 site fidelity and, 5-75–78
 survival and reproductive success with, 5-54, 5-55t
 transequatorial, **1-103**
 vertical, 5-53
 weather and, 5-69–73, 5-69–72
 Migratory Bird Treaty Act, H-39, 1-3, 10-20
 Migratory program, **5-79**
 Migratory restlessness, **5-60**, 5-61, 5-81, 5-84, 5-87, 5-89
 Milk, pigeon's. *See* Crop milk
 Miller, Alden, H-38
 Miller, Olive Thorne, H-27
 Millerbird, 10-60t
 Mills, Harold, 7-46
 Mimicry
 of alarm calls, 7-84
 in brood parasites, 7-83–84, 7-83, 8-145–148
 of eggs, 8-145–146, 8-147
 of snakes, 6-52, 6-53, 7-11
 of songs, 7-81–83, Tracks 63–67, 7-82s
 Mineral deficiencies, 9-28–29
 Mineral licks, 9-28
 Mites, feather, 3-24, 3-25
 Mitigation bank, **10-93**
 Mitochondria, **1-44**, 1-44
 Moa, E-23, E-24, E-29–30, 1-96–97, 5-49, 10-6
 Mobbing, 2-26–28, 2-28, 6-50–51, 6-51, 6-57–58
 calls for, 7-20, 7-22s, 7-84
 colonial nesting and, 6-57–58, 6-58
 creches and, 8-127
 hypotheses explaining, 6-57t, 6-57–58
 Mockingbird(s), H-23, 1-72
 classification of, 7-25
 Northern, 3-63
 courtship display of, 6-34
 habitat of, 9-112
 mobbing by, 6-51
 parental care in, 6-70
 songs of
 mimicry in, 7-81–82, 7-82s, Tracks 63–67
 repertoire of, 7-19, 7-27, 7-86t, 7-87–89
 territoriality of, 7-69, 8-14, 9-39
 territory call of, 7-69
 Silhouette of, 2-2–3
 Socorro, 10-70
 Tail of, 2-13
 Molts, **3-28**–38, 3-34. *See also* Plumage
 annual, 3-29–30
 naming systems for, 3-33–34, 3-35t
 progression of, 3-34–38, 3-37
 of Scarlet Tanager, 3-34
 shock/fright, **3-38**
 Monarch, Rarotonga, 10-51
 Monarch butterfly, 6-9
 Monitoring Avian Productivity and Survivorship (MAPS), 9-48–49
 Monocrotophos (pesticide), 10-54–55
 Monogamy, 3-69, **6-68**–73, 6-73, 6-81
 Monotremes, 8-60, 8-61, 8-93
 Moorhen, Common, 8-118
 Morphs, **9-42**, 9-81. *See also* Sexual dimorphism
 Mortality rate, **9-49**, 9-50, 9-64–65, 9-65t, 9-69
 extinction and, 10-39–40
 Motmot(s), 1-72
 feathers of, 3-12
 Turquoise-browed, 6-8, 6-15, 6-22
 Mousebird(s), 1-85
 Speckled, 1-85
 Mouth. *See* Oral cavity
 Movement
 intention, **6-30**
 on land, 1-24–25, 1-25–27
 in water, 1-28–31, 1-28–30
 Mudnest builders, 1-93, 1-95, 1-96
 Muir, John, H-26, H-32, 10-19
 Mulder, Raoul, 6-80–81
 Murre(s), 1-99
 Common, 1-100
 eggs of, 8-73, 8-76, 8-103
 Thick-billed, 6-59, 6-59, 6-68, 8-125
 Murrelet(s), 1-99
 Ancient, 2-14
 Craver's, 1-99
 Muscles, 4-26–31. *See also specific muscles*, e.g., Pectoralis
 atrophy of, 4-27
 bird vs. mammal, 4-160t
 cardiac, 4-31
 ciliary, 4-47, 4-48, 4-50
 fibers of, **4-26**, 5-7
 flight, 5-5–6, 5-7
 involuntary, 4-28
 skeletal, 4-26–28, 4-27–30
 smooth, 4-28–31
 supracoracoid, **4-21**, 5-6–7
 syringeal, 4-93, 4-95
 types of, 4-26
 voluntary, 4-26
 Music, birds and, H-13–19, 7-48–49. *See also* Song
 Mustache, 1-7, **1-8**
 Mutations, 1-36, **1-41**
 Mutualism, 9-91, **9-132**–133
 Dodo and, 9-133, 9-134
 sicklebill and, 9-5, 9-7
 Mycoplasmal conjunctivitis, **9-71**–74, 9-72
 Myna(s), 1-91
 Bali, 10-51
 Myoglobin, **5-7**
 Myzomela, Red-collared, 1-95
 N
 Nape, 1-7
 Naris. *See* Nostrils
 Nasal cavities, 4-90–91
 National Park Service, 10-20
 Native Americans, H-4–5, H-4
 birds in art of, H-7
 birds in music/dance of, H-13–16, H-14–16
 birds in religion of, H-9–10, H-10
 Natural selection, 1-34–36, 5-6–7, 5-66, 6-22, 6-28–30, 8-3.
 See also Evolution
 Nature Conservancy, 10-21, 10-86, 10-88, 10-103–104
 Nature preserves, design of, 10-78–81, 10-80
 Navigation. *See also* Orientation
 homing ability and, 5-79–84
 inertial, **5-82**
 maps for
 magnetic, 5-97–98
 olfactory, 5-92–97, 5-93
 olfaction and, 4-67, 5-92–97, 5-93
 true, **5-83**
 vector, 5-79–80, 5-81
 Nearctic region, 1-70, 1-71–72
 Neck, 1-7–9, **1-8**, 4-15. *See also* Head
 Neognathous birds, E-21, E-23, E-25
 Neoteny, **5-51**
 Neotropical migrants, **1-71**, 5-58–59
 decline of, 10-27, 10-32, 10-35
 Neotropical region, 1-70, 1-72–81
 Nerves, **4-31**
 cranial, 4-31–32, 4-37, 4-40–42
 spinal, 4-31–32, 4-39–40, 4-39, 4-42–45
 Nervous system, 4-31–45. *See also* Central and Peripheral nervous system
 autonomic, 4-28, 4-31, **4-43**–45, 4-44
 bird vs. mammal, 4-160t
 central vs. peripheral, 4-36, 4-43
 parasympathetic, **4-43**, **4-44**, 4-45
 structure of, 4-31–32
 sympathetic, 4-43, **4-44**, **4-45**
 Nest(s), 8-15–59
 of American Crow, 8-31, 8-76, 8-107
 of American Kestrel, 6-23, 6-97t
 of American Woodcock, 8-103, 8-119
 of Blue Tit, 8-2
 building of, 8-15–18, 8-50–57, 8-51–56
 communal nests, 8-40
 duration of, 8-57
 evolution of, 8-44, 8-46, 8-47
 mud nests, 8-34–35
 sex roles and, 8-56–57, 8-56
 tunnels, 8-42–44
 of Clapper Rail, 8-102
 collections of, 8-83
 colonial, 1-106, 6-23, 6-57–59
 of Common Eider, 4-149
 communal, building of, 8-40
 defense of, 6-52–54, 6-52, 8-134–136, 8-134, 10-63
 egg burial in, 6-43, 8-149
 evolution of, E-26
 functions of, 8-18–20

- Nest(s) (*Continued*)
of Golden Eagle, 8-81
helpers at. *See* Helpers at the nest
of Killdeer, 8-77
lack of, 8-26–27, 8-73
linings of, 8-47–50, 8-48–50
materials for, 8-16–17. *See also* Nests,
types of
of megapodes, 4-132, 6-70, 6-71, 8-1–2,
8-122
of Mew Gull, 8-75
of Montezuma Oropendola, 6-74
mud, building of, 8-34–35
near aggressive insects or birds, 8-18,
8-19
of Oilbird, 8-132
parasites of. *See* Ectoparasites; Brood
parasites
of Piping Plover, 8-74
predation rate on, 8-9t, 8-10, 8-89
predators of, 8-7–8, 8-10, 8-18–20
bird feeders and, 9-33
of Red-tailed Hawk, 8-131
reuse of, 8-17, 8-57–59
of Rufous Hornero, 4-142, 8-34, 8-35
sanitation of, 8-136–139, 8-138
sapsuckers and, 9-128–129
of seabirds, 6-59, 6-68, 6-69
sharing of, 8-17
spacing of, 6-22, 6-23, 8-99, 8-100
“sperm,” 4-133
tunnels, building of, 8-42–44
types of, 6-68, 6-69, 8-24–45
weaving of, 8-53
Nest boxes, 2-24–25
Nestlings. *See* Young
Nest sites
diversity of, 8-16, 8-20–21
seasonal changes in, 8-22–23, 8-22
selection of, 8-23, 8-24, 8-25
Neuroglia, 4-36
Neurons, 4-32–35
motor, 4-33–34
neurosecretory, 4-73
reflexes and, 4-34–35, 4-34–35
sensory, 4-33–34
structure of, 4-32
Niche. *See* Ecological niche
Niche shifting, 9-103–104, 9-105
Nictitating membrane, 1-7, 4-46–47, 4-47
Nielsen, Bonnie, 7-50
Night flight calls, 7-42, 7-44–46, 7-45s
Nighthawk(s)
Common, 5-46
foraging method of, 6-44
gular fluttering by, 4-153
Lesser, 9-122
Night-Heron, Black-crowned, 8-4t
Nightingale(s)
Common
song of, 6-18, 7-26, Track 21, 7-87
territory of, 8-14
in music, H-18
Nightjar(s), H-10
Puerto Rican, 10-9, 10-10
Standard-winged, 3-15
torpor in, 5-51
Niño, El, 1-105, 4-109
Noddies, 1-98
Nomenclature. *See also* Classification
for naming plumages, 3-33–34, 3-35t
Norbeck-Audubon Act, 10-20
Norberg, Ulla, E-19–20
Norepinephrine, 4-72, 4-75
North American Breeding Bird Survey. *See*
Breeding Bird Survey
North American Waterfowl Management
Plan, 10-97
Northeast storms, 5-72
Nostrils, 1-6, 1-17, 3-40, 3-41. *See also* Olfac-
tion
salt glands and, 3-40, 4-158, 4-158
Notetaking, 2-47–55
Nottebohm, Fernando, 4-139
Nucleus, 1-44
Nukupuu, 1-62, 10-60t
Nunbird, Black-fronted, 9-91
Nutcracker(s)
Clark's, 9-132
foraging method of, 6-48
habitat of, 9-116, 9-117
Lewis and Clark and, H-29
memory in, 6-12–14, 6-12–13
seed dispersal by, 9-132
tail shape of, 1-19
classification of, 7-25
Nuthatch(es), 1-69, 1-72
Brown-headed
tool use by, 6-11
classification of, 7-25
foraging method of, 6-44, 6-48
nest cavities of, 8-44
Red-breasted, 2-11
habitat of, 9-116–117
mobbing call of, 7-22s, Track 19
White-breasted vs., 2-11
Rock, nest cavity of, 8-44, 8-45
silhouette of, 2-2–3
sittellas vs., 1-92, 9-108
White-breasted, 2-11
convergent evolution and, 9-108
courtship display of, 6-34
habitat of, 9-93, 9-95, 9-113, 9-118,
10-28t
locomotion of, 1-25
nest of, 8-48
niche of, 9-83, 9-84–85
Red-breasted vs., 2-11
threat display of, 6-27
Nuttall Ornithological Club, H-31–32
- O**
Observation records, 2-44–55,
2-47–48, 2-53
of rare birds, 2-54
Occipital condyle, 4-16
Ocean currents, 1-103–105, 1-105
Oculomotor nerve, 4-41
Oilbird, 1-72, 1-74, 4-63
diet of, 8-132
echolocation by, 4-62, 4-63, 4-66, 8-132
nestling, 8-132
nest of, 4-63, 8-29, 8-30
Oil gland, 3-20
Oil spills, 8-68–69
O'Keefe, Georgia, H-9
Olfaction, 4-38, 4-62–65, 4-64. *See also*
Nostrils
extrasensory, 4-66–67
navigation by, 4-67, 5-93–97
ophthalmic nerve and, 4-41
Olfactory lobes, 4-36–38, 4-37
of bird vs. other vertebrates, 4-38
sizes of, 4-38, 4-64
Olfactory nerve, 4-37
Olomao, 10-60t
Omao, 10-60t
Omnivores, 9-123
Oniki, Yoshika, 9-91
Oo
Bishop's, 10-60t
Hawaii, H-5, 10-60t
Kauai, 10-60t
Oahu, 10-60t
Ooaa. *See* Oo
Oölogy, 8-80–83
Operational sex ratio, 9-80–81
Operculum, 3-40, 3-41
Ophthalmic nerve, 4-41
Optical quality, 2-36–38, 2-36
Optic chiasma, 4-41
Optic lobe, 4-36, 4-37
of bird vs. other vertebrates, 4-38
Optic nerve, 4-37, 4-38, 4-41, 4-48, 4-49
Oral cavity
anatomy of, 4-112
digestive system and, 4-103
nasal cavities and, 4-90–91
Oral flanges, 3-43, 7-83, 8-107, 8-120
Orbit, E-7, 4-11
Orders of birds, 1-52, 1-61–64, 1-63,
1-107–112
Organ systems, 4-2–3. *See also specific types,*
e.g., Nervous system
Orians, Gordon, 6-70
Oriental region, 1-70, 1-88–91
Orientation, 5-79–98, 5-80–81. *See also*
Navigation
magnetic compass for, 5-89–91, 5-97–98
polarized light for, 5-92, 5-94–95, 5-95
star compass for, 5-86–87, 5-87–88
sun compass for, 5-84–86, 5-85–86
Orientation cage, 5-60, 5-61
Oring, Lewis, 6-73
Oriole(s), 1-72, 1-79
Altamira, nest of, 8-17
Baltimore
albino, 3-53
Bullock's and, 7-66
habitat of, 9-94–95, 10-28t
nest of, 8-33
niche of, 9-83, 9-84–85
Orchard vs., 2-14
bill of, 2-11, 4-109
Bullock's, 7-66
classification of, 7-25, 7-66
foraging method of, 6-47
Orchard, 2-14, 5-47, 8-151t
Ornaments, 6-81–85, 6-81. *See also* Plumage
hypotheses regarding, 6-84t
Ornithischian dinosaurs, E-8–9,
E-27–28, E-32
Ornithology, H-19–41, 1-3
to 17th century, H-19–22
18th century, H-23–25
19th century, H-25–35, 10-18–19
20th century, H-35–41, 10-19–25
academic programs in, H-37–39
ethology and, 6-7
organizations for, H-31–35
resources for, 2-58–65
Ornithopter, 5-8
Ornithurae, E-20–21, E-29–30
Oropendola(s), 4-109
Chestnut-headed, 8-57, 8-143
Montezuma, 6-74
Oscillograms, 7-4–7, 7-7–8
Oscines, 1-75. *See also* Songbirds
taxonomy of, 7-25
Osprey
DDT and, 10-52
foot of, 1-20, 3-44, 3-45
foraging method of, 6-45
nest of, 8-17, 8-57
toe arrangement of, 1-20, 1-21
Ossification, 4-6, 4-10

- Ostrich, *E-22*, 1-83, *8-124*
 adults and young of, *8-124*
 in Bible, H-9
 cranial kinesis in, *4-12*
 distraction display of, *6-53*
 distribution of, 1-67–69
 egg of, 8-70–71, *8-71*
 evolution of, *E-29–30*
 eyes of, 4-45, *4-46*
 feathers of, E-10, *3-12*
 flightlessness of, *5-49*
 foot and toes of, *1-15*, *4-26*
 gizzard of, 4-119
 groups and predation in, 6-60
 heart of, 4-154, 4-155t
 human uses of, 10-105
 intestines of, 4-122
 leg of, 3-43
 lymphatic system of, 4-89
 pterylosis of, 3-2
- Ostrom, John H., E-10, E-16–17, E-31
- Ou, *10-70*
 adaptive radiation and, *1-62*
 decline of, 10-60t, 10-69, *10-70*
- Outbreeding depression, **9-66–67**
- Ova. *See* Eggs
- Ovary, 4-75, *4-126*, 4-128–130, *4-131*
 hormones of, 4-72, 4-75, *4-138*
- Ovenbird. *See also* Ovenbirds
 habitat of, 9-93, *9-94*, 9-113, 10-28t
 nest of, 8-34, *8-35*
 nest predation rate of, 8-9t
 patterning of, 2-14
 relative abundance of, *9-101*
 site fidelity in, 5-75
 song of, 7-2, 7-86t
 flight, 7-85, Track 68
 individual recognition and, 7-42, *7-43*
- Ovenbirds (Fumariidae), 1-73, 1-79, 7-25.
See also Hornero, Rufous
- Oviduct, *4-126*, **4-130**, *4-131*
- Owl(s), 1-79, 1-91. *See also* Screech-Owl;
 Pygmy-Owl
- Barn
 brood of, 8-97
 down of, 3-7
 facial disc of, *1-23*
 hearing of, *4-56*, 4-62
 night flight call of, Track 37 (7-45)
 pellets of, *4-120*
 wing loading of, 5-31t
- Barred
 nest of, 8-17
 song of, 2-16, 7-5
 wing shape of, 5-38
- Boreal, *4-56*
 breeding time of, *8-12*
 clutch size of, 8-87
 ears of, *4-56*
- Burrowing, *4-54*
 habitat of, *9-119*
 life span of, 4-159t
 neck flexibility of, *4-54*
- claws of, *E-6*
 developmental periods of, *8-117*
 ears of, 4-55–56, *4-55–56*
 Elf, *6-51*, 9-122
 eyes of, *4-49*, *4-54*
 feathers of, 3-13, *3-15*, 4-55
 in folklore, H-10, *H-11*, H-12
 foot of, 1-20, *1-21*, 3-44, *3-45*
 foraging method of, *6-45*
- Great Horned
 aggression by, 6-54
 breeding time of, 8-11, 9-37
 ears of, *4-55*
 foraging method of, *6-45*
 habitat of, 9-111
 hearing of, 4-61–62, *4-61*, 7-16
 life span of, 4-159t
 nestling, *8-110*
 nest of, 8-17, 8-58
 Peregrine Falcon and, 10-100
 Spotted Owl and, 9-101
 threat display of, 6-27
 vocalizations of, 7-5
 gular fluttering by, 4-153
 hearing of, 4-55, *4-56*, 4-62
 Long-eared, *E-6*, 3-64, 4-55
 migration of, 5-57
 mobbing of, 2-27–28, 2-28
 neck flexibility of, *4-54*
 Northern Spotted, 10-92
 dispersal of, 9-13, *9-15*
 habitat of, 9-76, *9-77*, 9-101
 metapopulation models of, 10-78
 protection of, *10-92*
- predator/prey cycles and, 9-37
- Short-eared
 courtship dive of, 7-18
 in food chain, *9-124*
 wing shape of, 5-38
- skull of, *4-49*
- Snowy
 breeding of, 4-143
 clutch size of, 8-87
 habitat of, 9-114, *9-115*
 irruptions of, 5-55
 prey cycles and, *9-37*
 winter territory of, 8-14
- Tawny, egg of, *8-73*
- Tengmalm's. *See* Owl, Boreal
 vision of, 3-61, *4-51*
- Owlet-nightjars, 1-92
- Oxidation, **4-86**
- Osprey(s), 1-87
- Red-billed, 1-87
- Oystercatcher(s)
 American, *10-115*
 foraging vs. breeding of, *6-69*
 preening by, *3-19*
 young of, *8-119*
 bill of, 4-104, *4-105*
 foraging method of, *6-45*
- P**
- Pacemaker, 4-79–80
- Pair bond, length of, *6-72*. *See also* Breeding
- Palaeognathous birds, **E-21–25**, *E-22–23*
- Palate, *E-23*, **4-112**
- Palatine bone, *E-23*, **4-12**
- Paleartic region, 1-69–71, *1-70*
- Palila, 10-60t
- Palmchat, 1-73
- Palm-Swift, African, 8-32, *8-34*
- Pancreas, *4-71–72*, **4-75–76**, 4-122
- Pangea, 1-67, *1-68*
- Pantanal, 1-73
- Panting, **4-153**
- Pantropical, **1-81**
- Papi, Floriano, 5-92–93, *5-96*
- Papillae
 of deferent ducts, 4-128, *4-129*, 4-133
 feather, **3-26**, 3-27
 foot, 3-44, *3-45*
- Parabronchi, **4-98–100**, *4-102*
- Parachuting vertebrates, E-13, *E-14*, *E-18*,
 E-19, 5-3
- Parakeet
 Carolina, H-33, 10-12, *10-13*
 Mauritius, 9-133
- Paramo, **1-74**, *1-75*
- Parasites, **9-91**
 brood. *See* Brood parasites
 external. *See* Ectoparasites
- Parasitoids, 8-57–**58**, 8-58
- Parasympathetic system, **4-43–45**, *4-44*. *See also* Nervous system
- Parathormone, *4-72*
- Parathyroids, *4-71–72*, **4-74**
- Parental behavior, 8-130. *See also* Feeding behavior, parental; Helpers at the nest; Incubation; Nests; Young
 defensive, *8-134–137*
 precocial young and, 8-123, *8-124*
 recognition of young and, 8-125–126
 siblicide tolerance, 6-87–88, 6-87
- Parker, Ted, 7-52
- Parrot(s)
 colors of, 3-58–59, 3-62
 distribution of, 1-79–81, 1-91, 1-93
 Grey, *6-116*
 intelligence of, 6-16–18, 7-67
 life span of, 4-158
 hypoglossal nerve of, 4-42
 Imperial, *10-48*
 intelligence of, 6-16–18, 7-41, 7-67
 life span of, 4-158
 migration of, 5-53, 5-57–58
 olfaction in, *4-64*
 taste in, 4-65
 toe arrangement of, *1-21*
 vocalizations of, 7-32, 7-41
 White-fronted, playing by, 6-20
- Parrotbill, Maui, 10-60t, 10-103–104,
10-103
 adaptive radiation and, *1-62*
- Parrotlet
 Green-rumped, 8-15
 Spectacled, 8-127
- Partners In Flight, 10-86–88, *10-87*
- Partridge(s), 1-89
 Gray, *9-95*
- Parula, Northern, 10-28t
- Passeriformes, 1-66. *See also* Passerines
 evolution of, *E-29–30*
 taxonomy of, 7-25
- Passerines, **1-66**. *See also specific types, e.g.,*
 Crow
 body temperature of, 4-146
 cervical vertebrae of, 4-15
 developmental periods of, *8-117*
 evolution of, E-26, *E-29–30*
 migration of, 5-65–66, 5-67, 5-68–69
 skull of, *4-10*
 sperm of, *4-128*
 syrinx of, *4-95–96*
 taxonomy of, 7-25
 toe arrangement of, *1-21*
- Patagium, humeral, *1-11*
- Patuxent Wildlife Research Center, H-41
- Peacock. *See* Peafowl
- Peafowl, 1-89
 feathers of, 3-54–55, 3-57
 Indian
 display of, *3-10*
 feathers of, *3-12*
 mating by, *6-83*
 sexual selection in, 6-82–85
 mating by, 6-75
- Peal, Charles Wilson, H-27
- Peale, Titian, H-29–30
- Pearson, T. Gilbert, 8-80
- Pecking order. *See* Dominance hierarchies
- Pecten, **4-47**, *4-48*
- Pectinate claw, **3-46**



- Pectoral girdle, **4-19–21**, 5-4
 flight muscles of, 5-6
 sternum and, 4-19–20
- Pectoralis muscle, 4-28, 4-29–30, **5-6**, 5-7
 “Pee-Wit,” *H-24*
- Pelagic birds, **1-98**
 foraging vs. breeding of, 6-68, 6-69
 storms and, 5-72
- Pelican(s), 1-98
 American White, 5-33
 creches of, 8-125, 8-127
 feeding of young by, 8-130
 group foraging by, 6-63, 6-64
 life span of, 4-159t
- Brown
 bill of, 4-104, 4-106
 flight formation of, 5-47
 foraging method of, 6-45
 foot of, 1-22
 gular fluttering by, 4-153
- Peruvian, 1-105, 8-13
 playing by, 6-20
 salt glands of, 4-158
 soaring by, 5-39
- Pelican Island (Fla.), H-39, 10-20
- Pellets, 4-119–120, 4-120
- Pelvic girdle, 4-7–8, **4-24**, 5-4
 of *Archaeopteryx*, E-11
- Penduline-Tit
 Eurasian, 8-99, 8-100
 Southern, 8-36, 8-37
- Penguin(s), 1-98, 1-100
 Adelie, 6-38, 8-125, 8-127
 bones of, 4-5
 Chinstrap, 1-100
 creches of, 8-126–127
 distribution of, 1-67, 1-100
 Emperor, 4-117
 breeding of, 4-116, 4-117, 4-141, 8-1
 creches of, 8-116, 8-126
 crop milk of, 4-116, 8-1, 8-133
 diet of, 4-116
 hatchling, 4-116, 4-117
 incubation by, 4-117, 8-1, 8-101
 locomotion of, 1-27
 nestling, 8-110, 8-116
- Gentoo
 creches of, 8-126
 nest of, 8-27
 swimming by, 1-30
- Humboldt, 1-104
- Jackass, 1-104
- King, 8-116, 8-126
 migration of, 5-57
 respiration by, 4-156
 swimming by, 5-49–50, 5-50
 vision of, 4-50
 wings of, 4-23
- Yellow-eyed, 8-4t, 8-6
- Pennant, Thomas, H-23
- Pepperberg, Irene, 6-16–18, 6-16
- Peppershrike, Rufous-browed, 9-2, 9-4
- Perching birds, 1-66. *See also* Passerines
- Perching mechanics, 1-15, 1-16
- Perdeck, A. C., 5-79, 5-80
- Pericardium, **4-80**
- Peripheral nervous system, **4-31**, 4-36, 4-39, 4-40–43. *See also* Nervous system
 central vs., 4-36, 4-43
- Pesticides, 10-51–56, 10-111. *See also* DDT
 banning of, 10-23–25
 bioconcentration of, 9-125–126, 9-127
 Rachel Carson and, 9-48, 10-23
 Dickcissels and, 10-32–33
 eggshell thinning from, 8-81–82, 9-75–76, 10-52–53
- Peregrine Falcon and, 8-81–82, 9-75–76, 10-52–53
 Swainson’s Hawks and, 10-54–55
- Peterson, Roger Tory, H-40, 2-15, 10-21
 field guides of, H-36–37, *H-37*, 2-13, 2-58
- Petrel(s), 1-98, 1-100–101. *See also* Storm-Petrel; Diving-Petrel
 Bonin, 4-64
 olfaction in, 4-64–65
 salt glands of, 4-158
 soaring by, 5-44
- Petrie, Marion, 6-82–83, 6-85
- Pettingill, Olin S., Jr., H-37
- Pewee, Greater, 8-9t. *See also* Wood-Pewee
- Phainopepla, 8-13–14, 9-122
- Phalanges, **1-9–10**, 4-21–22, 4-25.
See also Foot; Wings
 bird vs. human, 4-21
- Phalaropes, 1-98
 foraging method of, 6-47
 incubation by, 8-99
 mating system of, 6-77–79
 nest building in, 8-56
- Phallus, cloacal, 4-89, 4-128, 4-129, 4-133, 4-139
- Pharynx, **4-91**, 4-112
- Pheasant(s), 1-89, 1-93
 Argus, 6-33
 feathers of, 3-12
 foraging method of, 6-46
 hatchling, 3-17
 Ring-necked, 1-19, 9-95
- Philopatry, **9-65–66**
 benefits of, 6-89–90t
 in Canvasbacks, 9-66
- Phoebe
 Eastern
 bill of, 2-12
 brood parasite effect on, 8-151t
 feeding of young by, 8-132
 head pattern of, 2-14
 nest building by, 8-55
 nest predation rate of, 8-9t
 site fidelity in, 5-75
 song of, 7-32, 7-74, 7-86t, 7-88s, Track 69
 dawn, 7-88s, Track 69
 syrinx of, 4-94, 4-95
 winter distribution of, 9-56
 foraging method of, 6-44
 Say’s, 2-14
- Phoenix, *H-9*
- Photoperiodism, **4-140–141**, 5-63, 9-37
- Phylogeny, **1-32–33**
- Phylum, **1-52**
- Physiographic regions, **10-86**, 10-87
- Phytoplankton, 1-101, 1-103, 4-64.
See also Plankton
- Pierce, Wright M., 8-81
- Pigeon(s), 1-72, 1-79, 1-89, 1-93.
See also Imperial-Pigeon
Archaeopteryx (skeleton) vs., E-11
 barometric pressure sensing by, 5-72
 developmental periods of, 8-117
 esophagus of, 4-113
 hearing of, 4-66
 homing, 5-79–98, 5-83, 5-96. *See also* Navigation
 intelligence of, 6-16–18
 Nicobar, 10-51
 Passenger, 10-1–3, 10-3–4
 extinction of, H-33, 6-67, 9-75, 10-2–3, 10-11–12, 10-38
 nestling weight gain, 8-112–114
 original distribution of, 10-3
 roosting by, 6-66
 “Prairie,” 10-12
 respiration rate of, 4-156
- Pigeon’s milk. *See* Crop milk
- Pigments, 3-50–54. *See also* Colors
- Pineal gland, 4-68, 4-71
- Pinyon-juniper woodland, 9-120, 9-121
- Pipes, Indian, *H-10*
- Pipit(s), 1-72
 American, 9-114–115
 migration time of, 5-65
 Sprague’s, 9-119
- Pipped egg, **8-105**
- Pishing, **2-26**, 2-27
- Pitelka, Frank, H-38
- Pitta(s), 1-90, 7-25
 Banded, 7-31
- Pituitary gland, 4-36, 4-37, 4-71–72, 4-72–73, 4-138, 4-140
- Plague, duck, 9-70
- Plankton, **1-101–105**, 1-104
 seabirds and, 1-104
 upwelling of, 1-103–105, 1-103–105
- Plantcutters, 1-73
- Plasma, **4-86**, 4-87
- Platelets, **4-88**
- Plateosaurus*, E-9, E-27–28, **E-33**
- Play, 6-19–21, 6-19–21
- Plesiosaurs, E-27–28, **E-32**
- Plexuses, **4-39**, 4-40
- Pliny the Elder, H-11, H-19–20
- Plover(s). *See also* Golden-Plover
 Blacksmith, 8-135
 Egyptian, 8-94
 foraging method of, 6-46
 Lesser Golden, 4-26
 Magellanic, 1-72
 Piping, 10-64
 defense behavior of chick, 6-52
 distribution and protection of, 10-64–65, 10-64
 nest and eggs of, 8-48, 8-74
 Snowy, hatchling, 8-117
 wing spurs of, 4-22
- Plumage, **3-33**. *See also* Feathers
 alternate, **3-33**, 3-34, 3-42
 basic, **3-33**
 definitive, **3-30–33**
 eclipse, **3-34**, 3-36
 elaborate ornaments of, 6-81–85, 6-81
 feather wear and, 3-30
 fluffing of, 9-17
 juvenal, 3-27, **3-29**, 8-107, 8-108–109, 8-112
 of Mallard, 3-36
 maturation of, **3-32–33**, 8-123
 molts of, 3-28–38, 3-29–31, 3-34
 naming systems for, 3-33–34, 3-35t
 patterns of, 2-13–14, 2-14
 classification using, 7-58
 subadult, **3-30–33**, 3-31
 supplemental, **3-33**
- Pochard, Madagascar, 10-61
- Podotheca, **1-20**
- Poisoning
 cadmium, 10-108
 lead, 4-119, 10-53–56, 10-102
- Polarized light, 4-68, 5-92, **5-94–95**, 5-95
- Pollution, 10-23, 10-51–57, 10-108
- Polyandry, 6-77–79
 nest building and, 8-56
 sex ratio and, 9-80
- Polygamy, **6-79–80**. *See also* Polyandry;
 Polygyny
- Polygyny, **6-68**, 6-73–77. *See also* Lek polygyny
 in Bobolinks, 9-12



- Polygyny (*Continued*)
 female-defense, **6-74**
 resource-defense, **6-73**
 sex ratio and, 9-80
 song and, 7-71, 7-76, 7-80–81
- Polymorphism, **9-42**, 9-80–82, 9-82
- Pompeii, H-19, *H-20*
- Poorwill, Common, H-10
 rectal bristles of, 3-17
 torpor and, 4-51, 4-153–154, 4-154
 wing noises of, 7-17–18
- Poo-uli, 10-103–104
- Populations, **1-45**, **9-3**, 9-48–82. *See also*
 Extinction; Conservation
 Allee effect on, 10-38–39
 density of, **9-58**, 9-59–78
 body size, diet, and 9-58
 determination of, 9-60–62, 9-63
 dynamics of, 9-49, 9-50, 9-62–78
 in habitat fragments, 10-71–74
 on islands, 10-67–71
 geographic distribution of, 9-49–58,
 9-51–57, 10-61–67
 increases or expansions of, 9-50–56,
 9-50, 9-54–55, 10-40–43
 in Snow Geese, 10-40–47, 10-42
 local vs. regional, **9-49**
 modeling of, 10-77–78, 10-78–79
 monitoring of, 9-60–62, 9-61–63, 10-76,
 10-97, 10-112
 regulation of, 9-48, 9-49, 9-67–75, 9-69
 relict, **9-57**–58
 size of, **9-49**. *See also* Populations, density of
 small, 9-76–78, 9-79, 10-67–74. *See also*
 Extinction
 genetic problems of, 9-77–78,
 10-74–75
 structure of, **9-49**, 9-80–82
- Population viability analysis (PVA),
10-77–78, 10-78
- Porphyryns, **3-51**–52
- Portal systems, 4-85
- Post-hatch brood amalgamation, **8-128**–129
- Potoo(s), 1-72
 Great, 8-27
- Potts, Wayne, 6-87
- Powder downs, **3-18**
- Pox, avian, 9-70, 10-5, 10-58, 10-71
- Prairie-Chicken
 Attwater's, 10-36. *See also* Prairie-Chicken,
 Greater
 booming sacs of, 4-113–115, 4-114
 Greater, *H-16*
 Attwater's subspecies of, 10-36
 decline of, 9-58, 10-36
 habitat of, 9-119, 10-28t
 Heath Hen subspecies of, 9-78, 9-79
 inbreeding in, 10-76–77
 lek polygyny in, *H-16*, 6-81–82
 Native American dance imitating, *H-16*
 Lesser, 9-119, 10-88
- Precocial young. *See* Young, precocial
- Predators/Predation, 6-50–59, 6-68
 bird feeders and, 9-32–34
 detection of, 6-55–56, 6-60, 8-127
 grassland, 10-35
 groups of, 6-62–65, 6-62, 6-64
 introduced, 10-49–51, 10-50
 on islands, 10-49–51
 nest, 8-7–9, 8-10, 8-18–20, 8-56, 10-35
 bird feeders and, 9-33
 defense against, 6-52, 6-53–56,
 8-134–136, 8-134–135, 10-63
 rate of, 8-9t, 8-89
 population density and, 9-69
 prey cycles and, 9-37
 prey groups and, 6-59–62, 6-62
- Preening, 3-4, **3-18**–20, 3-19
 displacement, 6-32
 oil gland for, **3-20**
 pectinate claw for, 3-46
- Prefixes in biological terms, 1-48–51
- Premaxilla, **1-6**, **3-39**, **4-11**
- Pressure, dynamic/static, 5-11–13, 5-12
- Producers, **9-123**–125, 9-124
- Productivity, **9-92**–93
 primary, **9-87**
- Progesterone, 4-72, 4-75
- Project FeederWatch, H-40, 10-112. *See also*
 Bird counts
 House Finch eye disease and, 9-72–73,
 9-73
 Varied Thrush data from, 9-68
- Prolactin, 4-72, 4-73
- Protarchaeopteryx*, E-7, E-29–30
- Proteins, **1-41**
 electrophoresis of, 1-43
 synthesis of, 1-42
- Protoavis*, E-5, E-29–30, **E-32**
- Protoplasm, **4-144**
- Proventriculus, 4-113, **4-118**
- Proximate factor(s)
 in bird behavior, **6-2**–15, 6-4
 design of research and, 6-96
 photoperiod as, 8-11, 9-37
 in the timing of breeding, 8-11, 9-37
- Prunellidae, **1-70**, 1-71
- Pseudo-babblers, 1-93, 1-95
- Pseudosuchian thecodont hypothesis,
 E-7–10, E-20, **E-27**–28, E-32–33
- Ptarmigan
 feet of, 3-44
 population cycles of, 9-37
 Rock, 9-114
 White-tailed, 9-115, 10-108
 Willow, 3-62, 9-114
- Pterodactylus*, 5-3
- Pterosaurs, E-7–8, E-14, E-27–28, **E-33**, 5-2, 5-3
- Pterylae, 3-2
- Pterylosis, 3-2
- Puaiohi, 10-60t
- Pubis, **4-24**
- Puffbirds, 1-72, 3-16
- Puffin(s), 1-99
 Atlantic, 4-106
 bill of, 3-42, 4-104, 4-106
 life span of, 4-159t
 plumage pattern of, 2-13, 2-14
 bill colors of, 2-13–14, 3-42
 Horned, 3-42
 plumage patterns of, 2-13, 2-14
 Tufted, 3-42
- Pupil, **1-7**, **4-47**, 4-50
- Pygmy-Owl, Ferruginous, 9-2–3, 9-4
- Pygmy-Tyrant, Short-tailed, 1-80
- Pygostyle, E-6, E-11, E-20, 4-7–8, 4-24
- Pylorus, 4-118, 4-120, **4-122**
- Q**
- Quadrate bone, E-10, **4-12**, 4-13
- Quail, New World, 1-72, 1-79
 California, H-29, 8-119
 annual population cycles of, 9-67
 breeding of, 4-141
 ceca of, 4-123
 survival rate of, 8-4t
 young of, 8-119
 Gambel's, 9-122
 silhouette of, 2-2–3
 wing shape of, 5-37
- Quail, Old World, 1-89
 Japanese, 4-65, 4-71, 4-159
- Quelea, Red-billed, 8-12
- Quetzal(s)
 migration of, 5-53, 5-58
 Resplendent, 3-57
- R**
- Race, **1-55**, 1-56
- Rachis, **3-3**, 3-4
- Radiale, **1-9**–10
- Radiation, adaptive, **1-59**–61, 1-59–60, 1-62
- Radius, **1-9**–10
- Rail(s)
 Clapper, 2-18, 8-102, 9-124
 Light-footed subspecies, 10-81
 extinction of, 1-98
 flightless, 5-51
 Guam, 10-50, 10-76
 King, 2-18
 Wetmore's classification of, 1-38
- Rainfall, breeding and, 4-141–143
- Rameau, Jean-Philippe, H-18
- Range, **2-19**, **9-49**
 continuous, 9-50, 9-51
 disjunct, 9-50, 9-51
 overlapping, 9-50, 9-52–53
- Range maps, 2-22
- Raptors, **1-66**
 migration of, 6-64–65, 6-65
 nest building in, 8-56
 sexual dimorphism in, 9-40–42, 9-41
 soaring by, 5-39
 territoriality in, 6-64–65, 6-65
- Ratcliffe, Derek, 8-81
- Ratites, E-22, **1-65**, 1-67, 1-93. *See also*
specific types, e.g., Emu
 evolution of, E-21–25, E-29–30
 flightlessness of, 5-49–50, 5-49
 sternum of, 4-23–24, 4-23
- Ravel, Maurice, H-18
- Raven(s)
 Common
 flight of, 2-5, 2-6
 habitat of, 9-114
 intelligence of, 6-14
 playing by, 6-20
 tail shape of, vs. crow, 2-13
 feeding by, 6-42
 in folklore, H-11
 intelligence of, 6-14, 6-18
 playing by, 6-19–21, 6-21
 soaring by, 5-42, 6-19
- Ray, John, H-22, *H-23*, 1-32, 1-33
- Ray, Milton, 8-80
- Rayner, Jeremy, E-17, E-19
- Razorbill, 2-14, 8-119
- Recolonization, **10-77**
- Rectrices. *See* Feathers, tail
- Red blood cells, 4-88
- Redhead, 2-7, 8-139, 8-140
- Redirected activities, **6-33**
- Redpoll(s), 5-54, 5-55
 Common, 6-27, 9-33
- Redshank, Common, 6-64, 9-35
- Redstart
 American, H-21, 1-25, 10-27
 habitat of, 9-112, 10-28t
 nest predation rate of, 8-9t
 niche of, 9-93
 night flight call of, 7-45s, Track 31
 plumage of, 3-32
 song of, 7-76
 Painted, 2-12



- Reed, Chester A., 10-21
 Reed-Warbler, Great, 7-87, 8-147
 Reflexes, 4-34–35
 complex, 4-35
 simple, 4-34
 Refugia, 1-74, 1-76–77, 1-83
 Relative abundance, 9-82–83, 9-101–102, 9-101
 Releasers, 6-5–6, 6-8, 6-9t, 6-15
 Remiges. *See* Feathers, wing
 Repertoires
 song, 7-14, 7-19, 7-85–91
 age and, 7-71, 7-87
 of Bewick's Wren, 7-28, 7-87
 of Brown Thrasher, 7-20
 control centers and, 7-39–40
 delivery style of, 7-86t
 of Eastern Towhee, 7-19s, Track 17, 7-75
 of Marsh Wrens, 7-36–37, 7-87
 mimicry and, 7-82–83
 neighbor recognition and, 7-47
 of Northern Mockingbird, 7-81, Track 67, 7-87–89
 of Red-eyed Vireo, 7-88–89
 of Red-winged Blackbird, 7-79–80, Track 61
 of Sedge Wren, 7-36–37
 size of, 7-86t
 of Song Sparrow, 7-35, 7-88, 7-89s, Track 70
 of Wood Thrush, 7-88, 7-90s, Track 71
 vocal, 7-10–14
 Reports. *See* Observation records
 Reproduction. *See* Breeding; Copulation
 Reproduction rate. *See* Breeding, reproduction rate in
 Reproductive system. *See* Urogenital system
 Reptile-hipped dinosaurs. *See* Saurischian dinosaurs
 Reptiles. *See also* Crocodiles; Lizards
 bird evolution and, E-4, E-7–13, E-8, E-12, E-20, E-27–28
 diapsid, E-7–8
 bird evolution and, E-27–28
 skull of, E-7
 eggs of, 8-59–60, 8-61
 flying, 5-3. *See also* Pterosaurs
 Resolution, optical, 2-37–38
 Resources. *See also* Food; Water
 birding, 2-58–65
 competition for, 9-39–43, 9-69
 migration and, 5-54–55, 5-54, 5-55t
 polygyny and defense of, 6-73
 Respighi, Ottorino, H-18
 Respiration
 aerobic, 5-7
 anaerobic, 5-7
 bird vs. mammal, 4-145
 during flight, 5-5
 gas exchange and, 4-100–103, 4-102
 rate of, 4-156–157, 4-157
 Respiratory system, 4-89–103. *See also* specific parts, e.g., Lungs
 bird vs. mammal, 4-161t
 Retina, 4-48, 4-49. *See also* Eye
 Rhamphotheca, 1-6, 3-39–40, 3-39
 of puffins, 3-42
 Rhea(s), E-21, 1-67, 1-72, 1-74
 bladder of, 4-125
 egg-laying by, 8-77, 8-78
 evolution of, E-29–30
 flightlessness of, 5-49
 Greater, E-22, 8-78
 toes of, 4-26
 Rhomboid sinus, 4-39, 4-40
 Ribs
 of *Archaeopteryx*, E-11
 during flight, 5-5
 sternal, 4-18, 4-19
 vertebral, 4-17, 4-18
 Ricklefs, R. E., 8-88
 Rictal bristles, 3-13, 3-16, 3-17
 Ridgway, Robert, H-31, 8-80
 Rifleman, 1-96, 7-31
 Riparian habitats, 10-36, 10-37, 10-82, 10-85, 10-113
 Ritualization, 6-32
 Roadrunner, Greater, 9-22
 habitat of, 9-121, 9-122
 life span of, 4-159t
 locomotion of, 1-26
 water needs of, 9-20, 9-22
 Robbins, Chandler S., 10-26, 10-32
 Robin(s)
 American, H-21, H-22
 alarm call of, 7-21s, Track 18
 bill color of, 3-42
 fledgling
 amount eaten by, 8-17
 foraging method of, 6-2, 6-10, 6-46
 habitat of, 9-112, 10-28t
 heart rate of, 4-155t
 life span of, 9-44
 locomotion of, 1-26
 migration of, 5-54, 5-55, 5-65
 nestling, 4-147
 adult shading of, 4-148
 nest of, 8-31
 building of, 8-51, 8-54, 8-55, 8-57
 nest predation rate of, 8-9t
 niche of, 9-83, 9-84–85
 relative size of, 2-8
 rictal bristles of, 3-17
 silhouette of, 2-5
 song of, 2-15, 7-86t
 survival rate of, 8-4t
 vision of, 4-52
 Australasian, 1-92, 1-95, 9-104
 Chatham, 10-51, 10-89–90
 European, H-11, H-21, H-22
 breeding of, 4-141, 4-144
 magnetic compass of, 5-89–91
 migration of, 5-56
 photoperiodism in, 4-140
 winter territory of, 8-14
 Rockfowl, 1-85
 Rollers, 1-87, 8-117
 Roosevelt, Theodore, H-32, 10-20
 Roosts
 communal, 6-65–67, 6-66, 9-38
 Eurasian Treecreepers in, 9-38
 Rosella, Crimson, 8-14–15
 r-selected birds, 9-45–46, 9-46t
 Ruff, lek of, H-16, 6-75
 Ruffed Grouse Dance, H-16
 Runaway selection, 6-84
 "Rushing," 6-39
 Rush-Tyrant, Many-colored, 1-80
 S
 Sabrewing, Violet, 9-107
 Sacculus, 4-57, 4-58, 4-61
 Saddleback, 1-97
 Sagebrush ecosystem, 9-121
 Salamander, Spotted, eggs of, 8-61
 Salivary glands, 4-111–112
 Salmonellosis, 9-33, 9-70
 Salt glands, 3-40, 4-158, 4-158
 Salt regulation, 4-157–158
 Sanderling
 life span of, 4-159t
 migration of, 5-76, 5-77
 toes of, 4-26
 winter territory of, 8-14
 Sandgrouse, Namaqua, 8-133, 9-18–20, 9-21
 Sandpiper(s)
 bill tip organ in, 4-69
 Buff-breasted, 5-73
 foraging vs. breeding of, 6-68
 Least, 2-12, 2-14, 9-124
 Semipalmated, 2-12, 2-14
 Spotted, polyandry in, 6-77–79
 Upland, 10-73
 habitat of, 10-28t, 10-73
 night flight call of, 7-45s, Track 36
 Western, 2-12, 9-124
 wings of, 2-12, 5-37
 Sapsucker(s)
 foraging method of, 6-45
 Red-naped, 9-128–131, 9-128, 1-130
 Yellow-bellied, H-11
 drumming by, 7-8s, Track 5
 habitat of, 9-93
 life span of, 4-159t
 tongue of, 4-110
 Sauer, Eleanor, 5-86
 Sauer, Franz, 5-86
 Saurischian dinosaurs, E-33
 evolution of, E-9, E-27–28
 pelvis of, E-8
 Sauriurae, E-20, E-29–30
 Sauropods, E-9, E-27–28, E-33
 Sawwing, Black, 8-46
 Scapula, 4-9, 4-19, 4-20, 5-6
 bird vs. human, 4-21
 Scapular feathers, 1-12, 1-13
 Scaup, 2-9
 landing by, 5-26
 Lesser
 respiration of, 4-156
 take-off by, 5-33
 Schmidt-Koenig, Klaus, 5-84–85
 Scientific method, 6-97t
 Scleral ossicles, 4-47, 4-48–49
 Scoter(s), 1-98
 Black, H-23, 2-10
 migration altitude of, 5-67
 plumage patterns of, 2-10
 Surf, 2-10, 6-64
 White-winged, 2-10, 8-129
 Screamer, 1-72, 1-74
 Northern, 4-22
 Screech-Owl(s)
 camouflage of, 3-64
 Eastern, H-11
 color phases of, 9-81–82
 habitat of, 9-113
 nest of, 9-85
 niche of, 9-83, 9-84–85
 vision of, 4-51
 mobbing of, 2-28
 silhouette of, 2-2–3
 Western, 9-47
 Scrub-birds, 1-92
 Scrub desert, 9-121, 9-122
 Scrub-Jay, Florida, 1-37
 alarm calls of, 6-55
 cooperative breeding in, 1-37
 habitat of, 10-65, 10-83
 hybrids of, 3-66
 metapopulations of, 10-79
 nest helpers in, 6-88–91, 6-89, 6-94
 population viability analysis of, 10-78
 sentinel behavior of, 6-56



- Scrubwren, White-browed, 6-94
- Scythebill
 Black-billed, 7-31
 Brown-billed, 1-78
 Red-billed, 1-78
- Seabirds, **1-65**
 distribution of, 1-98–105
 plankton and, 1-104
 foraging vs. breeding in, 6-68, 6-69
 life spans of, 4-71
- Search image, 9-25–26
- Season
 bird identification by, 2-19–23, 2-23
 nest site changes by, 8-22–23, 8-22
- Secondary sex characters, 4-72, **4-137–139, 4-138**
- Secretary-bird, 1-84, 1-85
- Seedsnipes, 1-72, 1-74
- Semen receptacle, 4-126. *See also* Sperm
- Semiplumes, **3-17**
- Seneca Eagle Dance, H-15
- Senescence, 4-159
- Senses, 4-45–69. *See also specific senses, e.g.,*
 Taste
- Sensitive period, **7-26–27**
- Sentinel behavior, 6-55–56, 6-56. *See also*
 Alarm calls
 deception and, 7-68
- Seriemas, 1-72, 1-75
- Serpent-Eagle, Madagascar, 10-59, 10-61
- Sex. *See* Gender
- Sex determination, 4-133–137, 4-134, 4-136. *See also* Gender
- Sex hormones, 4-137–139, 4-138
- Sex ratio, operational, **9-80, 9-81**
- Sexual characteristics, secondary 4-72, **4-137–139, 4-138**
- Sexual dimorphism, **9-39–42, 9-40–41**
- Sexual selection, **3-68–69, 6-82–85**
 sexual dimorphism and, **9-39–40**
 ultraviolet light and, 4-67–68
- Shakespeare, William, H-12
- Sharpbills, 1-73
- Shearwater(s), 1-98, 1-103
 Audubon's, 4-144
 Manx, 5-80–81, 5-82
 olfaction in, 4-64–65
 Short-tailed, 8-101
 Sooty, 1-17, 8-4t
 wing shape of, 5-44
- Sheathbill(s), 1-100, 4-22
 Snowy, 1-101
- Shelduck, Common, H-23
- Shell gland, **4-130, 4-131**
- Shields, William, 6-58
- Shivering, **4-27**
- Shoebill, 1-83, 1-84
- Shorebirds, **1-65**
 body temperature of, 4-146–147
 decline in, 5-78, 10-37–38
 flight speed of, 5-45
 flocks of, 5-47, 5-48, 5-76–78, 6-60
 foraging method of, 6-44
 foraging vs. breeding in, 6-68, 6-69
 migration of, 5-65–69, 5-67, 5-76–78, 5-77
 site fidelity in, 5-75–78, 5-77
 vigilance in, 6-60
 wing shape of, 5-38
- Shovelers, Northern, 6-46–47
- Shrike(s), H-8, 1-72, 1-91
 classification of, 7-25
 Loggerhead
 decline of, 9-59, 10-30, 10-32
 fire ants and, 9-59
 habitat of, 9-95
 life span of, 4-159t
 nest of, 8-16
 silhouette of, 2-5
 winter territory of, 8-14
 Northern, 9-37
 silhouette of, 2-3
 Shrike-Tanager, White-winged, 7-68
- Sibley, Charles, H-38, 1-39, 7-25
 bird classification by, 1-39, 7-25
- Siblicide, 6-87–88, **6-87**
- Sibling rivalry, 6-87–88, 6-87, 8-123
- Sicklebill, White-tipped, 9-7
- Silhouettes, 2-2–3, 2-5
- Silky-flycatchers, 7-25
- Sinking, 1-31
- Sinornis*, E-20, E-29–31
- Siskin, Pine
 foraging choices by, 9-27
 habitat of, 9-116–117
 tail shape of, 1-19
- Site fidelity, **5-75–78, 5-77, 9-13**
- Sittella, Varied, 1-92, 9-108
- Size references, 2-7–9, 2-8
- Skeleton, **4-3–26, 4-4, 4-7–9, 4-20, 4-23. See also**
Bones and specific parts, e.g.,
 Skull and Pectoral girdle
 appendicular, **4-18–26, 4-19–26**
 axial, 4-10–18, 4-11–17, 4-19
 bird vs. mammal, 4-160t
 flight adaptations of, 5-4, 5-5
 muscles and, 4-26–28, 4-27
 pneumatized, **4-5**
- Sketching birds, 2-50–51
- Skimmer, Black, 1-98, 8-119
 bill of, 4-104–105, 4-107
 distraction display of, 6-53
 foraging by, 1-36
 nest of, 8-27
 young of, 8-119
- Skin
 bare areas of, 3-46–47
 feather development from, 3-26–28, 3-27
 feathered and unfeathered areas of, 3-2
 incubation patch in, 4-139, 8-94–96, 8-95–96
 incubation pouch in, 8-95, 8-96
 senses of, 4-69, 4-70
- Skink, Prairie, 8-61
- Skua(s), 1-98
 Brown, 8-8, 8-10
 Great, 9-81
 South Polar, 9-81
- Skull, 4-10–13, 4-10–12
 air sacs in, 4-5–6
 of *Archaeopteryx*, E-10, E-11
 of Budgerigar, 4-8, 4-11
 of chicken, 4-7
 flight adaptations of, 5-4
 of Golden Eagle, 4-9
 of owl, 4-49
 palates of, E-23
 pneumatization of, 4-5, 4-10
 sutures of, **4-10**
 of woodpecker, 4-4–5
- Skunks, 8-8, 8-134
- Slotting, **5-35, 5-39**
- Small intestine. *See* Intestines
- Smell. *See* Olfaction
- Smithsonian Institution, H-30, 3-6–9
- Snakes
 Coral, 6-8, 6-15–22
 eggs of, 8-93
 evolution of, E-8, E-27–28
 mimicry of, 6-52, 6-53, 7-11, 8-136
 nest predation by, 8-8, 8-10, 10-49–50, 10-50, 10-63
- Snipe
 bill tip organ in, 4-69
 Common, 4-52, 7-16–17, Track 15, 7-17
 foraging method of, 6-44
 Great, 3-69
 olfaction in, 4-64
 winnowing of, 7-14, 7-16–17, Track 15, 7-17
- Snood, **3-48**
- Soaring. *See also* Flight
 dynamic, **5-44**
 slope, **5-42, 5-43**
 static, **5-39–42, 5-40–43**
 thermal, **5-39–42, 5-40–42**
 types of, 5-36
- Solitaire, Reunion, 10-6
- Somatostatin, 4-72, 4-75
- Somites, **8-65**
- Sonagrams, 7-4–10, **7-7, 7-46, 7-48. See also under specific species**
 multichannel, 7-50, 7-51
- Sonar. *See* Echolocation
- Song(s), **7-14, 7-26, 7-72. See also** Calls;
 Sounds
 to attract birds, 2-28
 calls vs., 7-14, 7-72–74
 computer recognition of, 7-51–52
 control of
 brain, 4-139, 7-38–41, 7-39–40, 7-72–73
 day length and, 7-40
 hormonal, 4-138, 4-139, 7-39–40, 7-39
 countersinging, matched, **7-36–37, Track 28, 7-49–50, 7-67, 7-87**
 dawn chorus of, 7-1–2, 7-75–76, Tracks 53–58, 7-77, 7-89, 7-91
 development of, 7-23–37, 7-29s, Tracks 23–25, 7-61, Track 44
 dialects of, **7-53–58, 7-56, 7-63–66**
 in Black-capped Chickadees, 7-59–61, 7-60s, Track 43
 changes over time, 7-63–64
 in Marsh Wrens, 7-64–66, 7-65s, Tracks 47–48
 in White-crowned Sparrows, 7-53–55, 7-54s, Track 42, 7-56
 duetting, **7-78–81**
 of Bay Wren, 7-78, 7-79s, Track 60
 of Carolina Wren, 7-78s, Track 59
 of Red-winged Blackbird, 7-79–80, 7-80, 7-81s, Track 62
 of *Thryothorus* wrens, 7-78
 evolution of, 7-2–3, 7-72
 flight, 7-84–85, Track 68, 7-84–85
 functions of, 7-14, 7-20, 7-66–91
 genes and, 7-26, 7-57
 habitat and, 7-20–21, 7-23–24
 identifying birds by, 2-14–18, 2-18, 7-57–63
 individual recognition using, 7-42–53, 7-43
 meaning of, 7-11–13, 7-67–68, 7-72–74
 mimicry of, 7-81–84, Tracks 63–67, 7-82s, 7-82–83
 mnemonic devices for, 2-16–18, 2-18
 practice, 7-11, **7-27–30, 7-29s, Track 25**
 human babbling vs., 7-28–29, Track 24
 production of, 4-94–97
 respiration and, 4-94
 speech vs., 4-97, 7-28–29
 syrinx and, 4-92–97, 4-96, 7-38, 7-39s, Track 29
 recording(s) of, H-38, 2-63, 7-48–52, 7-93–100
 repertoires of. *See* Repertoires, song
 subsong. *See* Song, practice

- Song(s) (*Continued*)
 territoriality and, 7-14, 7-42, 7-43, 7-47–51, 7-61–63, 7-66, 7-69–74, 7-69–70
 types of, 2-16, 7-61–63
 variation in, 7-41–66
 geographic, 7-57–63, 7-59s–60, 7-62s
 individual, 7-42–53, 7-59s–60, 7-62s, 7-88–90. *See also* Song, dialects of; Repertoires, song
 interspecific, 2-14–18, 2-18, 7-42
 over time, 7-63–64
- Songbirds, **1-66**, 1-75, 7-14, 7-25–26. *See also* Passerines; Song
 Australasian, 1-92
 flight speed of, 5-45
 geographic patterns in songs of, 7-58–63. *See also* Song, dialects of
 in Black-capped Chickadees, 7-59–61, 7-60s, Track 43
 in Chipping Sparrows, 7-59s
 in Eastern Towhees, 7-62s, 7-63
 hearing of, 4-61, 4-66
 migration of, 5-46–47, 5-57, 5-66, 5-75
 song control centers of, 7-39–41, 7-39
 syrinx of, 4-93–97, 4-93, 4-95–96, 7-38–39
 taxonomy of, 7-25
 vocal development in, 7-23–30, 7-29s, Track 25, 7-34–37
 wingbeat rate of, 5-45
 wing shape of, 5-37
- Sora, 1-38
- Sound(s), 7-3–4. *See also* Song; Calls
 frequency ranges of, 7-4, 7-5
 graphs of. *See* Sonagrams; Oscillograms
 nonvocal, 7-15–18, Tracks 12–16, 6-77
 woodpecker drumming, 7-7–9, 7-8s, Tracks 3–5, 7-15
 woodpecker foraging, 7-15, Track 12
 structure of, 7-19–21, 7-21–23
 types of, 2-16
- Sound waves, 7-3–4, 7-4
- Southwestern oak woodland, 9-120
- Southwestern riparian habitats, 10-36–37, 10-37
- Spadebill, White-crested, 1-80
- Sparrow(s)
 American Tree, 2-12, 2-19, 2-23
 Baird's, 9-119
 Black-throated, 2-21
 Brewer's, 9-22, 9-121
 Cassin's, 10-32
 Chipping, 7-75
 brood parasite effect on, 8-151t
 Field Sparrow vs., 2-11–12
 habitat of, 2-18
 songs of, 2-16, 7-2, 7-42, 7-59s
 dawn vs. daytime, 7-75, Tracks 55–56
 geographic distribution of, 7-59s
 classification of, 7-25
 Dusky Seaside, 10-69
 Eurasian Tree, 8-6
 Field, 2-23
 Chipping Sparrow vs., 2-11–12
 decline of, 10-30
 habitat of, 2-20, 9-95, 9-111, 10-28t
 migration of, 2-19, 2-23
 nest height of, 8-22
 song of, 7-5
 Fox, 2-7, 6-47
 Grasshopper, 10-32
 Breeding Bird Survey data for, 9-63
 decline of, 10-30–35
 habitat of, 9-119, 10-28t
 nesting guild of, 9-103
- Harris's, 9-122
 Hedge, 1-70, 1-71, 6-80
 Henslow's, 10-64
 decline of, 10-30–31, 10-34, 10-64
 habitat of, 10-28t, 10-64
 nesting guild of, 9-102–103
 song of, 2-15
- House, 3-68
 bib of, 3-68, 3-69
 bill color of, 3-42, 4-139
 breeding of, 4-144
 coloration of, 3-53–54
 feeding by, 6-63–64
 flight speed of, 5-45
 introduction of, H-32, **9-55**
 life span of, 4-159t
 nest of, 8-58–59
 relative size of, 2-8
 respiration of, 4-156
 song of, 7-5, Track 64 (7-81)
- Lark, 8-151t, 10-31
- Sage, 9-121
- Savannah, 5-46–47
 Belding's subspecies of, 10-81
 camouflage of, 3-61
 habitat of, 9-94, 10-28t, 10-81
- Seaside, 2-18, 8-13
- Song, 7-36
 brood parasite effect on, 8-151t
 camouflage of, 3-61
 cline of, 1-54
 cloacal protuberance of, 4-129
 dispersal of, 9-65
 flight of, 2-7
 in food chain, 9-124
 habitat of, 9-94, 9-111, 9-112, 10-28t
 nesting period of, 8-117
 nest of, 8-17, 8-22
 niche of, 9-83, 9-84–85
 precopulatory display of, 7-71
 song(s) of, 2-17, 7-51s, Track 41, 7-89s, Track 70
 learning of, 7-30, 7-35–36
 multichannel recording of, 7-50–51, 7-51s, Track 41
 neighbor recognition and, 7-47
 playback experiments on, 7-49–50
 precopulatory display and, 7-71
 repertoire of, 7-18, 7-86t, 7-88, 7-89s, Track 70
 longevity vs. size of, 7-87
 territory of, 8-14
 wing loading of, 5-31t
- Swamp
 habitat of, 2-18, 2-21
 song of, 4-96–97, 7-27, 7-42
- Vesper
 habitat of, 9-95, 10-28t
 song mimicry by, 7-81
 tail of, 2-13
- White-crowned, 5-56, 7-53
 foraging method of, 6-47
 homing ability of, 5-81
 migration of, 5-56–57
 photoperiodism in, 4-140
 song of, 7-86t
 development of, 6-9, 7-26–27, 7-27s, Track 23
 dialects of, 7-53–55, 7-54s, Track 42, 7-56
 neighbor recognition and, 7-47
- White-throated
 breeding of, 6-28–30
 habitat of, 2-20, 9-116–117
 head field marks of, 2-10
 nest predation rate of, 8-9t
- song of, 7-5, 7-7, 7-8s, Track 2
 dialects of, 2-16
 neighbor recognition and, 7-47
 oscillogram of, 7-8
 production of, 4-96–97
 repertoire of, 7-86t
 territoriality of, 6-3, 6-24
- Sparrowhawk, Eurasian, E-6
- Spatuletail, Marvelous, 3-15
- Speaker replacement experiments, 7-69, 7-70
- Speciation. *See* Species, evolution of
- Species
 classification of, 1-47–61, 1-52
 endangered, 10-91–92
 evolution of, **1-34–37**, 1-55–61, 1-57–62
 geographic isolation and, 1-55–59, 1-57–59
 keystone, **9-126–131**, 10-8
 song variation among, 7-42
- Species accounts, 2-52, 2-53
- Species-area relationship, **9-95**, 9-96, 10-71–72, 10-71
- Species complex, 7-46
- Species population, **9-49**
- Species recognition, 3-66, 4-67–68, 7-42. *See also* Identifying birds
- Species richness, **9-82–83**, 9-83, 9-85–101, 9-86–99
 ecotones and, 9-95
 habitat fragmentation and, 9-97–101, 9-97–99
 islands and, 9-95, 9-96, 10-71–72, 10-71
 latitude and, 9-85–87, 9-86
- Spectrum, visual, 3-48, 3-49
- Sperm, 4-127, 4-128
 chromosomes of, 4-134, 4-135–136
 counts of, 4-133
 photoperiodism and production of, 4-140
 receptacle for, 4-126
- "Sperm nest," **4-133**
- Spinal cord, 4-38–39. *See also* Vertebrae
 autonomic nervous system and, 4-44
 cross-section of, 4-39
 nerve plexuses and, 4-40
- Spinal nerves, 4-31–32, 4-39, 4-39–40, 4-42–45
- Spinous process, **4-16–17**, 4-19
- Spoonbill, Roseate, 1-17
 coloration of, 3-52–53
 foraging method of, 6-46
 life span of, 4-159t
- Spotting scopes, 2-42–44. *See also* Binoculars
- Sprunt, Alexander, Jr., 8-80
- Squid, flying, 5-3
- Squirrels
 Belding's Ground, 6-56
 bird feeders and, 9-33
 chickadee nest defense against, 6-52
 flying, E-18, 5-3
- Stabilizing selection, **1-37**
- Standardwing, Wallace's, 3-14
- Star compass, 5-86–87, 5-87–88
- Starling(s)
 classification of, 7-25
 European, 3-30
 appeasement display of, 6-29
 bill of, 4-109
 color of, 3-42–43, 4-137, 4-139
 breeding of, 4-141, 4-144
 feather wear in, 3-30
 flock defense behavior of, 6-54
 introduction and spread of, 9-55
 locomotion of, 1-26
 migration of, 5-79, 5-80
 nest of, 3-23–24, 8-59
 silhouette of, 2-2–3

- Starling(s) (*Continued*)
 song of, 7-69
 mimicry in, 7-81
 sun compass of, 5-84, 5-85
 survival rate of, 8-4t
 wing loading of, 5-31t
 ultraviolet light and, 4-68
- Static pressure, 5-11–13, 5-12
- Static soaring, 5-39–42, 5-40–43
- Statoconia, 4-58, 4-61
- Steadman, David, 10-6
- Stegosaurus*, E-9, E-27–28, E-32
- Sternum, 4-23–24, 5-4
 of *Archaeopteryx*, E-5, E-11
 of flightless birds, 4-23–24, 4-23
 keel of, 4-19–20, 4-23
 “pump and spring” of, 5-5
 trachea in, 4-92
- Steroids, 4-72
- Stilt, Black-necked, 8-101
 egg turning by, 8-101
 locomotion of, 1-26
 nest of, 8-101
- Stochasticity, 9-77–78, 10-67–69, 10-68
- Stoddard, Herbert, 10-83
- Stomach, 4-113–115, 4-118–120, 4-118
 hormones of, 4-76
- Storer, Robert, H-38
- Stork(s), 6-46
 chick development of, 8-122
 migration of, 5-57, 5-65, 5-67, 5-75
 soaring by, 5-39, 5-41
 Whale-headed, 1-84
 White, 8-4t, 8-17, 8-28
 wing shape of, 5-37
 Wood, 6-46, 10-84
- Storm-Petrel(s), 1-98, 1-103
 feeding of young by, 8-131
 foraging method of, 6-47
 hovering by, 5-29–30, 5-29
 Leach's, 5-31t, 5-82
 life span of, 4-159t
 Wilson's, 1-101, 4-54, 4-66–67, 5-29
- Struthiomimus*, E-9, E-27–28, E-33
- Studbook, 10-76
- Styracosaurus*, E-27–28, E-32
- Submissive behavior. *See* Appeasement displays
- Suboscines, 1-75, 1-79
 control of song in, 7-41
 diversity of, 1-75, 1-78, 1-79, 1-80, 7-31
 evolutionary history of, 4-94
 syrinx of, 1-75, 4-94, 4-95
 taxonomy of, 7-25
 vocal development in, 7-30–34
 geographic variation in vocalizations of, 7-57–58
- Subsong, 7-11, 7-27, 7-29s, Track 25, 7-30
- Subspecies, 1-55, 1-56
- Succession. *See* Ecological succession
- Suffixes of biological terms, 1-48–51
- Sugarbirds, 1-85
- Sunbeam, Purple-backed, 9-92
- Sunbird(s), 1-85, 1-86, 1-89
 classification of, 7-25
 false, 1-88
 foraging method of, 6-47
 Mount Apo, 1-86
 Scarlet-chested, 9-107
- Sunbittern, 1-72
- Sun compass, 5-84–86, 5-85–86
- Sungrebe, 8-136, 8-137
- Sunning, 3-22, 3-23
- Sunset migration cues, 5-92
- Supracoracoideus muscle, 4-21, 5-6, 5-7
- Surface-to-volume ratio, 3-11, 4-145–146, 4-146, 9-23–24
- Survival, 8-3–10, 8-84–85. *See also* Natural selection
 rate of, 5-54, 5-55, 8-3–7, 8-4t, 9-64–65
 age-specific, 9-64
- Survivorship, 8-5–6, 8-5
- Sutton, George M., H-37, H-40
- Swallow(s)
 Australian Tree, 4-142
 Bank
 fledgling, 7-47, 8-125
 nestling, 8-42
 nests of, 8-42
 building of, 8-41–42, 8-46
 parent-offspring recognition in, 7-47, 7-53, 8-125
 Barn
 feathers of, 1-2
 foraging method of, 6-44
 infanticide by, 6-59
 life span of, 4-159t
 mate choice in, 6-59, 6-81, 6-82
 mobbing by, 6-58
 nest of, 8-16, 8-34, 8-59
 building of, 8-46
 parent-offspring recognition in, 7-53, 8-125
 site fidelity in, 5-75
 survival rate of, 8-4t
 tail symmetry of, 6-81, 6-82
 wing loading of, 5-31t
 young of, 8-125
 Blue-and-white, 8-46
 Cave, 8-46
 classification of, 7-25
 Cliff, 8-55
 nests of, 6-59, 8-38, 8-59
 building of, 8-38, 8-46, 8-55
 parasites of, 6-59
 rivalry among, 8-14
 young of, 8-125
 folklore of, H-11
 foraging method of, 6-44
 Gray-rumped, 8-46
 migration time of, 5-65
 nest building by, 8-46, 8-56
 parent-offspring recognition in, 8-125
 playing by, 6-20
 Rough-winged, 8-46, 8-59
 Rufous-chested, 8-46
 silhouette of, 2-3
 South African, 8-46
 swift vs., 1-40
 Tree, 8-49, 9-131
 breeding time of, 8-12
 clutch size of, 8-90
 fledgling of, 8-115
 fledgling, 8-125
 incubation by, 8-97
 incubation patch of, 8-95
 nestling, 8-110
 feeding of, 8-132
 growth of, 8-47, 8-113
 nest of, 8-138, 9-131
 building of, 8-46
 feather lining of, 8-47, 8-49
 soiling of, 8-138, 8-139
 Red-naped Sapsucker and, 9-129–130, 9-131
 Violet-green, 1-20, 8-46, 8-59, 9-129–130, 9-131
 wings of, 1-18, 5-38
- Swan(s)
 cervical vertebrae of, 4-15
 folklore of, H-11
 Mute, 5-31t
 palate of, E-23
- Trumpeter, 5-33
 life span of, 4-159t
 protection of, 10-23
 trachea of, 4-92
- Tundra
 bill of, 3-67
 habitat of, 9-114
 Lewis and Clark Expedition and, H-29
 migration of, 5-46, 5-67
 survival rate of, 8-4t
 trachea of, 4-92
- Swan Lake* (Tchaikovsky), H-19
- Swift(s)
 bill of, 4-109
 Chimney, 1-27
 feathers of, 3-12
 foot of, 1-21, 1-27
 foraging method of, 6-44
 nests of, 4-111
 wing loading of, 5-31t
 claw of, E-6
 Common, 8-17
 developmental periods of, 8-117
 European, 4-111
 Little, nest of, 8-58
 migration time of, 5-65
 nests of, 4-111
 soaring by, 5-39
 Spine-tailed, flight speed of, 5-45
 swallow vs., 1-40
 toe arrangement of, 1-21
 torpor in, 4-154, 4-156, 5-51
 wing shape of, 5-37, 5-38
- Swiftlet, Edible-nest, 4-111
 echolocation by, 4-62, 4-66
 nests of, 4-62, 4-111, 8-17, 10-105
- Swimming, 1-28–30
- Symbiosis, 9-132
- Symbols, birds as, H-7, H-9, H-10, H-12, H-25
- Sympathetic system, 4-43, 4-44, 4-45.
See also Nervous system
- Synchronous hatching, 6-88, 8-97–98, 8-98
 chick calls for, 8-106
- Synsacrum, 4-9, 4-18, 4-20, 4-24. *See also* Skeleton
- Syrinx, 1-41, 1-75, 4-92–97
 brain and, 4-139, 7-39
 estrogens and, 4-139
 evolution of, 4-94–95
 hypoglossal nerve and, 4-42
 muscles of, 4-93, 4-95, 7-25, 7-38
 sound production by, 4-93–97, 4-96, 7-39s, Track 29
 structure of, 4-93, 7-38

T

- Taiga, 9-116
- Tail(s), 1-6
 of *Archaeopteryx*, E-4, E-11
 of Barn Swallow, 6-82
 bones of, 4-7–8, 4-18
 feathers of, 1-12, 1-13
 functions of, 1-23, 5-20–21
 modifications of, 3-12, 3-15
 molting of, 3-37
 numbering system of, 3-11
 vane width of, 3-3
 field marks of, 2-12–13
 function of, 1-23, 5-20–21
 pumping of, 2-7, 2-8
 shapes of, 1-19, 1-20
 of snipe, 7-17
 sound production by, 7-16–17, Track 15
 symmetry of, 6-82



- Tailorbird, Common, 8-54
Takahe, 10-90
Tambalocoque trees, 9-133–134
Tanager(s), 1-79, 1-81
 Blue-gray, 9-3
 classification of, 7-25
 foraging method of, 6-47
 Gray-headed, 9-88–89, 9-90
 nest building by, 8-57
 Paradise, 3-62
 podotheca of, 1-20
 Scarlet
 plumage cycle of, 3-29, 3-34
 habitat of, 9-93, 9-113
 fragmentation of, 9-100, 10-28t, 10-72
 increase in, 10-29
 in music, H-18
 nest predation rate of, 8-9t
 song of, 2-15, 2-17
 Silver-throated, 6-61
 Summer, 6-61, 10-28t
 Western, H-29
 brood parasite effect on, 8-151t
 life span of, 4-159t
 mobbing call of, 7-22s, Track 19
 molting of, 3-29
 nest predation rate of, 8-9t
Tanner, James, H-38
Tapaculos, 1-73, 1-79
Tarsals, 1-14, 4-24, 4-25
Tarsitano, Sam, E-19
Tarsometatarsus, 1-14, 1-15, 3-43, 4-25, 4-26
Tarsus, 1-15, 3-43
Taste, 4-65–69, 4-65
Taxonomy, H-23, H-33, 1-32–33
Tchaikovsky, Pyotr Ilich, H-19
Teal
 Blue-winged, 9-11
 Cinnamon, 4-110
Tear glands, 4-46–47
Temperature
 air, breeding and, 4-141
 body, 4-144–154, 9-13–18, 9-17, 9-19
 migration and, 5-65–66
Temple, Stanley, 9-32, 10-33
Tendons, 1-10, 1-16, 4-6, 4-27
Teratorn, Merriam's, 10-8–9
Teratornis incredibilis, 5-33
Termitaries (termite nests), 8-18, 8-19
Terms, biological, roots of, 1-48–51
Tern(s), 1-98–101
 Arctic, 5-27, 5-52
 life span of, 4-159t
 Black, nest of, 8-29
 breeding of, 4-71–72
 Common, 1-19, 4-71, 9-13
 diving by, 1-29
 Forster's, 5-39, 6-48
 Least, 8-138
 Little, 6-69
 playing by, 6-20
 Royal, 8-118
 soaring by, 5-42
 Sooty, 1-98, 4-144, 10-51
 White, 8-26
 wings of, 2-12, 5-37–38
Terrestrial birds, 1-66
Territoriality, 6-22–30. *See also* Mobbing;
 Defense behaviors; Territories
 ant followers and, 9-89–91
 causes of, 6-3
 displays used in, 6-25–27
 dominance hierarchies vs., 9-42–43, 9-43
 grouping vs., 6-64–65, 6-65
 population density and, 9-70
 resource competition and, 9-42–43, 9-43
 song and, 7-14, 7-42, 7-43, 7-47–51, 7-61–63, 7-66, 7-69–74, 7-69–70
Territories. *See also* Territoriality
 breeding, 6-22–30, 6-23, 8-13–15
 clutch size and quality of, 8-85–88, 8-86
 habitat selection and, 9-8–15, 9-9, 9-12
Testes, 4-71, 4-72, 4-75, 4-126, 4-127–128
Testosterone, 4-72, 4-75, 4-137–139, 4-138
Thecodonts, E-8–10, E-20, E-27–28, E-33
 pseudosuchian, E-9, E-33. *See also* Pseudosuchian thecodont hypothesis
The Nature Conservancy (TNC), 10-21, 10-86, 10-88, 10-103–104
Thermal soaring, 5-39–42, 5-40–42
Thermoregulation, 9-13–18, 9-17, 9-19. *See also* Body temperature
 body size and, 4-145–146, 4-146, 9-23–24
 shivering and, 4-27
Theropods, E-8–10, E-9, E-20, E-27–28, E-33
 foot/manus of, E-12
Thoracic cage, 4-18, 4-19
Thoracic lymph ducts, 4-89
Thoracic vertebrae, 4-17, 4-18
Thoreau, Henry David, H-25–26, 2-16–17, 10-19
Thrasher(s), 1-72
 Bendire's, 9-122
 Brown, 7-20
 habitat of, 9-95, 9-111, 10-29
 song control centers of, 7-40
 songs of, 2-17, 4-95
 repertoire of, 7-19, 7-20, 7-86t
 California, 9-121
 classification of, 7-25
 Crissal, 9-122
 foraging method of, 6-47
 Le Conte's, 9-122
 Sage, 9-121
Threat displays, 6-24, 6-25–27, 6-30–32, 6-52–53. *See also* Aggression
 calls and, 7-14, 7-73
Throat patch, 2-10
Thrombocytes, 4-88
Thrush(es), 1-79, 1-91. *See also* Whistling-Thrush; Antthrush; Waterthrush
 Bicknell's, 10-57
 classification of, 7-25
 foraging method of, 6-46
 Gray-cheeked, 5-45, 9-57
 Hermit
 habitat of, 9-93, 9-113, 9-116–117
 interspecific competition and, 9-57
 nest predation rate of, 8-9t
 Lawrence's, 7-81
 migration of, 5-54
 podotheca of, 1-20
 Small Kauai, 10-60t
 Song, 3-59, 8-47–50
 Swainson's
 foot of, 3-45
 habitat of, 9-93, 9-116
 interspecific competition and, 9-57
 migration altitude of, 5-67
 night flight call of, 7-44, Track 33
 ultraviolet colors of, 3-59
 Varied, 9-68, 9-117
 Wood, 7-2
 camouflage of, 3-61
 habitat of, 9-8, 9-9, 9-93, 9-94, 9-113, 9-118
 forest fragmentation and, 10-28t, 10-72
 interspecific competition and, 9-57
 nest predation rate of, 8-9t
 population fluctuations of, 10-68
 songs of, 7-2, 7-90s, Track 71
 duetting within, 7-38, 7-39s, Track 29
 piano score of, 7-48–49s, Tracks 39–40
 repertoire of, 7-88, 7-90s, Track 71
Thrust, 5-16–20, 5-18, 5-24–25
"Thunderbird," H-7
Thymus, 4-71
Thyroid, 4-71–72, 4-74
Thyroid-stimulating hormone, 4-72
Thyroxin, 4-72, 4-73
Tibia, 1-14, 4-24, 4-25
Tibiotarsus, 1-14, 1-15, 4-7, 4-24, 4-25
Tickbirds, 1-87
Tinamou(s), E-21–23, E-29–30, 1-72, 1-74, 7-24
 Chilean, eggs of, 8-75
 eggs of, 8-74–75
 Great
 vocalization of, 7-21, Track 20
 Red-winged, E-22
 vocalizations of, 7-21, Track 20, 7-24
Tinbergen, Niko, 6-7, 6-22–24, 6-32, 6-51, 10-109
Tip vortex, 5-34–35, 5-34
Tissues, 4-2. *See also* Cells
 metabolic exchange in, 4-86, 4-87
Tit(s)
 Blue, 1-72, 8-2
 breeding of, 4-141
 nest of, 8-2
 survival rate of, 8-4t, 9-64–65
 ultraviolet colors and, 4-67–68
 Great, H-18, 1-72
 breeding of, 4-141, 6-30
 clutch size of, 8-87–88, 8-93
 diet vs. color of, 3-51
 feeding of young by, 8-131
 number of broods of, 8-93
 song of, 7-20, 7-23, 7-49, 7-87
 Long-tailed, 8-47, 8-50, 8-54
Titmouse, 1-69
 Bridled, 9-120
 classification of, 7-25
 foraging method of, 6-44
 Juniper, 2-22, 9-121
 Oak, 2-22
 ranges of, 2-19, 2-22
 Tufted, 10-40
 alarm call of, 7-21s, Track 18
 "black-crested" form, 2-22
 habitat of, 9-112, 9-118, 10-28t
 mobbing call of, 7-22s, Track 19
 nest materials of, 8-16
 range of, 2-22
 expansion of, 10-29, 10-40–41
 song of, 7-86t
Todies, 1-69, 1-72
Toes. *See* Feet
Tongue, 4-110, 4-111, 4-112
 hyoid and, 4-13–14, 4-111
 taste buds and, 4-65
Tool use, 6-11
Topography, 1-6–7, 1-13
Torpor, 4-51, 4-153–154, 4-154–155
 respiration rate in, 4-156
Torrent-lark, 1-95
Torrey, Bradford, H-26
Totem poles, H-7
Toucan(s), 1-72, 1-81
 Amazonian distribution of, 1-74, 1-76
 Channel-billed, 9-2, 9-3, 9-5
 Choco, 1-81
 heel pad of, 3-44
 Keel-billed, 3-62
 speciation in, 1-74, 1-76
 toe arrangement of, 1-21



Touch, sense of, 4-69, 4-70, 4-105
 Towhee(s)
 Abert's, 4-141
 Canyon, 9-50
 Eastern, 7-19
 decline of, 10-29
 foraging method of, 6-47
 habitat of, 7-19, 9-112, 10-28t
 nest site of, 8-22
 song control centers of, 7-40
 song(s) of, 7-9, 7-9s, Track 7, 7-19s, 7-40, 7-75
 repertoire of, 7-19, 7-19s, Track 17, 7-62s, 7-63, 7-75, 7-86t
 sharing of, 7-62s, 7-63
 Green-tailed, 8-9t, 9-50
 Spotted, 7-9
 tail of, 2-13
 Trachea, 4-91, **4-92**
 Tracheal bulla, 4-92
 Transitive inference, **6-18**
 Translocation, 10-89–90
 Traplining, 9-29, 9-30
 Treecreeper, Eurasian, 9-38
 Treecreepers, Australasian, 1-92
 Tree-Finch(es), 1-60, 1-61
 Large, 1-60, 1-61
 Medium, 1-60, 1-61
 Small, 1-60, 1-61
 Treerunners, 1-92
 Trees-down theory of flight origin, E-15, E-18–20, E-18, E-27–28
 Trial and error, 6-10, 6-19
 Trigeminal nerve, 4-41
 Triiodothyronine, 4-72, 4-73
 Trochlear nerve, 4-41
 Trogon(s), 1-79–81, 1-93
 Black-headed, 8-19
 Elegant, 1-21
 Slaty-tailed, 1-81
 toe arrangement of, 1-21
 Violaceous, 8-18
 Trophic cascade, **10-46**
 Tropicbird(s), 1-98, 1-101
 Red-billed, 1-102
 Truesdale, Fred, 8-80
 Trumpeters, 1-72, 1-74
 Tundra
 alpine, 9-114–115
 arctic, 9-37, 9-46, 9-114, 9-115, 9-122, 9-123
 Snow Geese and, 10-43–47, 10-45–47
 Turaco(s), 1-85, 1-86
 developmental periods of, 8-117
 Schalow's, 1-86
 toe arrangement of, 1-21
 Turbulence, **5-13**, 5-33–35, 5-34
 angle of attack and, 5-15
 Turkey(s), 1-72, 1-89
 domestic, H-4
 breeding of, 4-141
 fertilization in, 4-133
 heart rate of, 4-155t
 respiration of, 4-156
 domestication of, H-4
 feathers of, 3-12
 foraging method of, 6-47
 gizzard of, 4-118
 habituation in, 6-10
 Wild, H-4, 1-73
 dances imitating, H-15
 dust-bathing by, 3-21, 3-22
 foraging method of, 6-46, 9-29
 flight muscles of, 5-7, 5-8
 habitat of, 9-95
 life span of, 4-159t

snood of, 3-48
 surface-to-volume ratio of, 4-146
 water sources for, 9-18, 9-20
 Turnstone
 Black, 3-63
 Ruddy, 3-68, 5-76, 5-77, 5-82
 Turtles, E-7. *See also* Reptiles
 Tympanic membrane, **4-56**
 Tympaniform membrane, 4-93, 4-96
Tyrannosaurus, E-9, E-27–28, **E-33**
 Tyrant(s), 1-79, 1-80. *See also*
 Flycatcher; Field-Tyrant;
 Pygmy-Tyrant; Rush-Tyrant
 bill of, 4-109
 classification of, 7-25
 Cock-tailed, 1-80
 head-scratching by, 3-21
 Long-tailed, 1-80
 Sharp-tailed, 1-80
 species of, 1-80
 Spectacled, 1-80
 Strange-tailed, 1-80
 syrinx of, 4-94

U

Ula-ai-hawane, 1-62
 Ulna, **1-9–10**
 Ulnare, **1-9–10**
 Ultimate factor(s)
 in bird behavior, 6-2–4, **6-3**, 6-4, 6-15–95
 design of research and, 6-96
 food supply as, 8-11, 9-37
 in the timing of breeding, 8-11, 9-37
 Ultimobranchial glands, 4-71–72, **4-74**
 Ultrasound, 4-61, 4-66
 Ultraviolet (UV) light, 3-48, 3-49, 3-58
 iridescence and, 4-67–68
 perception of, 3-49, 3-59, 4-66–69
 Umbrellabird(s), 1-81, 1-82
 Long-wattled, 1-82
 Uncinate process, 4-17, **4-18**, 4-19, 5-5
 United States... *See* U.S....
 Upwelling, 1-103–105, 1-103, 1-105
 Ureters, 4-125, 4-126
 Uric acid excretion, 4-125–127, 4-127, 9-22
 Urinary system, 4-125–127, 4-126, 4-162t
 Urogenital system, 4-124–144, 4-126, 4-158
 bird vs. mammal, 4-162t
 Uropygial gland, **3-20**
 Urvogels, **E-4–7**
 U.S. Biological Survey, H-32–33, 10-19
 U.S. Fish and Wildlife Service, 10-91, 10-97, 10-106
 Breeding Bird Survey of, 9-62, 9-63, 10-32
 U.S. Geological Survey, H-41
 Utricle, **4-57**, 4-61
 Vagina, **4-130**, 4-131
 Vagus nerve, 4-42, 4-44
 Valves, heart, 4-78–79, 4-78
 Vanga(s), 1-88
 Helmet, 1-88
 Van Gogh, Vincent, H-9
 Vas deferens. *See* Deferent ducts
 Vasotocin, arginine, 4-72, 4-73
 Vaughan Williams, Ralph, H-18–19
 Vectors (carriers), **9-70**
 Vectors (mathematical), 5-68
 Veery
 habitat of, 9-93, 10-28t, 10-73
 interspecific competition and, 9-57
 nest parasitism of, 10-73
 night flight call of, 7-44, 7-45s, Track 32
 relative abundance of, 9-101
 song of, 7-1, 7-5
 Vegetarianism, 4-115–116, 9-123–125
 Vehrencamp, Sandra, 7-50
 Veins, **4-77**, 4-83, 4-84–85, 4-85. *See also*
 Circulatory system
 coronary, 4-79
 cross-section of, 4-81
 system of, 4-83
Velociraptor, E-8, E-27–28, **E-33**
 Vena cava, 4-83–85, **4-84**, 4-89
 Venues, **4-81**, 4-84, 4-87
 pulmonary, 4-99
 Verdin, 8-36, 9-122
 Vertebrae, 4-14–18, 4-15–17. *See also* Spinal
 cord; Synsacrum
 cervical, 4-14–18, 4-15–17
 spinal nerves of, 4-39
 thoracic, 4-17, 4-18
 Vestibulocochlear nerve, 4-42, 4-59
 Viduines, 7-83, 8-142, 8-145–147
 Vieillot, Louis, H-25
 Villi, **4-121**
 Vireo(s), 1-72, 1-79
 Bell's, 8-10, 8-150, 10-37
 bill shape of, 2-7, 2-11
 Black-capped, 8-10, 8-150, 10-78
 Blue-headed, 2-17, 9-93
 classification of, 7-25
 foraging method of, 2-7, 6-44
 Gray, 9-121
 Hutton's, 9-120
 identification of, 2-7, 2-11
 migration of, 5-54
 nest building in, 8-57
 Philadelphia, 10-27
 Red-eyed, 9-118
 breeding of, 9-31, 9-37
 brood parasite effect on, 8-9t, 8-151t
 decline of, 10-27
 eye color of, 3-39
 foraging method of, 6-44
 habitat of, 9-93, 9-113
 sensitivity to fragmentation of,
 9-118, 10-28t, 10-72
 migration of, 9-31, 9-37
 in mixed feeding flocks, 6-61
 nest of, 8-32
 population fluctuations in, 10-68
 relative abundance of, 9-101
 silhouette of, 2-5
 song of, 2-17, 7-86t, 7-88–89
 silhouette of, 2-2–3
 songs of, 2-17
 Warbling, 8-9t, 8-14
 White-eyed, 2-16
 wing bars of, 2-12
 Yellow-throated
 brood parasite effect on, 8-151t
 habitat of, 9-118, 10-28t
 song of, 2-17
 Vision, 4-45–54, 4-50–54. *See also* Eye; Colors
 accommodation in, **4-50**
 binocular, **4-51–53**, 4-51, 4-53
 color, 3-48–50, 3-49, 3-54–61, 4-49–51, 4-67
 monocular, **4-51–53**, 4-51, 4-53
 ultraviolet, 3-49, 3-58–60, 3-59, 4-67–68
 Visual spectrum, 3-48, 3-49
 Vitelline diverticulum, 4-121, **4-122–123**
 Vitelline membrane, **8-62**, 8-63
 Vitreous body, **4-47**, 4-48
 Vitreous chamber, **4-47**, 4-48
 Vivaldi, Antonio, H-19
 Vocalizations. *See* Calls; Songs; Sounds



- Vocal signals, 7-11, 7-20
 Voice box. *See* Syrinx
 Von Haartman, Lars, 6-5–6
 Vortex, tip, 5-34–35, 5-34
 Vulture(s), 1-72, 1-79, 1-93
 Black, 10-108
 flight of, 2-7
 range of, 5-42
 roosts of, 6-65
 Turkey Vulture vs., 5-39
 wing shape of, 5-41–42, 5-42
 Egyptian, 6-11
 foraging by, 6-62–63, 6-63, 6-65
 Griffon, 4-133
 King, 4-64
 Lappet-faced, 6-63
 migration altitude of, 5-67
 olfaction in, 4-38, 4-62–64
 roosting by, 6-65, 6-66
 soaring by, 5-39, 5-41
 Turkey, 5-35
 Black Vulture vs., 5-41–42, 5-42
 flight of, 2-5, 2-7
 head of, 3-46, 3-48
 heart rate of, 4-155t
 range of, 5-42
 roost of, 6-66
 soaring by, 5-35
 water needs of, 9-20
 wing shape of, 5-41–42, 5-42
 White-backed, 6-63, 9-28, 9-29
- W**
- Wagtail(s)
 classification of, 7-25
 Pied, 1-71
 White, 1-71, 8-14
 Wallace, Alfred Russell, 10-109
 Wallraff, Hans, 5-82–83, 5-93–97
 Walsh, Joan, 5-76
 Walters, Michael, 8-80
 Warbler(s), Australo-Papuan, 1-92–93
 Warbler(s), New World, 1-79. *See also*
 Wood-warbler
 Bachman's, 10-16–17, 10-18
 Bay-breasted, 9-103, 9-116
 behavior of, 2-7
 bill of, 2-7, 2-11
 Black-and-white, 1-65, 7-2
 classification of, 1-64, 1-65
 foraging method of, 6-44
 habitat of, 9-112, 10-28t
 in mixed feeding flocks, 6-61
 nestling, 3-43
 nest predation rate of, 8-9t
 night flight call of, Track 30 (7-44)
 song of, 7-2
 Blackburnian, 9-93, 9-103, 9-116–117
 Blackpoll, 5-52, 7-5
 life span of, 4-159t
 Black-throated Blue, 9-122, 10-27
 Black-throated Gray, 9-120
 Black-throated Green, 2-20
 habitat of, 2-20, 9-93, 9-113
 niche of, 9-103, 9-104, 9-105
 relative abundance of, 9-101
 Blue-winged, 7-61
 competition with Golden-winged,
 10-29
 fledgling, 8-115
 habitat of, 2-20, 9-94
 hybrids of, 3-66
 song of, 2-16, 7-61, Track 45
 Brewster's, 3-66
 Canada, 9-116–117
 Cape May, 7-5, 9-103, 9-116
 Cerulean
 habitat of, 9-95, 9-118, 10-28t
 range of, 9-50, 9-51
 Chestnut-sided, 7-61, 8-138
 fecal sac of, 8-138
 habitat of, 7-61, 9-112
 nest of, 8-138
 song of, 7-61, Track 46, 7-71
 classification of, 7-25
 genera of, 1-64, 1-65
 Golden-cheeked, 10-65
 Golden-winged, 3-66, 10-29
 habitat of, 9-111
 in mixed feeding flocks, 6-61
 Hermit, 9-117
 Hooded
 habitat of, 9-118, 10-28t
 nest predation rate of, 8-9t
 range of, 9-50, 9-52–53
 song of, 2-16
 tail markings of, 3-64
 identification of, 2-4, 2-7, 2-11
 Kentucky
 habitat of, 9-118, 10-28t
 range of, 9-50, 9-52
 song of, 2-16
 Kirtland's, 8-21
 cowbirds and, 8-10, 8-21, 8-150,
 8-151t, 10-35
 habitat of, 8-21, 8-21–22, 9-58, 10-65–66
 nest of, 8-21, 8-21–22
 Lawrence's, 3-66
 Lucy's, 2-21
 MacGillivray's, 8-9t
 Magnolia, 6-61, 9-116–117
 migration of, 5-54
 Mourning, 10-28t
 nest building in, 8-57
 Northern Parula, 9-104, 9-105
 Orange-crowned, 1-65, 8-9t, 9-128, 9-129
 Palm, 9-116
 Pine
 silhouette of, 2-2–3
 song of, 2-16, 7-42
 Prairie, 9-50, 9-53
 Prothonotary, 8-59
 broods of, 8-91
 nest of, 8-58–59, 8-59
 range of, 9-50, 9-52
 Red-faced, 8-9t
 songs of, 2-15–16
 Tennessee, 1-65, 9-116
 Townsend's, 9-117
 Virginia's, 8-9t, 9-120
 wing bars of, 2-12
 Worm-eating
 habitat of, 9-118, 10-28t, 10-72
 nest predation rate of, 8-9t
 song of, 2-16
 Yellow
 cowbirds and, 6-3, 6-43, 8-149, 8-161t
 nest of, 8-149
 range of, 9-50, 9-51
 song of, 7-5, 7-75–76
 Yellow-rumped
 foraging method of, 6-44
 habitat of, 9-116
 nest predation rate of, 8-9t
 niche of, 9-103, 9-104, 9-105
 Yellow-throated, 2-17, 10-28t
 Warbler(s), Old World, 1-70, 1-91. *See also*
 Brush-Warbler; Reed-Warbler
 breeding of, 4-142
 classification of, 7-25
 Fan-tailed, 8-7. *See also* Cisticolas
 Garden, 5-79–80, 5-81
 Grasshopper, 4-94
 Marsh, 7-82–83
 migration of, 5-54, 5-56
 songs of, 2-15–16
 Warm fronts, 5-61–71
 Wasp, parasitoid, 8-56
 Water, 9-18–22. *See also* Habitat, wetland;
 Habitat, riparian
 obtainment of, 9-18–22, 9-20
 pollution of, 10-56–57
 protection of, 10-21–23
 for young, 8-133, 8-133, 9-20, 9-21
 Water balance, 4-125–126, 4-127, 4-157–
 158, 9-18–22
 Water birds, 1-65
 Waterfowl, 1-65, 1-79, 1-98
 brood amalgamation in, 8-128–129
 flight speed of, 5-45
 heat exchange in legs of, 4-151
 migration of, 5-46, 5-65, 5-67, 5-68–69, 5-73
 site fidelity in, 5-75
 trapping of, H-3–4
 Willughby, Francis, and, H-23
 Waterfowl Habitat Acquisition Plan, 10-97
 Water-Ouzel, H-26
 Waterthrush(es), 2-14
 Louisiana, 2-18, 10-28t
 Northern, 2-18, 5-75
 Wattlebirds, 1-93, 1-96, 1-97. *See also* Huia
 Wattles, 3-48
 Waxbills, 1-83, 1-95, 8-142
 Waxwing(s), 7-73, 8-111
 Cedar, 3-64
 calls of, 7-5, 7-72, Tracks 49–50
 developmental periods of, 8-117
 nestling, 8-108–109, 8-111
 relative size of, 2-8
 wing tips of, 7-72, 7-73
 classification of, 7-25
 foraging method of, 6-44, 6-46
 Weather. *See also* Climate
 food needs and, 9-24, 9-25
 migration and, 5-69–73, 5-69–72
 Weaver(s), 1-83, 1-89
 Baya, 4-142
 classification of, 7-25
 "Cuckoo," 8-142
 Parasitic, 8-142
 Social, 8-40
 Village
 nest construction in, 8-52–53
 Web sites, H-40–41
 Webster, Michael, 6-74
 Weka, E-4, 1-98
 Wellnhofer, Peter, E-4
 Western Foundation of Vertebrate Zoology
 (WFVZ), 8-81–83, 8-82–83
 Wetland mitigation, 10-93
 Wetlands. *See* Habitat, wetland
 Wetmore, Alexander, 1-33, 1-38, 1-39
 Whelks, 6-48–50, 6-49
 Whip-poor-will, H-10, 7-1
 camouflage of, 3-61
 habitat of, 9-118
 nest of, 8-26, 8-27
 Whistlers, 1-93, 1-95
 Whistling-Thrush
 Blue, 3-59
 Taiwan, 3-59
 White, John, H-22
 White blood cells, 4-88, 4-123–124
 Whitman, Walt, 10-19
 Whydah(s)
 as brood parasites, 8-142, 8-145–147



- Whydah(s) (*Continued*)
 classification of, 7-25
 Pin-tailed, 8-142
- Wild Bird Conservation Law, H-39
- Wilderness Act, 10-21
- Wildlife management, H-39–41. *See also*
 Conservation
 courses on, H-38
 legislation on, H-39
- Wildlife refuges, H-39
- Willet, 3-64, 3-65
- Williams, George C., 6-24
- Williamson, Malcolm, H-19
- Willis, Edwin, 9-91
- Willughby, Francis, H-22, H-23, 1-32, 1-33
- Wilson, Alexander, H-27–28, H-27, H-30, 10-2
- Wilson, Edward O., 1-10, 1-35, 4-21
- Wilson Ornithological Society, H-35
- Wiltschko, Roswitha, 5-89–90, 5-91, 5-98
- Wiltschko, Wolfgang, 5-89–90, 5-91
- Wing(s). *See also* Flight
 of American Woodcock, 7-16
 anatomy of, 1-9–12, 1-9–10
 of *Archaeopteryx*, E-10–11, E-16–17
 arm vs., 1-9–10, 1-10, 1-35, 4-21
 beat frequency of, 5-45
 bend of, 1-11, 1-11
 bones of, 1-9–10, 4-21–23, 4-22
 claws on, E-6, E-10, 3-46, 3-47
 curvature of, 1-18
 development of, 8-113, 8-122
 elliptical, 5-36–38, 5-37–38
 feathers of, 1-11–12, 1-13
 attachment of, 1-10
 field marks on, 2-12
 molting of, 3-36, 3-37
 vane width of, 3-3
 flapping of, 5-16–26, 5-17–26
 flight adaptations of, 5-4
 high-aspect-ratio, 5-36–37, 5-42–44
 high-speed, 5-36–39, 5-37, 5-39
 inner, 5-23
 joints of, 5-6
 lightning of, 1-10
 molting of, 3-36, 3-37
 muscles of, 4-28, 4-29
 outer, 5-23
 patagia of, 1-11
 shapes of, 1-18–19, 1-18, 5-36–37,
 5-36–44
 slotted high-lift, 5-35, 5-36, 5-37, 5-39, 5-42
 slotting of, 5-35, 5-39
 sound production by, 7-15–18, 7-15–16,
 Tracks 13, 14, 16
 spurs on, 4-22
 thrust from, 5-16–20, 5-18, 5-24–25
 tip vortex from, 5-34–35, 5-34
- Wing loading, 5-31–33, 5-31t, 5-32
- Winnowing, 7-14, 7-16–17, 7-17, Track 15
- Wishbone. *See* Furcula
- Woodbridge, Brian, 10-54
- Woodcock, American
 aerial display of, 7-16, 7-16–17, Track 14
 camouflage of, 3-61, 8-103
 chick of, 8-119, 8-121
 development of, 8-121
 feeding of, 8-133
 cranial kinesis in, 4-12
 decline of, 10-29
 foraging method of, 6-44
 habitat of, 9-95
 life span of, 4-159t
 nest of, 8-103, 8-119
 podotheca of, 1-20
 sex ratio in, 9-80
 vision of, 4-51
- Woodcreeper(s), 1-73, 1-78, 1-79. *See also*
 Barred-Woodcreeper
 classification of, 7-25
 Plain-brown, 1-78, 9-88–91, 9-90
 species of, 1-78, 1-79
- Woodhoopoes, 1-85, 3-20
- Woodpecker(s), 1-69, 1-79, 1-91, 1-93
 Acorn, 6-48
 Black, 8-16–17
 Black-backed, 4-26, 9-116, 9-117
 claws of, E-6
 Downy, 1-25
 albino, 3-53
 bill length of, 2-9
 distribution of, H-41
 drumming by, 7-7–9, 7-8s, Track 4
 flight pattern of, 5-26
 habitat of, 9-93, 9-113, 9-118, 10-28t
 Hairy vs., 2-9
 landing by, 5-26
 relative size of, 2-8
 tree climbing by, 1-25
 drumming by, 7-7–9, 7-8s, Tracks 3–5,
 7-14–15
 flight pattern of, 2-5, 2-6, 5-35
 folklore of, H-11
 foraging method of, 6-44, 6-45, 7-15,
 Track 12
 Gila, 9-122
 Gray-headed, 1-21
 Great Spotted, 8-8
 Hairy
 bill length of, 2-9
 Downy vs., 2-9
 drumming by, 7-7–9, 7-8s, Track 3
 foraging pecks of, 7-15, Track 12
 habitat of, 9-93, 9-113, 9-118, 10-28t
 life span of, 4-159t
 threat display of, 6-26
 wing noises of, 7-17–18
 Imperial, 10-16–17
 Ivory-billed, 10-16
 Lesser Spotted, E-6
 Lewis's, H-29
 migration time of, 5-65
 molting of, 3-36
 nest cavity of, 8-39–41, 8-41, 8-57
 Nuttall's, 9-120
 Pileated, 10-29
 foraging method of, 6-45
 habitat of, 9-94, 9-98, 9-113, 10-28t,
 10-72
 increase in, 10-29
 relative size of, 2-8
 Red-bellied, 9-34
 habitat of, 9-98, 9-113, 9-118, 10-28t
 increase in, 10-29, 10-40
 range expansion in, 10-40
 Red-cockaded, 9-50, 9-54, 10-63, 10-83
 Red-headed, 8-14, 9-95, 10-28t
 salivary glands of, 4-112
 sex recognition in, 3-67
 silhouette of, 2-2–3
 skull of, 4-4–5
 Strickland's, 9-120
 Three-toed, 4-26, 9-116
 toe arrangement of, 1-21
 tongue of, 4-14, 4-110, 4-111
 White-backed, E-6
 White-headed, 4-110
- Wood-Pewee
 Eastern, 7-76
 bill color of, 2-11
 Eastern Phoebe vs., 2-11
 habitat of, 9-118, 10-28t, 10-72
 population fluctuations of, 10-68
- range of, 9-56
 song of, 2-16, 7-76, Tracks 57–58, 7-86t
 Western, 9-130–131
- Woodswallow, Black-faced, 4-142
- Wood-warblers, 1-64, 1-65, 1-72, 7-25. *See also* Warbler(s), New World
- Woolfenden, Glen, 6-88
- Wordsworth, William, H-12
- World Conservation Union, 10-93–94
- Wren(s), 1-72, 1-79
 Bay, duet of, 7-79s, Track 60
 Bewick's, 7-28
 habitat of, 9-121
 song of, 7-28–29, 7-29s, Track 25,
 7-86t, 7-87
- Cactus, 9-19
 habitat of, 2-21, 9-121, 9-122
 nest of, 8-36
 thermoregulation in, 9-18, 9-19
 water needs of, 9-20
- Canyon, 8-16, 8-17
- Carolina, 8-55
 habitat of, 10-28t
 life span of, 4-159t
 nest predation rate of, 8-9t
 song of, 7-78s, Track 59, 7-86t
 “European,” 1-72
 House, 9-2
 breeding of, 9-1–2
 clutch size of, 9-47
 feeding of young by, 8-17
 habitat of, 2-20
 heart rate of, 4-155
 life history strategies of, 9-2, 9-45, 9-46t
 song mimicry by, 7-81
 mobbing call of, 7-22s, Track 19
 nest of, 8-59, 8-89
 niche of, 9-83, 9-84–85
 respiration of, 4-156
 rivalry among, 8-14
 tail of, 2-13
 territoriality of, 7-69, 9-1
 wing loading of, 5-31t
- Marsh, 7-64
 habitat of, 2-21
 nests of, 8-24, 8-56
 polygyny in, 7-71
 rivalry among, 8-14
 song control centers of, 7-39–40
 song of, 6-18, 7-64–65, 7-64, 7-65s,
 Tracks 47–48
 learning of, 6-18, 7-27
 matched countersinging with, 7-36,
 Track 28, 7-67, 7-87
 mimicry in, 7-81
 repertoire of, 7-19, 7-86t
- Musician, 7-26, Track 22
 nest building in, 8-56
- New Zealand, 1-92, 1-96, 7-25
- Rufous-naped, 8-19
- Sedge, 7-37
 habitat of, 9-8, 10-28t
 song of, 7-36–37, 7-37, 7-86t
- silhouette of, 2-3
- Socorro, 10-70
- Stephens Island, 5-51
- Stripe-backed, 6-94
- Winter, 1-72
 Common Cuckoo parasitism and, 8-141
 habitat of, 1-72, 2-20, 9-93, 9-116–117
 song of, 2-15, 4-94, 7-10, 7-10s, Track
 8, 7-41, 7-66
 surplus nests of, 8-56
 tail of, 2-13
- Wrentit, 9-120
- Wright, Mabel Osgood, H-27



Index

Wry – Zyg 109

Wrybill, 4-104, 4-105
 Wyeth, Andrew, H-8-9
 Wynne-Edwards, V. C., 6-24, 6-28

X

X-ray
 of egg in oviduct of Brown Kiwi, 8-72

Y

Yellowlegs
 Greater, 2-11
 Lesser, 2-11, 10-43
 Yellowthroat, Common
 brood parasitism effect on, 8-151t
 face mask of, 3-64
 feeding cowbird fledgling, 6-3
 habitat of, 2-21
 life span of, 4-159t

song of, 7-5, 7-9, 7-9s, Track 6, 7-47, 7-86t
 mimicry in, 7-81
 Yolk, 4-130, 8-62-63, 8-62-64, 8-69
 Yolk sac, 8-65-67, 8-120
 Young. *See also* Embryo; Hatching; Feeding
 behavior, parental
 altricial, 6-87, 8-106-117
 development of, 8-107-117
 fledging of, 8-115
 precocial vs., 8-72, 8-106t
 thermoregulation of, 8-110, 8-112, 8-120
 of brood parasites, 8-144-147, 8-145-146
 calls of. *See* Calls
 care of, 8-130-139. *See also specific topics*
 carrying of, 8-134, 8-136, 8-136-137
 creches of, 8-116, 8-125-129, 8-126-129
 defense of, 6-52-53, 8-134-136
 development of, 8-106-124,
 8-108-109, 8-114
 feeding of, 8-130-131, 8-131-134
 parent-offspring recognition, 7-47, 7-53,
 8-125

precocial, 8-117-119, 8-124
 altricial vs., 8-72, 8-106t
 behavior of, 8-123-124
 development of, 8-117-124, 8-121-122
 flightless period of, 8-124
 metabolic rate in, 8-123
 thermoregulation in, 8-120-123
 skull characteristics of, 4-10, 4-10
 survival rates of, 8-5, 9-64

Z

Zach, Reto, 6-49
 Zoogeographic regions, 1-69-98, 1-70
 marine, 1-98-105, 1-99
 Zoom lens, 2-43
 Zooplankton, 1-101, 1-103, 4-64-65. *See also* Plankton
Zugunruhe, 5-60, 5-89. *See also* Migratory
 restlessness
 Zygote, 4-133



